

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 1/31/24
5:35 PM**

**To: 2/1/24
8:58 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	689	194	0-21461 ppb	44.61 ppb	9000 ppb
	H2S	No	689	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	689	688	0-21.40 %	21.11 %	<19.5 or >23 %
	LEL	No	689	0	0-0 %	0 %	10 %
	NH3	No	689	11	0-31 ppm	0.08 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	716	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	716	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	716	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	716	715	0-21.30 %	21.05 %	<19.5 or >23 %
	LEL	No	716	0	0-0 %	0 %	10 %
	NH3	No	716	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	715	203	0-148 ppb	9.03 ppb	9000 ppb
	CO	No	715	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	715	1	0-0.90 ppm	0.00 ppm	0.51 ppm
	O2	No	715	715	8.10-23.20 %	19.70 %	<19.5 or >23 %
	LEL	No	715	1	0-10 %	0.01 %	10 %
	NH3	No	715	0	0-0 ppm	0 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	683	199	0-209 ppb	4.13 ppb	9000 ppb
	CO	No	683	4	0-4 ppm	0.02 ppm	83 ppm
	H2S	No	683	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	683	683	21.10-21.40 %	21.22 %	<19.5 or >23 %
	LEL	No	683	0	0-0 %	0 %	10 %
	NH3	No	683	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	603	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	603	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	603	0	0-0 ppm	0 ppm	0.51 ppm
	LEL	No	603	0	0-0 %	0 %	10 %
	NH3	No	603	0	0-0 ppm	0 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	689	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	689	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	689	689	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	689	0	0-0 %	0 %	10 %
	NH3	No	689	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/1/24
9:00 AM**

**To: 2/2/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1330	612	0-122 ppb	25.30 ppb	9000 ppb
	H2S	No	1330	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1330	1330	20.90-21.50 %	21.26 %	<19.5 or >23 %
	LEL	No	1330	0	0-0 %	0 %	10 %
	NH3	No	1330	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1428	1	0-19222 ppb	13.46 ppb	9000 ppb
	CO	No	1428	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1428	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1428	1428	1.60-21.50 %	20.91 %	<19.5 or >23 %
	LEL	No	1428	0	0-0 %	0 %	10 %
	NH3	No	1428	3	0-29 ppm	0.03 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1413	470	0-12745 ppb	30.64 ppb	9000 ppb
	CO	No	1413	28	0-54 ppm	0.48 ppm	83 ppm
	H2S	No	1413	11	0-13.90 ppm	0.05 ppm	0.51 ppm
	O2	No	1413	1413	15.70-54.30 %	21.13 %	<19.5 or >23 %
	LEL	No	1413	10	0-68 %	0.27 %	10 %
	NH3	No	1413	18	0-23 ppm	0.04 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1356	819	0-73 ppb	17.56 ppb	9000 ppb
	CO	No	1356	5	0-12 ppm	0.02 ppm	83 ppm
	H2S	No	1356	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1356	1356	21.10-21.50 %	21.28 %	<19.5 or >23 %
	LEL	No	1356	0	0-0 %	0 %	10 %
	NH3	No	1356	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	904	309	0-287 ppb	15.67 ppb	9000 ppb
	CO	No	904	3	0-76 ppm	0.14 ppm	83 ppm
	H2S	No	904	2	0-19.20 ppm	0.03 ppm	0.51 ppm
	LEL	No	904	2	0-110 %	0.18 %	10 %
	NH3	No	904	0	0-0 ppm	0 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1273	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1273	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1273	1273	20.90-21.50 %	20.90 %	<19.5 or >23 %
	LEL	No	1273	0	0-0 %	0 %	10 %
	NH3	No	1273	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/2/24
9:00 AM**

**To: 2/3/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1435	684	0-54 ppb	8.81 ppb	9000 ppb
	H2S	No	1435	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1435	1435	21.20-21.50 %	21.28 %	<19.5 or >23 %
	LEL	No	1435	0	0-0 %	0 %	10 %
	NH3	No	1435	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1440	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1440	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1440	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1440	1440	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1440	0	0-0 %	0 %	10 %
	NH3	No	1440	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1439	370	0-23710 ppb	45.93 ppb	9000 ppb
	CO	No	1439	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1439	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1439	1439	19.50-24.30 %	20.59 %	<19.5 or >23 %
	LEL	No	1439	0	0-0 %	0 %	10 %
	NH3	No	1439	0	0-0 ppm	0 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1436	957	0-119 ppb	37.71 ppb	9000 ppb
	CO	No	1436	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1436	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1436	1436	21.10-21.60 %	21.30 %	<19.5 or >23 %
	LEL	No	1436	0	0-0 %	0 %	10 %
	NH3	No	1436	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1258	858	0-417 ppb	103.26 ppb	9000 ppb
	CO	No	1258	2	0-38 ppm	0.04 ppm	83 ppm
	H2S	No	1258	2	0-8.70 ppm	0.01 ppm	0.51 ppm
	LEL	No	1258	2	0-49 %	0.04 %	10 %
	NH3	No	1258	212	0-1 ppm	0.17 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1391	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1391	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1391	1391	20.90-21.80 %	20.93 %	<19.5 or >23 %
	LEL	No	1391	0	0-0 %	0 %	10 %
	NH3	No	1391	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/2/24
9:00 AM**

**To: 2/3/24
8:59 AM**



Ebenezer Middle School - 32.3461151123046, -81.2288742065429							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1426	414	0-19323 ppb	47.53 ppb	9000 ppb
	CO	No	1426	8	0-8 ppm	0.03 ppm	83 ppm
	H2S	No	1426	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1426	1426	19.50-23.50 %	20.70 %	<19.5 or >23 %
	LEL	No	1426	0	0-0 %	0 %	10 %
	NH3	No	1426	0	0-0 ppm	0 ppm	30 ppm

Springfield WWTP - 32.34419631958, -81.2526092529296							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1357	899	0-111 ppb	44.36 ppb	9000 ppb
	CO	No	1357	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1357	1	0-0.50 ppm	0.00 ppm	0.51 ppm
	O2	No	1357	1357	20.90-20.90 %	20.90 %	<19.5 or >23 %
	NH3	No	1357	0	0-0 ppm	0 ppm	30 ppm

Notes:

- % Percent
- < Less than
- > Greater than
- AEGL Acute Exposure Guideline Levels for Airborne Chemicals
- CFR Codes of Federal Regulation
- ppb Parts per billion
- ppm Parts per million

Analyte Definition Action Level Reference

CO	Carbon Monoxide	AEGL-2 1hr
H2S	Hydrogen Sulfide	AEGL-1 1hr
LEL	Lower Explosive Limit	29 CFR 1910.146, Confined Spaces
NH3	Ammonia	AEGL-1 1hr
O2	Oxygen	29 CFR 1910.146, Confined Spaces
VOC	Volatile Organic Compounds	AEGL-1 1hr for Benzene

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/3/24
9:00 AM**

**To: 2/4/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1423	998	0-77 ppb	21.79 ppb	9000 ppb
	H2S	No	1423	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1423	1423	21.20-21.40 %	21.26 %	<19.5 or >23 %
	LEL	No	1423	0	0-0 %	0 %	10 %
	NH3	No	1423	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1440	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1440	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1440	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1440	1440	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1440	0	0-0 %	0 %	10 %
	NH3	No	1440	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1439	567	0-1053 ppb	14.41 ppb	9000 ppb
	CO	No	1439	14	0-176 ppm	0.32 ppm	83 ppm
	H2S	No	1439	7	0-10.20 ppm	0.04 ppm	0.51 ppm
	O2	No	1439	1439	17.50-23.50 %	20.67 %	<19.5 or >23 %
	LEL	No	1439	6	0-50 %	0.20 %	10 %
	NH3	No	1439	6	0-2 ppm	0.01 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1429	1013	0-97 ppb	36.93 ppb	9000 ppb
	CO	No	1429	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1429	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1429	1429	21.20-21.50 %	21.27 %	<19.5 or >23 %
	LEL	No	1429	0	0-0 %	0 %	10 %
	NH3	No	1429	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1051	481	0-62 ppb	16.23 ppb	9000 ppb
	CO	No	1051	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1051	0	0-0 ppm	0 ppm	0.51 ppm
	LEL	No	1051	95	0-2 %	0.18 %	10 %
	NH3	No	1051	0	0-0 ppm	0 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1285	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1285	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1285	1285	20.90-21.60 %	20.90 %	<19.5 or >23 %
	LEL	No	1285	0	0-0 %	0 %	10 %
	NH3	No	1285	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/4/24
8:27 AM**

**To: 2/5/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1113	283	0-40 ppb	4.06 ppb	9000 ppb
	H2S	No	1113	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1113	1113	20.90-21.30 %	21.20 %	<19.5 or >23 %
	LEL	No	1113	0	0-0 %	0 %	10 %
	NH3	No	1113	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1339	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1339	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1339	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1339	1339	20.50-20.90 %	20.85 %	<19.5 or >23 %
	LEL	No	1339	0	0-0 %	0 %	10 %
	NH3	No	1339	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1297	844	0-65 ppb	17.63 ppb	9000 ppb
	CO	No	1297	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1297	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1297	1297	21.70-23 %	22.14 %	<19.5 or >23 %
	LEL	No	1297	0	0-0 %	0 %	10 %
	NH3	No	1297	0	0-0 ppm	0 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1161	95	0-22 ppb	0.59 ppb	9000 ppb
	CO	No	1161	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1161	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1161	1161	21.10-21.30 %	21.20 %	<19.5 or >23 %
	LEL	No	1161	0	0-0 %	0 %	10 %
	NH3	No	1161	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	759	27	0-23529 ppb	209.94 ppb	9000 ppb
	CO	No	759	5	0-51 ppm	0.18 ppm	83 ppm
	H2S	No	759	6	0-10.20 ppm	0.04 ppm	0.51 ppm
	O2	Yes	32	31	0-32.80 %	16.60 %	<19.5 or >23 %
	LEL	No	759	5	0-50 %	0.24 %	10 %
	NH3	No	759	0	0-0 ppm	0 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1312	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1312	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1312	1312	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1312	0	0-0 %	0 %	10 %
	NH3	No	1312	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/5/24
9:00 AM**

**To: 2/6/24
10:12 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1364	872	0-77 ppb	19.55 ppb	9000 ppb
	H2S	No	1364	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1364	1363	0-21.70 %	21.23 %	<19.5 or >23 %
	LEL	No	1364	0	0-0 %	0 %	10 %
	NH3	No	1364	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1438	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1438	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1438	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1438	1438	20.60-20.90 %	20.85 %	<19.5 or >23 %
	LEL	No	1438	0	0-0 %	0 %	10 %
	NH3	No	1438	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1427	787	0-42 ppb	11.54 ppb	9000 ppb
	CO	No	1427	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1427	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1427	1427	20.10-22.60 %	21.51 %	<19.5 or >23 %
	LEL	No	1427	0	0-0 %	0 %	10 %
	NH3	No	1427	0	0-0 ppm	0 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1419	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1419	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1419	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1419	1419	21.20-21.40 %	21.22 %	<19.5 or >23 %
	LEL	No	1419	0	0-0 %	0 %	10 %
	NH3	No	1419	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968

Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1151	50	0-13767 ppb	88.80 ppb	9000 ppb
	CO	No	1151	5	0-51 ppm	0.12 ppm	83 ppm
	H2S	No	1151	5	0-10.20 ppm	0.02 ppm	0.51 ppm
	O2	No	1151	1148	0-20.90 %	20.68 %	<19.5 or >23 %
	LEL	No	1151	4	0-49 %	0.12 %	10 %
	NH3	No	1151	15	0-48 ppm	0.26 ppm	30 ppm
	HCN	Yes	8	8	0.10-18.70 ppm	4.60 ppm	2 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/6/24
9:00 AM**

**To: 2/7/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1016	7	0-23408 ppb	88.34 ppb	9000 ppb
	H2S	No	1016	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1016	1012	0-21.80 %	21.54 %	<19.5 or >23 %
	LEL	No	1016	0	0-0 %	0 %	10 %
	NH3	No	1016	6	0-50 ppm	0.15 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1016	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1016	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1016	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1016	1016	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1016	0	0-0 %	0 %	10 %
	NH3	No	1016	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1016	204	0-38 ppb	3.94 ppb	9000 ppb
	CO	No	1016	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1016	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1016	1016	19.50-24.10 %	20.71 %	<19.5 or >23 %
	LEL	No	1016	0	0-0 %	0 %	10 %
	NH3	No	1016	0	0-0 ppm	0 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1016	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1016	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1016	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1016	1016	21.20-21.50 %	21.30 %	<19.5 or >23 %
	LEL	No	1016	0	0-0 %	0 %	10 %
	NH3	No	1016	0	0-0 ppm	0 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	936	35	0-32302 ppb	130.37 ppb	9000 ppb
	CO	No	936	4	0-52 ppm	0.07 ppm	83 ppm
	H2S	No	936	3	0-10.70 ppm	0.01 ppm	0.51 ppm
	O2	No	936	936	2.60-21.50 %	20.92 %	<19.5 or >23 %
	LEL	No	936	2	0-41 %	0.06 %	10 %
	NH3	No	936	6	0-48 ppm	0.16 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1013	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1013	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1013	1013	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1013	0	0-0 %	0 %	10 %
	NH3	No	1013	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/7/24
9:00 AM**

**To: 2/8/24
8:59 AM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1379	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1379	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1379	1379	21.40-21.90 %	21.59 %	<19.5 or >23 %
	LEL	No	1379	0	0-0 %	0 %	10 %
	NH3	No	1379	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1389	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1389	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1389	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1389	1389	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1389	0	0-0 %	0 %	10 %
NH3	No	1389	0	0-0 ppm	0 ppm	30 ppm	

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1386	656	0-91 ppb	15.25 ppb	9000 ppb
	CO	No	1386	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1386	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1386	1386	19.50-24 %	20.64 %	<19.5 or >23 %
	LEL	No	1386	0	0-0 %	0 %	10 %
NH3	No	1386	0	0-0 ppm	0 ppm	30 ppm	

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1388	330	0-68 ppb	5.34 ppb	9000 ppb
	CO	No	1388	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1388	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1388	1388	21.10-21.50 %	21.27 %	<19.5 or >23 %
	LEL	No	1388	0	0-0 %	0 %	10 %
NH3	No	1388	0	0-0 ppm	0 ppm	30 ppm	

DRT -SSE of facility - 32.3427848815918, -81.2487487792968							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1347	404	0-17736 ppb	60.18 ppb	9000 ppb
	CO	No	1347	2	0-31 ppm	0.04 ppm	83 ppm
	H2S	No	1347	2	0-8.40 ppm	0.01 ppm	0.51 ppm
	O2	No	1347	1346	0-22 %	21.61 %	<19.5 or >23 %
	LEL	No	1347	2	0-50 %	0.04 %	10 %
NH3	No	1347	14	0-23 ppm	0.05 ppm	30 ppm	

Ebenezer Score Board - 32.3480529785156, -81.226203918457							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1382	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1382	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1382	1382	20.90-21.40 %	20.91 %	<19.5 or >23 %
	LEL	No	1382	0	0-0 %	0 %	10 %
	NH3	No	1382	0	0-0 ppm	0 ppm	30 ppm

**TABLE 3
AIR MONITORING RESULTS SUMMARY**

Air Monitoring Summary Tables

The table below summarize monitoring data collected on using EPA's Viper wireless remote monitoring system.

Project Name: Rincon Smell Response

**From: 2/8/24
9:00 AM**

**To: 2/9/24
9:23 PM**



103 Cobbleton Drive Rincon GA - 32.3433456420898, -81.2399368286132							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1294	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1294	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1294	1294	21.50-22 %	21.63 %	<19.5 or >23 %
	LEL	No	1294	0	0-0 %	0 %	10 %
	NH3	No	1294	0	0-0 ppm	0 ppm	30 ppm

124 Cabbage Drive Rincon GA - 32.3524742126464, -81.2289047241211							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1365	0	0-0 ppb	0 ppb	9000 ppb
	CO	No	1365	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1365	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1365	1365	20.90-20.90 %	20.90 %	<19.5 or >23 %
	LEL	No	1365	0	0-0 %	0 %	10 %
	NH3	No	1365	0	0-0 ppm	0 ppm	30 ppm

141 Cobbleton Drive Rincon GA - 32.3457374572753, -81.2386169433593							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1342	905	0-100 ppb	46.69 ppb	9000 ppb
	CO	No	1342	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1342	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1342	1342	19.90-24.10 %	20.70 %	<19.5 or >23 %
	LEL	No	1342	0	0-0 %	0 %	10 %
	NH3	No	1342	2	0-2 ppm	0.00 ppm	30 ppm

631 Ebenezer Road Rincon GA - 32.342544555664, -81.2422485351562							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	733	226	0-37700 ppb	549.38 ppb	9000 ppb
	CO	No	733	5	0-51 ppm	0.19 ppm	83 ppm
	H2S	No	733	4	0-17.30 ppm	0.05 ppm	0.51 ppm
	O2	No	733	733	3.80-21.50 %	20.88 %	<19.5 or >23 %
	LEL	No	733	5	0-30 %	0.12 %	10 %
	NH3	No	733	7	0-106 ppm	0.38 ppm	30 ppm

DRT -SSE of facility - 32.3427848815918, -81.2487487792968							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1333	440	0-89 ppb	15.96 ppb	9000 ppb
	CO	No	1333	0	0-0 ppm	0 ppm	83 ppm
	H2S	No	1333	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1333	1333	20-22.80 %	20.85 %	<19.5 or >23 %
	LEL	No	1333	232	0-3 %	0.52 %	10 %
	NH3	No	1333	905	0-1 ppm	0.68 ppm	30 ppm

Ebenezer Score Board - 32.3480529785156, -81.226203918457							
Instrument	Analyte	Action Level Exceedance?	Number of Readings	Number of Detections	Concentration Range	Period Average	Action Level
AreaRAE Pro	VOC	No	1367	0	0-0 ppb	0 ppb	9000 ppb
	H2S	No	1367	0	0-0 ppm	0 ppm	0.51 ppm
	O2	No	1367	1367	20.90-21.60 %	20.92 %	<19.5 or >23 %
	LEL	No	1367	0	0-0 %	0 %	10 %
	NH3	No	1367	0	0-0 ppm	0 ppm	30 ppm

