

Submitted via email: gerald.mitchell@Versar.com

May 28, 2026

Mr. Jerald Mitchell
General Manager
VGS2MATL, JV
1005 Virginia Avenue, Suite 310
Atlanta, Georgia 30354

Subject: Addendum - Updated Surface Water Quality Report, January 30, 2026 Release, Flint River, Atlanta International Airport, Atlanta, GA (May 2026)

Dear Mr. Mitchell:

This addendum supplements the *Updated Surface Water Quality Report, January 30, 2026 Release, Flint River, Atlanta International Airport, Atlanta, GA* dated May 11, 2026, and provides a summary of the surface water sampling event conducted on May 14, 2026. The monitoring event was conducted in accordance with the previously implemented Surface Water Sampling Plan (SWSP) to further evaluate surface water quality conditions within the Flint River monitoring corridor following the declining trends identified during prior monitoring events. **Figures 1A through 1C** show the release area, response locations, and downstream monitoring corridor evaluated during the monitoring program.

As discussed in the May 11, 2026 report, the January 30, 2026 release originated from a Cla-Val automatic valve located within Vault A34 north of Concourse A at Hartsfield-Jackson Atlanta International Airport (ATL). The release entered the airport stormwater system and subsequently migrated to the Flint River. Spill response activities included containment and recovery operations utilizing containment booms, absorbent materials, skimmers, vacuum trucks, and product recovery efforts conducted along the drainage pathway and within the Flint River corridor. Recovery operations were substantially completed in February 2026, and containment boom removal was completed during April 2026 following coordination with the Department of Aviation (DOA) and Georgia Environmental Protection Division (GAEPD).

Surface water samples collected on May 14, 2026, included the following monitoring locations: Flint River Upstream #1, Quarry Outfall #1, Outfall FR-1 (AATC Lot), Forest Parkway #1, Lee's Bridge, Upper Riverdale Road #1, Valley Hill Road #1, and Flint River Road. Samples were submitted to Eurofins, a certified analytical laboratory, for analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8260D, total petroleum hydrocarbons (TPH-DRO C10-C28) by EPA Method 8015C with silica gel cleanup, and polycyclic aromatic hydrocarbons (PAHs) by EPA Method 8270E SIM. Analytical results from the May 14, 2026 sampling event are summarized in **Table 1**, surface water field parameters in **Table 2**, field observations and sampling documentation are included in **Attachment A**, and laboratory analytical report is provided in **Attachment B**.

Analytical results from the May 14, 2026 monitoring event continue to support the decreasing trends in petroleum-related constituents previously identified in the May 11, 2026 report. BTEX compounds were either not detected or detected at low estimated concentrations. Toluene was detected at sampling locations Flint River Upstream #1, Quarry Outfall #1, and Flint River Road, at concentrations below applicable GAEPD instream criteria. TPH was either not detected or

detected at low estimated concentrations at select locations, consistent with residual low-level petroleum impacts previously observed during recent monitoring events.

PAH detections during the May 14, 2026 monitoring event were limited compared to earlier sampling events conducted during February and March 2026; however, several PAHs remained above applicable GAEPD instream criteria at Flint River Upstream #1 and Lee's Bridge. At Flint River Upstream #1, exceedances were identified for benzo(a)pyrene, benzo(k)fluoranthene, chrysene, and fluoranthene. Multiple PAHs also exceeded applicable criteria at Lee's Bridge, including anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(k)fluoranthene, chrysene, and indeno(1,2,3-cd)pyrene. Additional low-level PAH detections were identified at select monitoring locations, including Quarry Outfall #1 and Flint River Road. The exceedances observed at Lee's Bridge may reflect localized residual impacts associated with sediment, organic material, or depositional conditions within the monitoring corridor. Similar exceedance patterns were not observed at downstream locations during the May 14, 2026 monitoring event, and analytical results generally remain consistent with the overall declining trends and substantially reduced petroleum-related impacts observed throughout the monitoring program.

Recommendation

Based on the available analytical data and continued decreasing trends observed during the May 14, 2026 monitoring event, the results remain consistent with the conclusions presented in the May 11, 2026 report and indicate continued attenuation of petroleum-related constituents within the Flint River monitoring corridor.

ECM, on behalf of VGS2MATL, continues to recommend discontinuing surface water monitoring along the Flint River with approval of the DOA and GEPD. A request to discontinue monitoring was submitted under separate cover to the GAEPD on May 8, 2026.

If you have any questions or comments, please do not hesitate to contact ECM at (347) 408-4553.

Respectfully,

ECM CONSULTANTS



Herbert W. Ernst, P.G., M.B.A.
Program Manager / Geologist

Enclosures:

Figure 1A: Near Facility Response Map

Figure 1B: Lee's Mill Road and Upper Riverdale Road Response Map

Figure 1C: Jonesboro Road and Flint River Road Response Map

Table 1: Surface Water Sample Results

Table 2: Surface Water Field Parameters

Attachment A: Updated Surface Water Quality Report, January 30, 2026

Attachment B: Field Sampling Notes

Attachment C: Laboratory Analytical Reports

cc (via email): Jonathan Peng, State OSC, Georgia EPD
Wesley Bowen, City of Atlanta, Department of Aviation
Ronald Menges, VGS2MATL

Figures



Legend

- FLINT RIVER
- SAMPLE LOCATION
- SPILL LOCATION

0 500 1000
Scale (feet)

ECM 25
Consultants Years
Ignite Success 1996-2021

3525 Hyland Ave. #200
Costa Mesa, CA 92626
714.662.2759
ecmconsults.com

NEAR FACILITY RESPONSE MAP
HARTSFIELD-JACKSON ATLANTA
INTERNATIONAL AIRPORT
FACILITY RESPONSE PLAN


FIGURE

1A



Legend

- FLINT RIVER
- SAMPLE LOCATION
- ✕ SPILL LOCATION




3525 Hyland Ave. #200
Costa Mesa, CA 92626
714.662.2759
ecmconsults.com

LEES MILL ROAD AND UPPER
RIVERDALE ROAD RESPONSE MAP
HARTSFIELD-JACKSON ATLANTA
INTERNATIONAL AIRPORT
FACILITY RESPONSE PLAN

FIGURE

1B



Legend

FLINT RIVER

SAMPLE LOCATION

SPILL LOCATION

0 500 1000

Scale (feet)

ECM 25
Consultants Years
Ignite Success 1996-2021

3525 Hyland Ave. #200
Costa Mesa, CA 92626
714.662.2759
ecmconsults.com

JONESBORO ROAD AND FLINT RIVER
ROAD RESPONSE MAP
HARTSFIELD-JACKSON ATLANTA
INTERNATIONAL AIRPORT
FACILITY RESPONSE PLAN

FIGURE
1C

Tables

Attachment A:
Field Sampling Notes

Table 1 - Surface Water Sample Analytical Results
A34 Release
VGS2MATL, JV
Atlanta International Airport, Atlanta, Georgia

			TPH (8015C)	BTEX (8260D)					PAHs (8270E)																	
Sample Location	Sample Date	Sample Time	TPH - DRO (C10-C28)	Benzene	Toluene	Ethyl Benzene	m,p-Xylene	o-Xylene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	1-Methylnaphthalene	2-Methylnaphthalene
Sample Results																										
			Units	(mg/L)	(ug/L)					(ug/L)																
Flint River - Upstream #1	2/2/2026	18:30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	2/26/2026	11:39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.083 J	ND	ND	ND	0.051 J	0.047 J	ND	ND
	3/4/2026	--	0.1 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.044 J	ND	ND	0.028 J	ND	0.062 J	0.032 J	ND	ND	0.037 J	0.056	0.04 J	0.057 J
	3/11/2026	15:07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047 J	ND	ND	ND	0.12	ND	ND	ND
	3/18/2026 ²	12:02	ND	ND	3.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.058 J	ND	ND	ND	ND
	3/26/2026	14:25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.043 J	ND	ND	ND
	4/1/2026	10:33	0.18 J	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/15/2026	11:26	ND	ND	0.83 J	ND	ND	ND	ND	ND	ND	ND	ND	0.099 J	ND	0.037 J	0.12	ND	0.25	ND	ND	ND	0.13	0.13	ND	ND
	4/30/2026	9:25	ND	ND	ND	ND	ND	ND	0.055 J *	ND	0.042 J **	ND	0.024 J	0.055 J	ND	0.022 J	0.050 J *1	ND	0.16 *1	0.061 J *	ND	0.047 J *	0.18	0.094 *1	ND	ND
5/14/2026	11:40	0.089 J	ND	0.32 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.079	ND	0.13	ND	ND	ND	0.039 J	0.07	ND	ND	
Quarry Outfall #1	2/2/2026	15:00	0.50	ND	ND	ND	ND	1.9	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.75	ND	9.2	0.24	ND	8.6	12
	2/9/2026	5:30	0.091 J	ND	ND	ND	ND	ND	0.06 J	0.023 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	0.14 J	0.042 J	ND	0.28 J	0.29 J
	2/18/2026	9:31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.081 J	ND	0.11 J	0.032 J	ND	0.2 J	0.14 J	
	2/26/2026	12:12	0.21	ND	ND	ND	ND	ND	0.064 J	ND	ND	ND	ND	0.059 J	ND	0.019 J	0.043 J	ND	0.11	0.053 J	ND	0.099 J	0.078	0.07	0.13 J	0.12 J
	3/4/2026	--	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047 J	ND	0.2 J	ND	ND	0.34 J	0.36 J	
	3/11/2026	12:12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	3/18/2026	12:20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13 J	0.031 J	ND	ND	ND
	4/1/2026	9:57	0.16 J	ND	0.65 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/15/2026	11:05	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/30/2026	11:11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036 J	ND	0.017 J	0.022 J *1	ND	0.034 J *1	ND	ND	ND	ND	0.055 *1	ND	ND
5/14/2026	11:24	ND	ND	0.5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046 J	0.051	0.10 J	ND	
Outfall FR-1 #1 (AATC Lot)	2/2/2026	6:00	830	ND	ND	1.4	8.1	7	430	39	4.4	ND	ND	ND	ND	ND	ND	ND	1.4	230	ND	2200	52	1.3	3700	5300
	2/9/2026	5:05	1.8	ND	0.62 J	0.69 J	3	2.1	2.3	0.26 J	ND	ND	ND	ND	ND	ND	ND	ND	0.035 J	1.5	ND	40	0.36	ND	41	57
	2/18/2026	10:11	9.7	ND	0.57 J	0.46 J	2.1	1.3	4.5	0.44 J	0.076	ND	0.044 J	0.22	0.059 J	0.051 J	0.18	ND	0.34	3.2	0.068	5.2	0.72	0.22	19	28
	2/26/2026	16:50	0.45	ND	ND	ND	ND	ND	ND	ND	ND	0.1	0.2	0.46	0.28	0.16	0.35	0.043 J	0.77	0.095 J	0.22	0.24 J	0.46	0.49	0.41 J	0.45 J
	3/4/2026	--	ND	ND	0.48 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11 J	ND	ND	0.16 J	0.14 J
	3/11/2026	16:16	0.089 J	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	3/18/2026	15:20	ND	ND	2.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.097 J	ND	ND	ND	ND
	4/1/2026	13:29	0.15 J	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/15/2026	14:40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.062 J	0.062	ND	ND	ND
4/30/2026	11:40	0.14 J *1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
5/14/2026	10:38	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Duplicate Sample (AATC)	2/26/2026	16:50	0.37	ND	ND	ND	ND	ND	ND	ND	ND	0.069	0.13	0.3	0.15	0.1	0.26	ND	0.56	0.069 J	0.11	0.18 J	0.34	0.35	0.28 J	0.32 J
	4/30/2026	11:50	0.14 J *1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Forest Parkway #1	2/2/2026	5:35	6.3	ND	ND	1.9	9	7.3	5.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	ND	100	0.67	ND	110	150
	2/9/2026	4:45	3.7	ND	0.32 J	0.5 J	2.3	1.7	4.9	0.47 J	ND	ND	ND	ND	ND	ND	ND	ND	0.062 J	3.4	ND	22	0.82	0.044 J	39	55
	2/18/2026	11:16	0.11 J	ND	ND	ND	ND	ND	0.24 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2	ND	1.8	0.068	ND	3.4	4.3
	2/26/2026	16:31	0.50	ND	ND	ND	ND	ND	0.13 J	0.025 J	0.042 J	0.14	0.3	0.63	0.37	0.24	0.53	0.061 J	1.1	0.14	0.3	0.43 J	0.7	0.75	0.72	0.86
	3/4/2026	--	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13 J	0.044 J	ND	0.1 J	ND
	3/11/2026	16:55	ND	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	3/18/2026	15:06	ND	ND	7.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11 J	ND	ND	0.12 J	0.13 J
	4/1/2026	13:04	0.12 J	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	4/15/2026	14:21	0.081 J	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.054 J	0.035 J	ND	ND	ND
	4/30/2026	12:30	0.097 J *1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
5/14/2026	10:27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Lee's Bridge	2/2/2026	5:10	31	ND	ND	2.4	12	10	11	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	7	ND	86	1.4	ND	140	170
	2/9/2026	4:35	4.8	ND	ND	ND	1.5 J	1.1	2.8	0.28 J	ND	ND	ND	ND												

Table 1 - Surface Water Sample Analytical Results
A34 Release
VGS2MATL, JV
Atlanta International Airport, Atlanta, Georgia

			TPH (8015C)	BTEX (8260D)					PAHs (8270E)																		
Sample Location	Sample Date	Sample Time	TPH - DRO (C10-C28)	Benzene	Toluene	Ethyl Benzene	m,p-Xylene	o-Xylene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	1-Methylnaphthalene	2-Methylnaphthalene	
Upper Riverdale Road ¹	2/9/2026	3:37	15	ND	0.81 J	ND	ND	ND	10	0.74 J	0.42	0.11	ND	0.12	ND	0.063	0.054	ND	0.45	12	ND	4.1	5.3	0.34	11	13	
	2/18/2026	12:22	3.5	ND	0.3 J	ND	ND	ND	3	0.3 J	ND	0.029 J	0.041 J	0.065 J	ND	0.029 J	0.066	ND	0.18	2.1	0.031 J	2.3	0.54	0.12	11	14	
	2/26/2026	15:46	0.085 J	ND	ND	ND	ND	ND	0.057 J	ND	ND	ND	ND	0.05 J	ND	ND	0.028 J	ND	0.052 J	0.036 J	ND	0.14 J	0.038 J	0.04 J	0.33 J	0.33 J	
	3/4/2026	--	0.15 J	ND	ND	ND	ND	ND	0.082 J	ND	0.022 J	0.078	0.07	0.13	0.11	0.062	0.13	ND	0.15	0.13	0.078	0.12 J	0.1	0.11	0.25 J	0.29 J	
	3/11/2026	18:09	0.082 J	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	3/18/2026 ²	14:24	0.12 J	ND	ND	ND	ND	ND	ND	ND	ND	0.12	0.13	0.16	0.1	0.083	0.15	ND	0.36	0.083 J	0.084	0.072 J	0.27	0.26	0.19 J	0.20 J	
	3/26/2026	14:10	0.085 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.10 J	ND	ND	0.11 J	0.15 J	
	4/1/2026	12:22	0.12 J	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.042 J	ND	
	4/15/2026	13:26	ND	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.036 J	ND	ND	ND	ND	
	4/30/2026	13:55	0.29 *1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
5/14/2026	9:51	0.13 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Duplicate Sample (Upper Riverdale Road)	3/11/2026	18:09	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	4/1/2026	12:22	0.16 J	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.040 J	ND	
Valley Hill Road ¹	2/9/2026	3:07	0.13 J	ND	ND	ND	ND	ND	0.84	0.094 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.73	ND	3.1	0.23	ND	6.6	6.9	
	2/18/2026	12:55	ND	ND	ND	ND	ND	ND	0.18 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.16	ND	0.39 J	0.041 J	ND	1.5	1.2	
	2/26/2026	15:23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.033 J	ND	ND	ND	ND	0.043 J	0.045 J	ND	0.1 J	0.033 J	0.037 J	0.26 J	0.24 J	
	3/4/2026	--	0.1 J	ND	ND	ND	ND	ND	ND	ND	ND	0.028 J	ND	0.046 J	ND	0.015 J	0.047 J	ND	0.06 J	0.058 J	ND	0.057 J	0.043 J	0.047 J	0.11 J	0.13 J	
	3/11/2026	14:33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	3/18/2026	13:54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.025 J	ND	ND	0.021 J	ND	0.029 J	ND	ND	ND	ND	ND	0.042 J	0.049 J	
	4/1/2026	11:58	0.17 J	ND	1.8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	4/15/2026	13:02	0.12 J	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	4/30/2026	13:25	0.11 J *1	ND	ND	ND	1.7 J	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
5/14/2026	9:25	0.093 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Duplicate Sample (Valley Hill Road)	2/18/2026	12:57	0.081 J	ND	ND	ND	ND	ND	0.2 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.18	ND	0.45 J	0.045 J	ND	1.6	1.4	
	3/18/2026	13:54	0.16 J	ND	1.3	ND	ND	ND	ND	ND	ND	ND	ND	0.034 J	ND	ND	0.025 J	ND	0.052 J	ND	ND	0.035 J	0.030 J	0.047 J	0.047 J	ND	
F6 Flint River Rd	2/2/2026	4:30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.38	ND	4.4	0.091	ND	7	7.7	
	2/9/2026	2:25	ND	ND	ND	ND	ND	ND	0.3 J	0.043 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.31	ND	1.1	0.098	ND	2.5	2.1	
	2/18/2026	13:51	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.078 J	ND	0.14 J	ND	ND	0.48 J	0.33 J	
	2/26/2026	13:50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.026 J	ND	ND	ND	ND	
	3/4/2026	--	0.12 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.046 J	ND	0.016 J	ND	ND	ND	ND	ND	ND	ND	0.044 J	ND	ND	
	3/11/2026	13:21	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	3/18/2026	13:04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.047 J	0.098 J	0.059 J	0.034 J	0.061	ND	0.10 J	ND	0.048 J	ND	0.049 J	0.088	ND	ND	
	4/1/2026	11:20	0.16 J	ND	2.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	4/15/2026	12:37	0.11 J	ND	1	ND	ND	ND	ND	ND	ND	0.22	0.45	0.89	0.52	0.40	0.70	0.059 J	0.97	ND	0.41	ND	0.34	0.72	ND	ND	
	4/30/2026	15:05	0.098 J *1	ND	ND	ND	1.4 J	0.90 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
5/14/2026	9:00	0.11 J	ND	0.61 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.06 J	ND	ND	ND	ND		
Duplicate Sample (Flint River Road)	2/9/2026	2:25	ND	ND	ND	ND	ND	ND	0.29 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.29	ND	1	0.11	ND	2.5	2.1	
Regulatory Criteria (ug/L)																											
GA Instream Criteria - 3			NE	51	5980	2100	NE	NE	990	**	40000	0.018	0.018	NE	**	0.018	0.018	0.018	140	5300	0.018	NE	**	4000	NE	NE	

Table 1 - Surface Water Sample Analytical Results
A34 Release
VGS2MATL, JV
Atlanta International Airport, Atlanta, Georgia

			TPH (8015C)	BTEX (8260D)					PAHs (8270E)																		
Sample Location	Sample Date	Sample Time	TPH - DRO (C10-C28)	Benzene	Toluene	Ethyl Benzene	m,p-Xylene	o-Xylene	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	1-Methylnaphthalene	2-Methylnaphthalene	
Notes: 1 - Upper Riverdale Road and Valley Hill Road were added to the sampling schedule at the request of GA EPD after the February 2, 2026 sampling event; therefore, no samples were collected at these locations on that date. 2 - During the 3/18/2026 sampling event, sample bottles for Flint River Upstream #1 and Upper Riverdale Road had labels switched. The table has been adjust to reflect the correct analytical results for each sample. 3 - GA Instream Criteria from 391-3-6-.03. Waste Treatment and Permit Requirements. 391-3-6-.03(5)(e)(iv) – Instream concentrations of chemical constituents listed as toxic priority pollutants pursuant to Section 307(a)(1) of the Federal Clean Water Act shall not exceed criteria under annual average or higher stream flow conditions. ** - For the analytes indicated, numerical instream standards are not provided. The Waste Treatment and Permit Requirements under 391-3-6-.06 (4)(d)(iii) indicate that site-specific may be developed for these analytes for incorporation into permits. *+ = LCS and or LCSD is outside acceptance limits, high biased. *1 = LCS/LCSD RPD exceeds control limits. BTX = Benzene, Toluene, and Xylene DRO = Diesel Range Organics Bold = Analyte is equal to or greater than laboratory method detection limit Highlighted = Analyte is equal to or greater than GA Instream Criteria, but is less than the laboratory method detection limit (J - estimated value) Highlighted and Bold = Analyte is equal to or greater than laboratory method detection limit and detected at or greater than GA Instream Criteria I = Value is EMPC (estimated maximum possible concentration) J = Result is less than the reporting limit but greater than or equal to MDL, and the concentration is an approximate value LCS = Lab control sample. LCSD = Lab control sample duplicate. ND = Not Detected at the reporting limit or method detection limit NE = Not established PAHs = Polynuclear Aromatic Hydrocarbons RPD = Relative percent difference, a measure of the relative difference between two points. TPH = Total Petroleum Hydrocarbons																											

Table 2 Water Quality Parameters A34 Release VGSMATL, JV Atlanta International Airport Atlanta, Georgia						
Sample ID	Date	pH	Dissolved Oxygen	Temperature		Notes
			(mg/L)	(°C)	(°F)	
Flint River - Upstream #1	2/18/2026	NS	NS	NS	NS	Not Sampled (NS)
	2/26/2026	6.61	10.24	12.5	54.5	clean, clear
	3/4/2026	7.76	12.64	15.5	59.9	clear
	3/11/2026	7.72	--	21.2	70.2	clear
	3/18/2026	7.11	--	12.5	54.5	clear
	4/1/2026	7.39	13.56 ²	18.8	65.8	clear
	4/15/2026	7.45	9.29 ²	21.3	70.3	clear
	4/30/2026	7.11	8.36	19.0	66.2	clear
Quarry Outfall #1	5/14/2026	7.40	9.95 ²	21.4	70.5	clear
	2/18/2026	6.78	19.48	14.5	58.1	clear
	2/26/2026	6.53	10.24	12.5	54.5	clean, clear
	3/4/2026	7.56	9.25	16.9	62.4	clear
	3/11/2026	7.25	--	18.0	64.4	clear
	3/18/2026	7.14	--	12.9	55.2	clear
	4/1/2026	7.24	10.43 ²	17.6	63.7	clear
	4/15/2026	7.52	8.18 ²	20.1	68.2	clear
Outfall FR-1 #1 (AATC Lot)	4/30/2026	7.13	8.36	18.8	65.8	clear
	5/14/2026	7.42	8.82 ²	18.1	64.6	clear
	2/18/2026	6.87	17.52	13.3	55.9	fuel odor
	2/26/2026	6.79	8.7	15.5	59.9	light to mild odor, greasy sheen
	3/4/2026	7.19	7.33	15.2	59.4	clear
	3/11/2026	7.04	--	19.9	67.8	clear, booms not attached
	3/18/2026	6.91	--	12.5	54.5	clear
	4/1/2026	7.21	9.77 ²	18.9	66.0	clear
Forest Parkway #1	4/15/2026	7.22	78.1 ²	19.6	67.3	clear
	4/30/2026	6.88	6.82	19.3	66.7	clear
	5/14/2026	7.21	6.62 ²	18.6	65.5	hard booms in place
	2/18/2026	6.84	13.44	12.9	55.2	small sheen
	2/26/2026	6.73	8.39	15.2	59.4	mild to moderate fuel odor
	3/4/2026	7.31	8.31	18.6	65.5	clear
	3/11/2026	7.19	--	22.4	72.3	clear, no sheen
	3/18/2026	7.02	--	13.6	56.5	clear
Lee's Bridge	4/1/2026	7.50	13.07 ²	20.1	68.2	clear
	4/15/2026	7.43	8.13 ²	22.2	72.0	clear
	4/30/2026	6.83	7.67	20.1	68.2	clear
	5/14/2026	7.07	6.9 ²	17.9	64.2	hard booms in place
	2/18/2026	7.00	8.97	12.9	55.2	small sheen
	2/26/2026	6.77	9.08	13.5	56.3	strong jet fuel smell along bank, sheen at edge
	3/4/2026	7.52	9.39	17.8	64.0	clear
	3/11/2026	7.29	--	21.7	71.1	clear
Upper Riverdale Road	3/18/2026	7.01	--	12.4	54.3	clear
	4/1/2026	7.55	12.07 ²	20.7	69.3	clear
	4/15/2026	7.63	8.55 ²	22.7	72.9	clear
	4/30/2026	7.01	7.67	20.3	68.5	clear
	5/14/2026	7.61	7.14 ²	19.3	66.7	clear
	2/18/2026	6.91	--	12.2	54.0	small sheen
	2/26/2026	6.76	9.72	12.4	54.3	jet fuel smell, filthy, litter
	3/4/2026	7.31	6.25	17.1	62.8	clear water, lots of trash
Valley Hill Road	3/11/2026	6.97	--	21.8	71.2	trash in water
	3/18/2026	6.84	--	11.2	52.2	trash
	4/1/2026	7.15	8.66 ²	18.5	65.3	clear, trash
	4/15/2026	7.34	2.66 ²	19.0	66.2	trash
	4/30/2026	4.88	8.0	20.8	69.4	clear
	5/14/2026	7.11	5.86 ²	18.4	65.1	clear
	2/18/2026	6.95	--	13.2	55.8	water clear
	2/26/2026	6.71	9.12	12.1	53.8	
F6 Flint River Road	3/4/2026	7.28	7.88	17.5	63.5	clear
	3/11/2026	6.81	--	20.4	68.7	clear water, trash on booms
	3/18/2026	6.76	--	10.7	51.3	clear
	4/1/2026	7.12	7.61 ²	19.2	66.6	clear
	4/15/2026	7.32	6.71 ²	19.7	67.5	clear
	4/30/2026	7.05	2.48	19.6	67.3	clear
	5/14/2026	6.92	0.45 ²	18	64.4	clear
	2/18/2026	7.11	--	13.3	55.9	water clear
Regulatory Criteria	2/26/2026	6.80	9.59	11.7	53.1	silty, no sheen
	3/4/2026	7.25	8.23	15.2	59.4	clear
	3/11/2026	6.78	--	19.2	66.6	clear
	3/18/2026	6.76	--	10.4	50.7	clear
	4/1/2026	7.15	7.41 ²	18.4	65.1	clear
	4/15/2026	7.37	5.41 ²	18.8	65.8	clear
	4/30/2026	6.85	5.73	19.8	67.6	clear
	5/14/2026	7.2	6.58 ²	18.2	64.8	clear
Regulatory Criteria						
GA Instream Criteria ¹		6.0 - 8.5	>5	<32	<90	--

Notes

1 - GA Instream Criteria from 391-3-6-.03. Waste Treatment and Permit Requirements.

2 - For these readings, percent saturation recorded in field; percent saturation converted to the DO value in mg/L using measured temperature, average elevation (850 ft msl) and online DO calculator at:

<https://www.waterontheweb.org/under/waterquality/dosatcalc.html>

°C = degree Celsius

°F = degree Fahrenheit

mg/L = milligrams per liter

NS - not sampled

"--" Indicates not measured or not available

Attachment B:
Laboratory Analytical Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia (St) 30354

Generated 5/20/2026 8:52:37 AM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-66936-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
5/20/2026 8:52:37 AM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Definitions/Glossary	8
Client Sample Results	9
QC Sample Results	18
QC Association Summary	23
Lab Chronicle	25
Method Summary	28
Certification Summary	29
Chain of Custody	30
Receipt Checklists	31
End Of Report	32



Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-66936-1

Job ID: 705-66936-1

Eurofins Atlanta

Job Narrative 705-66936-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/14/2026 3:20 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.3°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-66936-1	Quarry Outfall	Water	05/14/26 11:24	05/14/26 15:20	Georgia (St)
705-66936-2	Outfall FR-1/AATC	Water	05/14/26 10:38	05/14/26 15:20	Georgia (St)
705-66936-3	Forest Parkway	Water	05/14/26 10:27	05/14/26 15:20	Georgia (St)
705-66936-4	Lee's Bridge	Water	05/14/26 10:11	05/14/26 15:20	Georgia (St)
705-66936-5	Upper Riverdale Road	Water	05/14/26 09:51	05/14/26 15:20	Georgia (St)
705-66936-6	Valley Hill Road	Water	05/14/26 09:25	05/14/26 15:20	Georgia (St)
705-66936-7	Flint River Road	Water	05/14/26 09:00	05/14/26 15:20	Georgia (St)
705-66936-8	Duplicate Sample	Water	05/14/26 10:11	05/14/26 15:20	Georgia (St)
705-66936-9	Upstream/Headwaters	Water	05/14/26 11:40	05/14/26 15:20	Georgia (St)

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-66936-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.50	J	1.0	0.30	ug/L	1		8260D	Total/NA
Phenanthrene	0.046	J	0.051	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.051		0.051	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.10	J	0.51	0.031	ug/L	1		8270E	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-66936-2

No Detections.

Client Sample ID: Forest Parkway

Lab Sample ID: 705-66936-3

No Detections.

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-66936-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Anthracene	0.077		0.051	0.019	ug/L	1		8270E	Total/NA
Benzo[a]anthracene	0.27		0.051	0.027	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.45		0.051	0.025	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.82		0.10	0.024	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.40		0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.28		0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.65		0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	1.2		0.10	0.028	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.34		0.051	0.031	ug/L	1		8270E	Total/NA
Phenanthrene	0.54		0.051	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.89		0.051	0.036	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-66936-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.13	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-66936-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.093	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-66936-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.61	J	1.0	0.30	ug/L	1		8260D	Total/NA
Naphthalene	0.060	J	0.52	0.027	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-66936-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.091	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-66936-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.32	J	1.0	0.30	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Upstream/Headwaters (Continued)

Lab Sample ID: 705-66936-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chrysene	0.079		0.052	0.021	ug/L	1		8270E	Total/NA
Fluoranthene	0.13		0.10	0.028	ug/L	1		8270E	Total/NA
Phenanthrene	0.039	J	0.052	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.070		0.052	0.036	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.089	J	0.20	0.079	mg/L	1		8015C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-66936-1

Date Collected: 05/14/26 11:24

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 03:45	1
Toluene	0.50	J	1.0	0.30	ug/L			05/19/26 03:45	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 03:45	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 03:45	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 03:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	97		70 - 126		05/19/26 03:45	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.024	ug/L		05/16/26 14:45	05/17/26 19:08	1
Acenaphthylene	ND		1.0	0.022	ug/L		05/16/26 14:45	05/17/26 19:08	1
Anthracene	ND		0.051	0.020	ug/L		05/16/26 14:45	05/17/26 19:08	1
Benzo[a]anthracene	ND		0.051	0.027	ug/L		05/16/26 14:45	05/17/26 19:08	1
Benzo[a]pyrene	ND		0.051	0.025	ug/L		05/16/26 14:45	05/17/26 19:08	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 19:08	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		05/16/26 14:45	05/17/26 19:08	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		05/16/26 14:45	05/17/26 19:08	1
Chrysene	ND		0.051	0.021	ug/L		05/16/26 14:45	05/17/26 19:08	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 19:08	1
Fluoranthene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 19:08	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 19:08	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		05/16/26 14:45	05/17/26 19:08	1
Naphthalene	ND		0.51	0.027	ug/L		05/16/26 14:45	05/17/26 19:08	1
Phenanthrene	0.046	J	0.051	0.028	ug/L		05/16/26 14:45	05/17/26 19:08	1
Pyrene	0.051		0.051	0.036	ug/L		05/16/26 14:45	05/17/26 19:08	1
1-Methylnaphthalene	0.10	J	0.51	0.031	ug/L		05/16/26 14:45	05/17/26 19:08	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/16/26 14:45	05/17/26 19:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	81		22 - 139	05/16/26 14:45	05/17/26 19:08	1
Nitrobenzene-d5 (Surr)	93		44 - 167	05/16/26 14:45	05/17/26 19:08	1
2-Fluorobiphenyl	108		42 - 158	05/16/26 14:45	05/17/26 19:08	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		05/15/26 09:20	05/15/26 13:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	83		52 - 134	05/15/26 09:20	05/15/26 13:45	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-66936-2

Date Collected: 05/14/26 10:38

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 04:10	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 04:10	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 04:10	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-66936-2

Date Collected: 05/14/26 10:38

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 04:10	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 04:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	96		70 - 126					05/19/26 04:10	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.024	ug/L		05/16/26 14:45	05/17/26 19:41	1
Acenaphthylene	ND		1.1	0.022	ug/L		05/16/26 14:45	05/17/26 19:41	1
Anthracene	ND		0.053	0.020	ug/L		05/16/26 14:45	05/17/26 19:41	1
Benzo[a]anthracene	ND		0.053	0.027	ug/L		05/16/26 14:45	05/17/26 19:41	1
Benzo[a]pyrene	ND		0.053	0.025	ug/L		05/16/26 14:45	05/17/26 19:41	1
Benzo[b]fluoranthene	ND		0.11	0.024	ug/L		05/16/26 14:45	05/17/26 19:41	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		05/16/26 14:45	05/17/26 19:41	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		05/16/26 14:45	05/17/26 19:41	1
Chrysene	ND		0.053	0.021	ug/L		05/16/26 14:45	05/17/26 19:41	1
Dibenz[a,h]anthracene	ND		0.11	0.033	ug/L		05/16/26 14:45	05/17/26 19:41	1
Fluoranthene	ND		0.11	0.028	ug/L		05/16/26 14:45	05/17/26 19:41	1
Fluorene	ND		0.11	0.029	ug/L		05/16/26 14:45	05/17/26 19:41	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		05/16/26 14:45	05/17/26 19:41	1
Naphthalene	ND		0.53	0.027	ug/L		05/16/26 14:45	05/17/26 19:41	1
Phenanthrene	ND		0.053	0.028	ug/L		05/16/26 14:45	05/17/26 19:41	1
Pyrene	ND		0.053	0.037	ug/L		05/16/26 14:45	05/17/26 19:41	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		05/16/26 14:45	05/17/26 19:41	1
2-Methylnaphthalene	ND		0.53	0.040	ug/L		05/16/26 14:45	05/17/26 19:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	102		22 - 139				05/16/26 14:45	05/17/26 19:41	1
Nitrobenzene-d5 (Surr)	95		44 - 167				05/16/26 14:45	05/17/26 19:41	1
2-Fluorobiphenyl	116		42 - 158				05/16/26 14:45	05/17/26 19:41	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		05/15/26 09:20	05/15/26 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	60		52 - 134				05/15/26 09:20	05/15/26 14:12	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-66936-3

Date Collected: 05/14/26 10:27

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 04:35	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 04:35	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 04:35	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 04:35	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 04:35	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-66936-3

Date Collected: 05/14/26 10:27

Matrix: Water

Date Received: 05/14/26 15:20

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					05/19/26 04:35	1
Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		05/16/26 14:45	05/17/26 20:14	1
Acenaphthylene	ND		1.0	0.022	ug/L		05/16/26 14:45	05/17/26 20:14	1
Anthracene	ND		0.052	0.020	ug/L		05/16/26 14:45	05/17/26 20:14	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		05/16/26 14:45	05/17/26 20:14	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		05/16/26 14:45	05/17/26 20:14	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 20:14	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		05/16/26 14:45	05/17/26 20:14	1
Benzo[k]fluoranthene	ND		0.052	0.015	ug/L		05/16/26 14:45	05/17/26 20:14	1
Chrysene	ND		0.052	0.021	ug/L		05/16/26 14:45	05/17/26 20:14	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 20:14	1
Fluoranthene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 20:14	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 20:14	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		05/16/26 14:45	05/17/26 20:14	1
Naphthalene	ND		0.52	0.027	ug/L		05/16/26 14:45	05/17/26 20:14	1
Phenanthrene	ND		0.052	0.028	ug/L		05/16/26 14:45	05/17/26 20:14	1
Pyrene	ND		0.052	0.036	ug/L		05/16/26 14:45	05/17/26 20:14	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		05/16/26 14:45	05/17/26 20:14	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		05/16/26 14:45	05/17/26 20:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	87		22 - 139				05/16/26 14:45	05/17/26 20:14	1
Nitrobenzene-d5 (Surr)	95		44 - 167				05/16/26 14:45	05/17/26 20:14	1
2-Fluorobiphenyl	112		42 - 158				05/16/26 14:45	05/17/26 20:14	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		05/15/26 09:20	05/15/26 14:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	79		52 - 134				05/15/26 09:20	05/15/26 14:40	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-66936-4

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 02:05	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 02:05	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 02:05	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 02:05	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 02:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126					05/19/26 02:05	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-66936-4

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.024	ug/L		05/16/26 14:45	05/17/26 20:47	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/16/26 14:45	05/17/26 20:47	1
Anthracene	0.077		0.051	0.019	ug/L		05/16/26 14:45	05/17/26 20:47	1
Benzo[a]anthracene	0.27		0.051	0.027	ug/L		05/16/26 14:45	05/17/26 20:47	1
Benzo[a]pyrene	0.45		0.051	0.025	ug/L		05/16/26 14:45	05/17/26 20:47	1
Benzo[b]fluoranthene	0.82		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 20:47	1
Benzo[g,h,i]perylene	0.40		0.10	0.051	ug/L		05/16/26 14:45	05/17/26 20:47	1
Benzo[k]fluoranthene	0.28		0.051	0.015	ug/L		05/16/26 14:45	05/17/26 20:47	1
Chrysene	0.65		0.051	0.020	ug/L		05/16/26 14:45	05/17/26 20:47	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 20:47	1
Fluoranthene	1.2		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 20:47	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 20:47	1
Indeno[1,2,3-cd]pyrene	0.34		0.051	0.031	ug/L		05/16/26 14:45	05/17/26 20:47	1
Naphthalene	ND		0.51	0.027	ug/L		05/16/26 14:45	05/17/26 20:47	1
Phenanthrene	0.54		0.051	0.028	ug/L		05/16/26 14:45	05/17/26 20:47	1
Pyrene	0.89		0.051	0.036	ug/L		05/16/26 14:45	05/17/26 20:47	1
1-Methylnaphthalene	ND		0.51	0.031	ug/L		05/16/26 14:45	05/17/26 20:47	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/16/26 14:45	05/17/26 20:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		22 - 139				05/16/26 14:45	05/17/26 20:47	1
Nitrobenzene-d5 (Surr)	98		44 - 167				05/16/26 14:45	05/17/26 20:47	1
2-Fluorobiphenyl	111		42 - 158				05/16/26 14:45	05/17/26 20:47	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L		05/15/26 09:20	05/15/26 12:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	120		52 - 134				05/15/26 09:20	05/15/26 12:26	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-66936-5

Date Collected: 05/14/26 09:51

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 02:55	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 02:55	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 02:55	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 02:55	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 02:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					05/19/26 02:55	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.023	ug/L		05/16/26 14:45	05/17/26 21:20	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/16/26 14:45	05/17/26 21:20	1
Anthracene	ND		0.051	0.019	ug/L		05/16/26 14:45	05/17/26 21:20	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-66936-5

Date Collected: 05/14/26 09:51

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.051	0.027	ug/L		05/16/26 14:45	05/17/26 21:20	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		05/16/26 14:45	05/17/26 21:20	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/16/26 14:45	05/17/26 21:20	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		05/16/26 14:45	05/17/26 21:20	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		05/16/26 14:45	05/17/26 21:20	1
Chrysene	ND		0.051	0.020	ug/L		05/16/26 14:45	05/17/26 21:20	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 21:20	1
Fluoranthene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 21:20	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 21:20	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		05/16/26 14:45	05/17/26 21:20	1
Naphthalene	ND		0.51	0.027	ug/L		05/16/26 14:45	05/17/26 21:20	1
Phenanthrene	ND		0.051	0.028	ug/L		05/16/26 14:45	05/17/26 21:20	1
Pyrene	ND		0.051	0.036	ug/L		05/16/26 14:45	05/17/26 21:20	1
1-Methylnaphthalene	ND		0.51	0.031	ug/L		05/16/26 14:45	05/17/26 21:20	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/16/26 14:45	05/17/26 21:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	98		22 - 139	05/16/26 14:45	05/17/26 21:20	1
Nitrobenzene-d5 (Surr)	99		44 - 167	05/16/26 14:45	05/17/26 21:20	1
2-Fluorobiphenyl	117		42 - 158	05/16/26 14:45	05/17/26 21:20	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.13	J	0.20	0.079	mg/L		05/15/26 09:20	05/15/26 12:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	59		52 - 134	05/15/26 09:20	05/15/26 12:54	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-66936-6

Date Collected: 05/14/26 09:25

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 05:00	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 05:00	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 05:00	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 05:00	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 05:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126		05/19/26 05:00	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.024	ug/L		05/16/26 14:45	05/17/26 21:53	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/16/26 14:45	05/17/26 21:53	1
Anthracene	ND		0.051	0.019	ug/L		05/16/26 14:45	05/17/26 21:53	1
Benzo[a]anthracene	ND		0.051	0.027	ug/L		05/16/26 14:45	05/17/26 21:53	1
Benzo[a]pyrene	ND		0.051	0.025	ug/L		05/16/26 14:45	05/17/26 21:53	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 21:53	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-66936-6

Date Collected: 05/14/26 09:25

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		05/16/26 14:45	05/17/26 21:53	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		05/16/26 14:45	05/17/26 21:53	1
Chrysene	ND		0.051	0.020	ug/L		05/16/26 14:45	05/17/26 21:53	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 21:53	1
Fluoranthene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 21:53	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 21:53	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		05/16/26 14:45	05/17/26 21:53	1
Naphthalene	ND		0.51	0.027	ug/L		05/16/26 14:45	05/17/26 21:53	1
Phenanthrene	ND		0.051	0.028	ug/L		05/16/26 14:45	05/17/26 21:53	1
Pyrene	ND		0.051	0.036	ug/L		05/16/26 14:45	05/17/26 21:53	1
1-Methylnaphthalene	ND		0.51	0.031	ug/L		05/16/26 14:45	05/17/26 21:53	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/16/26 14:45	05/17/26 21:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	104		22 - 139				05/16/26 14:45	05/17/26 21:53	1
Nitrobenzene-d5 (Surr)	101		44 - 167				05/16/26 14:45	05/17/26 21:53	1
2-Fluorobiphenyl	119		42 - 158				05/16/26 14:45	05/17/26 21:53	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.093	J	0.20	0.079	mg/L		05/15/26 09:20	05/15/26 13:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	125		52 - 134				05/15/26 09:20	05/15/26 13:22	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-66936-7

Date Collected: 05/14/26 09:00

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 05:26	1
Toluene	0.61	J	1.0	0.30	ug/L			05/19/26 05:26	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 05:26	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 05:26	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 05:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					05/19/26 05:26	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		05/16/26 14:45	05/17/26 22:26	1
Acenaphthylene	ND		1.0	0.022	ug/L		05/16/26 14:45	05/17/26 22:26	1
Anthracene	ND		0.052	0.020	ug/L		05/16/26 14:45	05/17/26 22:26	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		05/16/26 14:45	05/17/26 22:26	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		05/16/26 14:45	05/17/26 22:26	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 22:26	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		05/16/26 14:45	05/17/26 22:26	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		05/16/26 14:45	05/17/26 22:26	1
Chrysene	ND		0.052	0.021	ug/L		05/16/26 14:45	05/17/26 22:26	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-66936-7

Date Collected: 05/14/26 09:00

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 22:26	1
Fluoranthene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 22:26	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 22:26	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		05/16/26 14:45	05/17/26 22:26	1
Naphthalene	0.060	J	0.52	0.027	ug/L		05/16/26 14:45	05/17/26 22:26	1
Phenanthrene	ND		0.052	0.028	ug/L		05/16/26 14:45	05/17/26 22:26	1
Pyrene	ND		0.052	0.036	ug/L		05/16/26 14:45	05/17/26 22:26	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		05/16/26 14:45	05/17/26 22:26	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		05/16/26 14:45	05/17/26 22:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	106		22 - 139				05/16/26 14:45	05/17/26 22:26	1
Nitrobenzene-d5 (Surr)	96		44 - 167				05/16/26 14:45	05/17/26 22:26	1
2-Fluorobiphenyl	117		42 - 158				05/16/26 14:45	05/17/26 22:26	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L		05/15/26 15:00	05/17/26 12:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	95		52 - 134				05/15/26 15:00	05/17/26 12:56	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-66936-8

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 05:51	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 05:51	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 05:51	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 05:51	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 05:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					05/19/26 05:51	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.54	0.025	ug/L		05/16/26 14:45	05/17/26 22:59	1
Acenaphthylene	ND		1.1	0.023	ug/L		05/16/26 14:45	05/17/26 22:59	1
Anthracene	ND		0.054	0.020	ug/L		05/16/26 14:45	05/17/26 22:59	1
Benzo[a]anthracene	ND		0.054	0.028	ug/L		05/16/26 14:45	05/17/26 22:59	1
Benzo[a]pyrene	ND		0.054	0.026	ug/L		05/16/26 14:45	05/17/26 22:59	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		05/16/26 14:45	05/17/26 22:59	1
Benzo[g,h,i]perylene	ND		0.11	0.054	ug/L		05/16/26 14:45	05/17/26 22:59	1
Benzo[k]fluoranthene	ND		0.054	0.016	ug/L		05/16/26 14:45	05/17/26 22:59	1
Chrysene	ND		0.054	0.022	ug/L		05/16/26 14:45	05/17/26 22:59	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		05/16/26 14:45	05/17/26 22:59	1
Fluoranthene	ND		0.11	0.029	ug/L		05/16/26 14:45	05/17/26 22:59	1
Fluorene	ND		0.11	0.030	ug/L		05/16/26 14:45	05/17/26 22:59	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-66936-8

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND		0.054	0.032	ug/L		05/16/26 14:45	05/17/26 22:59	1
Naphthalene	ND		0.54	0.028	ug/L		05/16/26 14:45	05/17/26 22:59	1
Phenanthrene	ND		0.054	0.029	ug/L		05/16/26 14:45	05/17/26 22:59	1
Pyrene	ND		0.054	0.038	ug/L		05/16/26 14:45	05/17/26 22:59	1
1-Methylnaphthalene	ND		0.54	0.032	ug/L		05/16/26 14:45	05/17/26 22:59	1
2-Methylnaphthalene	ND		0.54	0.041	ug/L		05/16/26 14:45	05/17/26 22:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	98		22 - 139	05/16/26 14:45	05/17/26 22:59	1
Nitrobenzene-d5 (Surr)	96		44 - 167	05/16/26 14:45	05/17/26 22:59	1
2-Fluorobiphenyl	115		42 - 158	05/16/26 14:45	05/17/26 22:59	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.091	J	0.20	0.079	mg/L		05/15/26 15:00	05/17/26 13:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	105		52 - 134				05/15/26 15:00	05/17/26 13:23	1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-66936-9

Date Collected: 05/14/26 11:40

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 06:16	1
Toluene	0.32	J	1.0	0.30	ug/L			05/19/26 06:16	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 06:16	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 06:16	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 06:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					05/19/26 06:16	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		05/16/26 14:45	05/17/26 23:32	1
Acenaphthylene	ND		1.0	0.022	ug/L		05/16/26 14:45	05/17/26 23:32	1
Anthracene	ND		0.052	0.020	ug/L		05/16/26 14:45	05/17/26 23:32	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		05/16/26 14:45	05/17/26 23:32	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		05/16/26 14:45	05/17/26 23:32	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		05/16/26 14:45	05/17/26 23:32	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		05/16/26 14:45	05/17/26 23:32	1
Benzo[k]fluoranthene	ND		0.052	0.015	ug/L		05/16/26 14:45	05/17/26 23:32	1
Chrysene	0.079		0.052	0.021	ug/L		05/16/26 14:45	05/17/26 23:32	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		05/16/26 14:45	05/17/26 23:32	1
Fluoranthene	0.13		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 23:32	1
Fluorene	ND		0.10	0.029	ug/L		05/16/26 14:45	05/17/26 23:32	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		05/16/26 14:45	05/17/26 23:32	1
Naphthalene	ND		0.52	0.027	ug/L		05/16/26 14:45	05/17/26 23:32	1
Phenanthrene	0.039	J	0.052	0.028	ug/L		05/16/26 14:45	05/17/26 23:32	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-66936-9

Date Collected: 05/14/26 11:40

Matrix: Water

Date Received: 05/14/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	0.070		0.052	0.036	ug/L		05/16/26 14:45	05/17/26 23:32	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		05/16/26 14:45	05/17/26 23:32	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		05/16/26 14:45	05/17/26 23:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	106		22 - 139				05/16/26 14:45	05/17/26 23:32	1
Nitrobenzene-d5 (Surr)	104		44 - 167				05/16/26 14:45	05/17/26 23:32	1
2-Fluorobiphenyl	117		42 - 158				05/16/26 14:45	05/17/26 23:32	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.089	J	0.20	0.079	mg/L		05/15/26 09:20	05/15/26 14:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	52		52 - 134				05/15/26 09:20	05/15/26 14:47	1

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-136289/6

Matrix: Water

Analysis Batch: 136289

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/19/26 01:15	1
Toluene	ND		1.0	0.30	ug/L			05/19/26 01:15	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/19/26 01:15	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/19/26 01:15	1
o-Xylene	ND		1.0	0.50	ug/L			05/19/26 01:15	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126		05/19/26 01:15	1

Lab Sample ID: LCS 705-136289/1003

Matrix: Water

Analysis Batch: 136289

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	18.1		ug/L		90	76 - 122
Toluene	20.0	18.4		ug/L		92	74 - 124
Ethylbenzene	20.0	17.9		ug/L		90	75 - 127
m,p-Xylene	20.0	17.5		ug/L		88	76 - 128
o-Xylene	20.0	17.8		ug/L		89	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	97		70 - 126

Lab Sample ID: 705-66936-5 MS

Matrix: Water

Analysis Batch: 136289

Client Sample ID: Upper Riverdale Road

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		20.0	20.0		ug/L		100	71 - 133
Toluene	ND		20.0	20.1		ug/L		100	72 - 134
Ethylbenzene	ND		20.0	18.6		ug/L		93	75 - 131
m,p-Xylene	ND		20.0	18.1		ug/L		90	73 - 133
o-Xylene	ND		20.0	18.5		ug/L		93	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	96		70 - 126

Lab Sample ID: 705-66936-4 DU

Matrix: Water

Analysis Batch: 136289

Client Sample ID: Lee's Bridge

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-66936-4 DU

Matrix: Water

Analysis Batch: 136289

Client Sample ID: Lee's Bridge

Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	97		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-135976/1-A

Matrix: Water

Analysis Batch: 136040

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 135976

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		05/16/26 14:45	05/17/26 16:23	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/16/26 14:45	05/17/26 16:23	1
Anthracene	ND		0.050	0.019	ug/L		05/16/26 14:45	05/17/26 16:23	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/16/26 14:45	05/17/26 16:23	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		05/16/26 14:45	05/17/26 16:23	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/16/26 14:45	05/17/26 16:23	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		05/16/26 14:45	05/17/26 16:23	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		05/16/26 14:45	05/17/26 16:23	1
Chrysene	ND		0.050	0.020	ug/L		05/16/26 14:45	05/17/26 16:23	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		05/16/26 14:45	05/17/26 16:23	1
Fluoranthene	ND		0.10	0.027	ug/L		05/16/26 14:45	05/17/26 16:23	1
Fluorene	ND		0.10	0.028	ug/L		05/16/26 14:45	05/17/26 16:23	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		05/16/26 14:45	05/17/26 16:23	1
Naphthalene	ND		0.50	0.026	ug/L		05/16/26 14:45	05/17/26 16:23	1
Phenanthrene	ND		0.050	0.027	ug/L		05/16/26 14:45	05/17/26 16:23	1
Pyrene	ND		0.050	0.035	ug/L		05/16/26 14:45	05/17/26 16:23	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/16/26 14:45	05/17/26 16:23	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/16/26 14:45	05/17/26 16:23	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
p-Terphenyl-d14 (Surr)	110		22 - 139				05/16/26 14:45	05/17/26 16:23	1
Nitrobenzene-d5 (Surr)	86		44 - 167				05/16/26 14:45	05/17/26 16:23	1
2-Fluorobiphenyl	115		42 - 158				05/16/26 14:45	05/17/26 16:23	1

Lab Sample ID: LCS 705-135976/2-A

Matrix: Water

Analysis Batch: 136040

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 135976

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	13.4		ug/L		117	58 - 152
Acenaphthylene	11.4	13.1		ug/L		114	62 - 154
Anthracene	11.4	13.8		ug/L		121	60 - 148
Benzo[a]anthracene	11.4	11.0		ug/L		96	41 - 152
Benzo[a]pyrene	11.4	9.94		ug/L		87	39 - 149
Benzo[b]fluoranthene	11.4	9.78		ug/L		86	40 - 148
Benzo[g,h,i]perylene	11.4	10.2		ug/L		89	38 - 146
Benzo[k]fluoranthene	11.4	11.1		ug/L		97	39 - 147
Chrysene	11.4	10.9		ug/L		95	40 - 151
Dibenz(a,h)anthracene	11.4	10.1		ug/L		88	40 - 147

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-135976/2-A

Matrix: Water

Analysis Batch: 136040

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 135976

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	11.4	12.4		ug/L		108	50 - 154
Fluorene	11.4	13.1		ug/L		115	63 - 146
Indeno[1,2,3-cd]pyrene	11.4	10.1		ug/L		89	41 - 149
Naphthalene	11.4	12.9		ug/L		113	58 - 147
Phenanthrene	11.4	13.7		ug/L		120	53 - 156
Pyrene	11.4	11.7		ug/L		102	49 - 157
1-Methylnaphthalene	11.4	12.8		ug/L		112	59 - 143
2-Methylnaphthalene	11.4	12.5		ug/L		109	57 - 140

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	91		22 - 139
Nitrobenzene-d5 (Surr)	90		44 - 167
2-Fluorobiphenyl	117		42 - 158

Lab Sample ID: 705-66961-D-1-A MS

Matrix: Water

Analysis Batch: 136040

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 135976

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	ND		11.3	12.8		ug/L		113	64 - 123
Acenaphthylene	ND		11.3	13.0		ug/L		115	63 - 127
Anthracene	ND		11.3	13.1		ug/L		116	68 - 128
Benzo[a]anthracene	ND		11.3	9.99		ug/L		88	72 - 135
Benzo[a]pyrene	ND		11.3	8.66		ug/L		77	57 - 127
Benzo[b]fluoranthene	ND		11.3	8.60		ug/L		76	50 - 131
Benzo[g,h,i]perylene	ND		11.3	8.69		ug/L		77	58 - 129
Benzo[k]fluoranthene	ND		11.3	9.59		ug/L		85	60 - 134
Chrysene	ND		11.3	9.75		ug/L		86	70 - 130
Dibenz(a,h)anthracene	ND		11.3	8.85		ug/L		78	51 - 131
Fluoranthene	ND		11.3	11.7		ug/L		104	74 - 136
Fluorene	ND		11.3	12.9		ug/L		114	69 - 128
Indeno[1,2,3-cd]pyrene	ND		11.3	8.80		ug/L		78	54 - 127
Naphthalene	ND		11.3	12.3		ug/L		109	57 - 129
Phenanthrene	ND		11.3	13.2		ug/L		117	68 - 131
Pyrene	ND		11.3	11.0		ug/L		98	72 - 139
1-Methylnaphthalene	ND		11.3	12.3		ug/L		108	61 - 130
2-Methylnaphthalene	ND		11.3	11.8		ug/L		105	60 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
p-Terphenyl-d14 (Surr)	63		22 - 139
Nitrobenzene-d5 (Surr)	94		44 - 167
2-Fluorobiphenyl	111		42 - 158

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: 705-66961-E-1-A MSD

Matrix: Water

Analysis Batch: 136040

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 135976

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	ND		11.4	13.5		ug/L		118	64 - 123	5	26
Acenaphthylene	ND		11.4	13.4		ug/L		117	63 - 127	3	32
Anthracene	ND		11.4	13.3		ug/L		117	68 - 128	2	22
Benzo[a]anthracene	ND		11.4	9.67		ug/L		85	72 - 135	3	20
Benzo[a]pyrene	ND		11.4	9.25		ug/L		81	57 - 127	7	21
Benzo[b]fluoranthene	ND		11.4	9.19		ug/L		80	50 - 131	7	33
Benzo[g,h,i]perylene	ND		11.4	9.27		ug/L		81	58 - 129	6	26
Benzo[k]fluoranthene	ND		11.4	10.2		ug/L		89	60 - 134	6	20
Chrysene	ND		11.4	11.2		ug/L		98	70 - 130	14	20
Dibenz(a,h)anthracene	ND		11.4	9.50		ug/L		83	51 - 131	7	25
Fluoranthene	ND		11.4	12.3		ug/L		107	74 - 136	5	20
Fluorene	ND		11.4	13.1		ug/L		115	69 - 128	2	22
Indeno[1,2,3-cd]pyrene	ND		11.4	9.39		ug/L		82	54 - 127	6	33
Naphthalene	ND		11.4	12.4		ug/L		108	57 - 129	1	40
Phenanthrene	ND		11.4	13.9		ug/L		121	68 - 131	5	19
Pyrene	ND		11.4	11.4		ug/L		100	72 - 139	3	28
1-Methylnaphthalene	ND		11.4	12.4		ug/L		109	61 - 130	1	32
2-Methylnaphthalene	ND		11.4	12.0		ug/L		105	60 - 132	2	34

Surrogate	MSD %Recovery	MSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	64		22 - 139
Nitrobenzene-d5 (Surr)	101		44 - 167
2-Fluorobiphenyl	113		42 - 158

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-135598/1-A

Matrix: Water

Analysis Batch: 135412

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 135598

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		05/15/26 09:20	05/15/26 12:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	78		52 - 134	05/15/26 09:20	05/15/26 12:23	1

Lab Sample ID: LCS 705-135598/2-A

Matrix: Water

Analysis Batch: 135412

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 135598

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	0.507		mg/L		51	50 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Diethylphthalate (Surr)	67		52 - 134

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics) (Continued)

Lab Sample ID: LCSD 705-135598/3-A

Matrix: Water

Analysis Batch: 135412

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 135598

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.542		mg/L		54	50 - 123	7	21

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
Diethylphthalate (Surr)	70		52 - 134

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

GC/MS VOA

Analysis Batch: 136289

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-1	Quarry Outfall	Total/NA	Water	8260D	
705-66936-2	Outfall FR-1/AATC	Total/NA	Water	8260D	
705-66936-3	Forest Parkway	Total/NA	Water	8260D	
705-66936-4	Lee's Bridge	Total/NA	Water	8260D	
705-66936-5	Upper Riverdale Road	Total/NA	Water	8260D	
705-66936-6	Valley Hill Road	Total/NA	Water	8260D	
705-66936-7	Flint River Road	Total/NA	Water	8260D	
705-66936-8	Duplicate Sample	Total/NA	Water	8260D	
705-66936-9	Upstream/Headwaters	Total/NA	Water	8260D	
MB 705-136289/6	Method Blank	Total/NA	Water	8260D	
LCS 705-136289/1003	Lab Control Sample	Total/NA	Water	8260D	
705-66936-5 MS	Upper Riverdale Road	Total/NA	Water	8260D	
705-66936-4 DU	Lee's Bridge	Total/NA	Water	8260D	

GC/MS Semi VOA

Prep Batch: 135976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-1	Quarry Outfall	Total/NA	Water	3511	
705-66936-2	Outfall FR-1/AATC	Total/NA	Water	3511	
705-66936-3	Forest Parkway	Total/NA	Water	3511	
705-66936-4	Lee's Bridge	Total/NA	Water	3511	
705-66936-5	Upper Riverdale Road	Total/NA	Water	3511	
705-66936-6	Valley Hill Road	Total/NA	Water	3511	
705-66936-7	Flint River Road	Total/NA	Water	3511	
705-66936-8	Duplicate Sample	Total/NA	Water	3511	
705-66936-9	Upstream/Headwaters	Total/NA	Water	3511	
MB 705-135976/1-A	Method Blank	Total/NA	Water	3511	
LCS 705-135976/2-A	Lab Control Sample	Total/NA	Water	3511	
705-66961-D-1-A MS	Matrix Spike	Total/NA	Water	3511	
705-66961-E-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	3511	

Analysis Batch: 136040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-1	Quarry Outfall	Total/NA	Water	8270E	135976
705-66936-2	Outfall FR-1/AATC	Total/NA	Water	8270E	135976
705-66936-3	Forest Parkway	Total/NA	Water	8270E	135976
705-66936-4	Lee's Bridge	Total/NA	Water	8270E	135976
705-66936-5	Upper Riverdale Road	Total/NA	Water	8270E	135976
705-66936-6	Valley Hill Road	Total/NA	Water	8270E	135976
705-66936-7	Flint River Road	Total/NA	Water	8270E	135976
705-66936-8	Duplicate Sample	Total/NA	Water	8270E	135976
705-66936-9	Upstream/Headwaters	Total/NA	Water	8270E	135976
MB 705-135976/1-A	Method Blank	Total/NA	Water	8270E	135976
LCS 705-135976/2-A	Lab Control Sample	Total/NA	Water	8270E	135976
705-66961-D-1-A MS	Matrix Spike	Total/NA	Water	8270E	135976
705-66961-E-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	8270E	135976

Eurofins Atlanta

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

GC Semi VOA

Analysis Batch: 135412

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-1	Quarry Outfall	Total/NA	Water	8015C	135598
705-66936-2	Outfall FR-1/AATC	Total/NA	Water	8015C	135598
705-66936-3	Forest Parkway	Total/NA	Water	8015C	135598
MB 705-135598/1-A	Method Blank	Total/NA	Water	8015C	135598
LCS 705-135598/2-A	Lab Control Sample	Total/NA	Water	8015C	135598
LCSD 705-135598/3-A	Lab Control Sample Dup	Total/NA	Water	8015C	135598

Analysis Batch: 135511

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-4	Lee's Bridge	Total/NA	Water	8015C	135598
705-66936-5	Upper Riverdale Road	Total/NA	Water	8015C	135598
705-66936-6	Valley Hill Road	Total/NA	Water	8015C	135598
705-66936-9	Upstream/Headwaters	Total/NA	Water	8015C	135598

Prep Batch: 135598

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-1	Quarry Outfall	Total/NA	Water	3510C	
705-66936-2	Outfall FR-1/AATC	Total/NA	Water	3510C	
705-66936-3	Forest Parkway	Total/NA	Water	3510C	
705-66936-4	Lee's Bridge	Total/NA	Water	3510C	
705-66936-5	Upper Riverdale Road	Total/NA	Water	3510C	
705-66936-6	Valley Hill Road	Total/NA	Water	3510C	
705-66936-7	Flint River Road	Total/NA	Water	3510C	
705-66936-8	Duplicate Sample	Total/NA	Water	3510C	
705-66936-9	Upstream/Headwaters	Total/NA	Water	3510C	
MB 705-135598/1-A	Method Blank	Total/NA	Water	3510C	
LCS 705-135598/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 705-135598/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 136006

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-66936-7	Flint River Road	Total/NA	Water	8015C	135598
705-66936-8	Duplicate Sample	Total/NA	Water	8015C	135598

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-66936-1

Date Collected: 05/14/26 11:24

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 03:45
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 19:08
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135412	UH	EET ATL	05/15/26 13:45

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-66936-2

Date Collected: 05/14/26 10:38

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 04:10
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 19:41
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135412	UH	EET ATL	05/15/26 14:12

Client Sample ID: Forest Parkway

Lab Sample ID: 705-66936-3

Date Collected: 05/14/26 10:27

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 04:35
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 20:14
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135412	UH	EET ATL	05/15/26 14:40

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-66936-4

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 02:05
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 20:47
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135511	UH	EET ATL	05/15/26 12:26

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-66936-5

Date Collected: 05/14/26 09:51

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 02:55

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-66936-5

Date Collected: 05/14/26 09:51

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 21:20
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135511	UH	EET ATL	05/15/26 12:54

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-66936-6

Date Collected: 05/14/26 09:25

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 05:00
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 21:53
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135511	UH	EET ATL	05/15/26 13:22

Client Sample ID: Flint River Road

Lab Sample ID: 705-66936-7

Date Collected: 05/14/26 09:00

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 05:26
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 22:26
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 15:00
Total/NA	Analysis	8015C		1	136006	ID	EET ATL	05/17/26 12:56

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-66936-8

Date Collected: 05/14/26 10:11

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 05:51
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 22:59
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 15:00
Total/NA	Analysis	8015C		1	136006	ID	EET ATL	05/17/26 13:23

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-66936-9

Date Collected: 05/14/26 11:40

Matrix: Water

Date Received: 05/14/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	136289	Y1S	EET ATL 1	05/19/26 06:16

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Client Sample ID: Upstream/Headwaters
Date Collected: 05/14/26 11:40
Date Received: 05/14/26 15:20

Lab Sample ID: 705-66936-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			135976	DM	EET ATL	05/16/26 14:45
Total/NA	Analysis	8270E		1	136040	BH	EET ATL 2	05/17/26 23:32
Total/NA	Prep	3510C			135598	SE	EET ATL	05/15/26 09:20
Total/NA	Analysis	8015C		1	135511	UH	EET ATL	05/15/26 14:47

Laboratory References:
EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177
EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177
EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL 1
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-66936-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Eurofins Atlanta

3080 Presidential Dr
Atlanta, GA 30340
Phone: 770-457-8177 Fax: 770-457-8188

Chain of Custody Record



Environment Testing

Client Information		Sampler: <u>Nia Thomas</u>		Lab PM: Pacurar, Ioana		Carrier Tracking No(s):		COC No: 705-26446-12365.1															
Client Contact: Jerald Mitchell		Phone: <u>804-315-9779</u>		E-Mail: ioana.pacurar@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1															
Company: VGS2MATL		PWSID:		Analysis Requested																			
Address: 1005 Virginia Ave Suite 310		Due Date Requested:		 705-66936 Chain of Custody																			
City: Atlanta		TAT Requested (days):																					
State, Zip: GA, 30354		Compliance Project: ☐ Yes ☐ No																					
Phone:		PO #: 019992																					
Email: Jerald.Mitchell@versar.com		WO #:																					
Project Name: Flint River		Project #: 70506101		Preser N - No A - HCl																			
Site:		SSOW#:		705-66936 Chain of Custody																			
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8270E_LL_QQQ - SIM PAHs		8260D_BTExM - BTEX		8015C_DRO - DRO/TPH-Jet Fuel		Total Num		Special Instructions/Note:	
Quarry Outfall		5-14-26		11:24		G		Water						N		A		N					
Outfall FR-1/AATC		5-14-26		10:38		G		Water						N		A		N					
Forest Parkway		5-14-26		10:27		G		Water						N		A		N					
Lee's Bridge		5-14-26		10:11		G		Water						N		A		N					
Upper Riverdale Road		5-14-26		09:51		G		Water						N		A		N					
Valley Hill Road		5-14-26		09:25		G		Water						N		A		N					
Flint River Road		5-14-26		09:00		G		Water						N		A		N					
Duplicate Sample		5-14-26		10:11		G		Water						N		A		N					
Upstream/Headwaters		5-14-26		11:40		G		Water						N		A		N					
								Water															
Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)																					
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological		☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months																					
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:																					
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:																	
Relinquished by: <u>SAMMY EXANTUS</u>		Date/Time: <u>5-14-26</u>		Company:		Received by: <u>[Signature]</u>		Date/Time: <u>5.14.26</u>		15:20		Company:											
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:													
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:													
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>01 #2665 0.3°</u>																			

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-66936-1

Login Number: 66936

List Source: Eurofins Atlanta

List Number: 1

Creator: Sims, Christion

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

END OF REPORT