

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell

Versar Inc

1005 Virginia Avenue

Atlanta, Georgia 30354

Generated 2/10/2026 9:07:47 PM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-57070-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
2/10/2026 9:07:47 PM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Chain of Custody	5
Case Narrative	7
Client Sample Results	8
Detection Summary	16
Receipt Checklists	18
Surrogate Summary	19
Lab Chronicle	21
QC Sample Results	23
Certification Summary	27
Method Summary	28
Sample Summary	29
End Of Report	30

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Atlanta

3080 Presidential Dr
Atlanta GA 30340
Phone 770-457-8177 Fax. 770-457-8188

Chain of Custody Record



Client Information		Sampler Nia Thomas		Lab PM Pacurar Ioana		Carrier Tracking No(s)		COC No 705-22538-10597 1															
Client Contact: Jerald Mitchell		Phone 864-315-9779		E-Mail ioana.pacurar@et.eurofinsus.com		State of Origin		Page Page 1 of 1															
Company VGS2MATL		PWSID		Analysis Requested						Job #													
Address: 1005 Virginia Ave Suite 310		Due Date Requested		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) 8270E_LL_QQQ - SIM PAHS 8260D_BTEXM - BTEX 8015C_DRO - DRO/TPH-Jet Fuel						Preservation Codes N None A HCL													
City Atlanta		TAT Requested (days)								Other:													
State Zip GA, 30354		Compliance Project: ☒ Yes ☐ No								705-57070 COC													
Phone		PO # Purchase Order not required																					
Email Jerald Mitchell@versar.com		WO #																					
Project Name Flint River		Project # 70506101		Total Number of containers						Special Instructions/Note:													
Site:		SSOW#																					
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		8270E_LL_QQQ - SIM PAHS		8260D_BTEXM - BTEX		8015C_DRO - DRO/TPH-Jet Fuel		Total Number of containers		Special Instructions/Note:	
Quarry Outfall		2/9/26		5:30		G		Water															
Outfall FR-1/AATC		2/9/26		5:05		G		Water															
Forest Parkway		2/9/26		4:45		G		Water															
Lee's Bridge		2/9/26		4:35		G		Water															
Upper Riverdale Road		2/9/26		3:37		G		Water															
Valley Hill Road		2/9/26		3:07		G		Water															
Flint River Road		2/9/26		2:25		G		Water															
Duplicate Sample		2/9/26		2:25		G		Water															



Environment Testing

Eurofins Environment Testing Southeast-Atlanta, LLC
3080 Presidential Drive, Atlanta, GA 30340 Phone: (770) 457-8177

Work Order: _____

Page ____ of ____

CHAIN OF CUSTODY

COMPANY: VG82MATL		ADDRESS: 1005 Virginia Ave. Suite 310		ANALYSIS REQUESTED										Visit our website www.EurofinsUS.com for downloadable COCs.		Number of Containers			
PHONE:		EMAIL: Nia.Thomas@vebar.com																	
SAMPLED BY:		SIGNATURE: 												REMARKS					
#	SAMPLE ID	SAMPLED:		GRAB	COMPOSITE	MATRIX (see codes)	PRESERVATION (see codes)												
		DATE	TIME																
1	Jet-A	2/10/26	10:00am	☒															
2																			
3																			
4																			
5																			
6																			
7																			
8																			
9																			
10																			
11																			
12																			
13																			
14																			
RELINQUISHED BY:		DATE/TIME:		RECEIVED BY:		DATE/TIME:		PROJECT INFORMATION										RECEIPT	
1. Nia Thomas		2/10/26 11:45		1. FEANA Pacuraz		2/10/26		PROJECT NAME: Flint River										Total # of Containers	
2.				2.		109577		PROJECT #: 70506101										Turnaround Time (TAT) Request in Business Days	
3.				3.				SITE ADDRESS: ATL Airport										☒ Standard ☐ 4-Day Rush*	
SPECIAL INSTRUCTIONS/COMMENTS: only for overlay purposes		SHIPMENT METHOD OUT: / / VIA: IN: / / VIA: ☒ Client ☐ FedEx ☐ UPS ☐ US mail ☐ courier other: _____		SEND REPORT TO: Nia Thomas										☐ 3-Day Rush* ☐ 2-Day Rush*					
				INVOICE TO (IF DIFFERENT FROM ABOVE):										☐ Next Day Rush* ☐ Other _____					
				QUOTE #: _____ PO#: _____										☐ Same-Day Rush* (auth req.)					
														* Surcharges apply for Rush TAT					
														REGULATORY PROGRAM (if any):					
														DATA PACKAGE: I ☐ II ☐ III ☐ IV ☐					

Submission of samples to the laboratory constitutes acceptance of EETSE's Terms & Conditions. Client assumes sole responsibility for damage or loss of samples before we accept them. Samples received after 3PM or on Saturday are considered as received the following business day. If no TAT is marked on COC, EETSE-Atlanta will proceed with standard TAT. Samples are disposed of 30 days after completion of report unless other arrangements are made.

Matrix Codes: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water ST = Stormwater WW = Waste Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify)

2.27.24_COC

Preservative Codes: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice NaOH=SH O = Other (specify) NA = None

Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-57070-1

Job ID: 705-57070-1

Eurofins Atlanta

Job Narrative 705-57070-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/10/2026 10:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.2°C and 0.4°C.

Receipt Exceptions

Sample 57070-3 vials contained headspace in one of the two vials received. Laboratory proceeded by analyzing the one vial without headspace.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-57070-1

Date Collected: 02/09/26 05:30

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 14:22	1
Toluene	ND		1.0	ug/L			02/10/26 14:22	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 14:22	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 14:22	1
o-Xylene	ND		1.0	ug/L			02/10/26 14:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 126		02/10/26 14:22	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	ug/L		02/10/26 11:03	02/10/26 14:30	1
Acenaphthylene	ND		1.1	ug/L		02/10/26 11:03	02/10/26 14:30	1
Anthracene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Benzo[a]anthracene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Benzo[a]pyrene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Benzo[b]fluoranthene	ND		0.11	ug/L		02/10/26 11:03	02/10/26 14:30	1
Benzo[g,h,i]perylene	ND		0.11	ug/L		02/10/26 11:03	02/10/26 14:30	1
Benzo[k]fluoranthene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Chrysene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Dibenz(a,h)anthracene	ND		0.11	ug/L		02/10/26 11:03	02/10/26 14:30	1
Fluoranthene	ND		0.11	ug/L		02/10/26 11:03	02/10/26 14:30	1
Fluorene	0.11		0.11	ug/L		02/10/26 11:03	02/10/26 14:30	1
Indeno[1,2,3-cd]pyrene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Naphthalene	ND		0.53	ug/L		02/10/26 11:03	02/10/26 14:30	1
Phenanthrene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
Pyrene	ND		0.053	ug/L		02/10/26 11:03	02/10/26 14:30	1
1-Methylnaphthalene	ND		0.53	ug/L		02/10/26 11:03	02/10/26 14:30	1
2-Methylnaphthalene	ND		0.53	ug/L		02/10/26 11:03	02/10/26 14:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	74		64 - 135	02/10/26 11:03	02/10/26 14:30	1
Nitrobenzene-d5 (Surr)	128		50 - 150	02/10/26 11:03	02/10/26 14:30	1
2-Fluorobiphenyl	113		50 - 150	02/10/26 11:03	02/10/26 14:30	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	mg/L		02/10/26 12:30	02/10/26 13:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	83		52 - 134	02/10/26 12:30	02/10/26 13:19	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-57070-2

Date Collected: 02/09/26 05:05

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 14:44	1
Toluene	ND		1.0	ug/L			02/10/26 14:44	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 14:44	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-57070-2

Date Collected: 02/09/26 05:05

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	3.0		2.0	ug/L			02/10/26 14:44	1
o-Xylene	2.1		1.0	ug/L			02/10/26 14:44	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 126				02/10/26 14:44	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.3		0.51	ug/L		02/10/26 11:03	02/10/26 15:03	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 15:03	1
Anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Benzo[a]anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Benzo[a]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:03	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:03	1
Benzo[k]fluoranthene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Chrysene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Dibenz[a,h]anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:03	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:03	1
Fluorene	1.5		0.10	ug/L		02/10/26 11:03	02/10/26 15:03	1
Indeno[1,2,3-cd]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Naphthalene	40		0.51	ug/L		02/10/26 11:03	02/10/26 15:03	1
Phenanthrene	0.36		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
Pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:03	1
1-Methylnaphthalene	41		0.51	ug/L		02/10/26 11:03	02/10/26 15:03	1
2-Methylnaphthalene	57		2.5	ug/L		02/10/26 11:03	02/10/26 16:42	5
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	71		64 - 135			02/10/26 11:03	02/10/26 15:03	1
p-Terphenyl-d14 (Surr)	70		64 - 135			02/10/26 11:03	02/10/26 16:42	5
Nitrobenzene-d5 (Surr)	114		50 - 150			02/10/26 11:03	02/10/26 15:03	1
Nitrobenzene-d5 (Surr)	112		50 - 150			02/10/26 11:03	02/10/26 16:42	5
2-Fluorobiphenyl	103		50 - 150			02/10/26 11:03	02/10/26 15:03	1
2-Fluorobiphenyl	104		50 - 150			02/10/26 11:03	02/10/26 16:42	5

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.8		0.20	mg/L		02/10/26 12:30	02/10/26 13:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	96		52 - 134			02/10/26 12:30	02/10/26 13:46	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-57070-3

Date Collected: 02/09/26 04:45

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 15:05	1
Toluene	ND		1.0	ug/L			02/10/26 15:05	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 15:05	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-57070-3

Date Collected: 02/09/26 04:45

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	2.3		2.0	ug/L			02/10/26 15:05	1
o-Xylene	1.7		1.0	ug/L			02/10/26 15:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	108		70 - 126				02/10/26 15:05	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	4.9		0.51	ug/L		02/10/26 11:03	02/10/26 15:36	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 15:36	1
Anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Benzo[a]anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Benzo[a]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:36	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:36	1
Benzo[k]fluoranthene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Chrysene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Dibenz[a,h]anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:36	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:36	1
Fluorene	3.4		0.10	ug/L		02/10/26 11:03	02/10/26 15:36	1
Indeno[1,2,3-cd]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Naphthalene	22		0.51	ug/L		02/10/26 11:03	02/10/26 15:36	1
Phenanthrene	0.82		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
Pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:36	1
1-Methylnaphthalene	39		0.51	ug/L		02/10/26 11:03	02/10/26 15:36	1
2-Methylnaphthalene	55		2.6	ug/L		02/10/26 11:03	02/10/26 16:46	5
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135			02/10/26 11:03	02/10/26 15:36	1
Nitrobenzene-d5 (Surr)	115		50 - 150			02/10/26 11:03	02/10/26 15:36	1
2-Fluorobiphenyl	108		50 - 150			02/10/26 11:03	02/10/26 15:36	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	3.7		0.20	mg/L		02/10/26 12:30	02/10/26 14:13	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	74		52 - 134			02/10/26 12:30	02/10/26 14:13	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-57070-4

Date Collected: 02/09/26 04:35

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 15:26	1
Toluene	ND		1.0	ug/L			02/10/26 15:26	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 15:26	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 15:26	1
o-Xylene	1.1		1.0	ug/L			02/10/26 15:26	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-57070-4

Date Collected: 02/09/26 04:35

Matrix: Water

Date Received: 02/10/26 10:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	109		70 - 126		02/10/26 15:26	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.8		0.52	ug/L		02/10/26 11:03	02/10/26 16:09	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 16:09	1
Anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Benzo[a]anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Benzo[a]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:09	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:09	1
Benzo[k]fluoranthene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Chrysene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Dibenz(a,h)anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:09	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:09	1
Fluorene	2.1		0.10	ug/L		02/10/26 11:03	02/10/26 16:09	1
Indeno[1,2,3-cd]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Naphthalene	14		0.52	ug/L		02/10/26 11:03	02/10/26 16:09	1
Phenanthrene	0.52		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
Pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:09	1
1-Methylnaphthalene	27		0.52	ug/L		02/10/26 11:03	02/10/26 16:09	1
2-Methylnaphthalene	33		0.52	ug/L		02/10/26 11:03	02/10/26 16:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135	02/10/26 11:03	02/10/26 16:09	1
Nitrobenzene-d5 (Surr)	111		50 - 150	02/10/26 11:03	02/10/26 16:09	1
2-Fluorobiphenyl	102		50 - 150	02/10/26 11:03	02/10/26 16:09	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	4.8		0.20	mg/L		02/10/26 12:30	02/10/26 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	74		52 - 134	02/10/26 12:30	02/10/26 14:40	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-57070-5

Date Collected: 02/09/26 04:37

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 15:47	1
Toluene	ND		1.0	ug/L			02/10/26 15:47	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 15:47	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 15:47	1
o-Xylene	ND		1.0	ug/L			02/10/26 15:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126		02/10/26 15:47	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-57070-5

Date Collected: 02/09/26 04:37

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	10		0.52	ug/L		02/10/26 11:03	02/10/26 14:31	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 14:31	1
Anthracene	0.42		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Benzo[a]anthracene	0.11		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Benzo[a]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Benzo[b]fluoranthene	0.12		0.10	ug/L		02/10/26 11:03	02/10/26 14:31	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 14:31	1
Benzo[k]fluoranthene	0.063		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Chrysene	0.054		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Dibenz[a,h]anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 14:31	1
Fluoranthene	0.45		0.10	ug/L		02/10/26 11:03	02/10/26 14:31	1
Fluorene	12		0.10	ug/L		02/10/26 11:03	02/10/26 14:31	1
Indeno[1,2,3-cd]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Naphthalene	4.1		0.52	ug/L		02/10/26 11:03	02/10/26 14:31	1
Phenanthrene	5.3		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
Pyrene	0.34		0.052	ug/L		02/10/26 11:03	02/10/26 14:31	1
1-Methylnaphthalene	11		0.52	ug/L		02/10/26 11:03	02/10/26 14:31	1
2-Methylnaphthalene	13		0.52	ug/L		02/10/26 11:03	02/10/26 14:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	92		64 - 135	02/10/26 11:03	02/10/26 14:31	1
Nitrobenzene-d5 (Surr)	98		50 - 150	02/10/26 11:03	02/10/26 14:31	1
2-Fluorobiphenyl	116		50 - 150	02/10/26 11:03	02/10/26 14:31	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	15		2.0	mg/L		02/10/26 12:30	02/10/26 15:14	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	77		52 - 134	02/10/26 12:30	02/10/26 13:25	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-57070-6

Date Collected: 02/09/26 03:07

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 16:08	1
Toluene	ND		1.0	ug/L			02/10/26 16:08	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 16:08	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 16:08	1
o-Xylene	ND		1.0	ug/L			02/10/26 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	110		70 - 126		02/10/26 16:08	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.84		0.52	ug/L		02/10/26 11:03	02/10/26 15:05	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 15:05	1
Anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-57070-6

Date Collected: 02/09/26 03:07

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Benzo[a]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:05	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:05	1
Benzo[k]fluoranthene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Chrysene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Dibenz(a,h)anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:05	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:05	1
Fluorene	0.73		0.10	ug/L		02/10/26 11:03	02/10/26 15:05	1
Indeno[1,2,3-cd]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Naphthalene	3.1		0.52	ug/L		02/10/26 11:03	02/10/26 15:05	1
Phenanthrene	0.23		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
Pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 15:05	1
1-Methylnaphthalene	6.6		0.52	ug/L		02/10/26 11:03	02/10/26 15:05	1
2-Methylnaphthalene	6.9		0.52	ug/L		02/10/26 11:03	02/10/26 15:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	78		64 - 135	02/10/26 11:03	02/10/26 15:05	1
Nitrobenzene-d5 (Surr)	110		50 - 150	02/10/26 11:03	02/10/26 15:05	1
2-Fluorobiphenyl	106		50 - 150	02/10/26 11:03	02/10/26 15:05	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	mg/L		02/10/26 12:30	02/10/26 13:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	69		52 - 134	02/10/26 12:30	02/10/26 13:52	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-57070-7

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 16:30	1
Toluene	ND		1.0	ug/L			02/10/26 16:30	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 16:30	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 16:30	1
o-Xylene	ND		1.0	ug/L			02/10/26 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	109		70 - 126		02/10/26 16:30	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	ug/L		02/10/26 11:03	02/10/26 15:38	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 15:38	1
Anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Benzo[a]anthracene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Benzo[a]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:38	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-57070-7

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:38	1
Benzo[k]fluoranthene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Chrysene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Dibenz(a,h)anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:38	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 15:38	1
Fluorene	0.31		0.10	ug/L		02/10/26 11:03	02/10/26 15:38	1
Indeno[1,2,3-cd]pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Naphthalene	1.1		0.51	ug/L		02/10/26 11:03	02/10/26 15:38	1
Phenanthrene	0.098		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
Pyrene	ND		0.051	ug/L		02/10/26 11:03	02/10/26 15:38	1
1-Methylnaphthalene	2.5		0.51	ug/L		02/10/26 11:03	02/10/26 15:38	1
2-Methylnaphthalene	2.1		0.51	ug/L		02/10/26 11:03	02/10/26 15:38	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	86		64 - 135			02/10/26 11:03	02/10/26 15:38	1
Nitrobenzene-d5 (Surr)	109		50 - 150			02/10/26 11:03	02/10/26 15:38	1
2-Fluorobiphenyl	111		50 - 150			02/10/26 11:03	02/10/26 15:38	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	mg/L		02/10/26 12:30	02/10/26 14:20	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	77		52 - 134			02/10/26 12:30	02/10/26 14:20	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-57070-8

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 16:51	1
Toluene	ND		1.0	ug/L			02/10/26 16:51	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 16:51	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 16:51	1
o-Xylene	ND		1.0	ug/L			02/10/26 16:51	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 126				02/10/26 16:51	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	ug/L		02/10/26 11:03	02/10/26 16:12	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 16:12	1
Anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Benzo[a]anthracene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Benzo[a]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:12	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:12	1
Benzo[k]fluoranthene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Chrysene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-57070-8

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:12	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 16:12	1
Fluorene	0.29		0.10	ug/L		02/10/26 11:03	02/10/26 16:12	1
Indeno[1,2,3-cd]pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Naphthalene	1.0		0.52	ug/L		02/10/26 11:03	02/10/26 16:12	1
Phenanthrene	0.11		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
Pyrene	ND		0.052	ug/L		02/10/26 11:03	02/10/26 16:12	1
1-Methylnaphthalene	2.5		0.52	ug/L		02/10/26 11:03	02/10/26 16:12	1
2-Methylnaphthalene	2.1		0.52	ug/L		02/10/26 11:03	02/10/26 16:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	86		64 - 135			02/10/26 11:03	02/10/26 16:12	1
Nitrobenzene-d5 (Surr)	112		50 - 150			02/10/26 11:03	02/10/26 16:12	1
2-Fluorobiphenyl	111		50 - 150			02/10/26 11:03	02/10/26 16:12	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	mg/L		02/10/26 12:30	02/10/26 14:47	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	85		52 - 134			02/10/26 12:30	02/10/26 14:47	1

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-57070-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.11		0.11	ug/L	1		8270E	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-57070-2

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
m,p-Xylene	3.0		2.0	ug/L	1		8260D	Total/NA
o-Xylene	2.1		1.0	ug/L	1		8260D	Total/NA
Acenaphthene	2.3		0.51	ug/L	1		8270E	Total/NA
Fluorene	1.5		0.10	ug/L	1		8270E	Total/NA
Naphthalene	40		0.51	ug/L	1		8270E	Total/NA
Phenanthrene	0.36		0.051	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	41		0.51	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	57		2.5	ug/L	5		8270E	Total/NA
Diesel Range Organics [C10-C28]	1.8		0.20	mg/L	1		8015C	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-57070-3

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
m,p-Xylene	2.3		2.0	ug/L	1		8260D	Total/NA
o-Xylene	1.7		1.0	ug/L	1		8260D	Total/NA
Acenaphthene	4.9		0.51	ug/L	1		8270E	Total/NA
Fluorene	3.4		0.10	ug/L	1		8270E	Total/NA
Naphthalene	22		0.51	ug/L	1		8270E	Total/NA
Phenanthrene	0.82		0.051	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	39		0.51	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	55		2.6	ug/L	5		8270E	Total/NA
Diesel Range Organics [C10-C28]	3.7		0.20	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-57070-4

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
o-Xylene	1.1		1.0	ug/L	1		8260D	Total/NA
Acenaphthene	2.8		0.52	ug/L	1		8270E	Total/NA
Fluorene	2.1		0.10	ug/L	1		8270E	Total/NA
Naphthalene	14		0.52	ug/L	1		8270E	Total/NA
Phenanthrene	0.52		0.052	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	27		0.52	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	33		0.52	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	4.8		0.20	mg/L	1		8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-57070-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	10		0.52	ug/L	1		8270E	Total/NA
Anthracene	0.42		0.052	ug/L	1		8270E	Total/NA
Benzo[a]anthracene	0.11		0.052	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.12		0.10	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.063		0.052	ug/L	1		8270E	Total/NA
Chrysene	0.054		0.052	ug/L	1		8270E	Total/NA
Fluoranthene	0.45		0.10	ug/L	1		8270E	Total/NA
Fluorene	12		0.10	ug/L	1		8270E	Total/NA
Naphthalene	4.1		0.52	ug/L	1		8270E	Total/NA
Phenanthrene	5.3		0.052	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Upper Riverdale Road (Continued)

Lab Sample ID: 705-57070-5

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Pyrene	0.34		0.052	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	11		0.52	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	13		0.52	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	15		2.0	mg/L	10		8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-57070-6

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.84		0.52	ug/L	1		8270E	Total/NA
Fluorene	0.73		0.10	ug/L	1		8270E	Total/NA
Naphthalene	3.1		0.52	ug/L	1		8270E	Total/NA
Phenanthrene	0.23		0.052	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	6.6		0.52	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	6.9		0.52	ug/L	1		8270E	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-57070-7

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.31		0.10	ug/L	1		8270E	Total/NA
Naphthalene	1.1		0.51	ug/L	1		8270E	Total/NA
Phenanthrene	0.098		0.051	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	2.5		0.51	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	2.1		0.51	ug/L	1		8270E	Total/NA

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-57070-8

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.29		0.10	ug/L	1		8270E	Total/NA
Naphthalene	1.0		0.52	ug/L	1		8270E	Total/NA
Phenanthrene	0.11		0.052	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	2.5		0.52	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	2.1		0.52	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-57070-1

Login Number: 57070

List Source: Eurofins Atlanta

List Number: 1

Creator: Torres, Dominique

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	Headspace larger than ¼
Is there sufficient air space in bottle for bacteriological analysis.	True	

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	BFB (70-126)
705-56884-B-2 DU	Duplicate	113
705-56884-B-6 MS	Matrix Spike	116
705-57070-1	Quarry Outfall	107
705-57070-2	Outfall FR-1/AATC	107
705-57070-3	Forest Parkway	108
705-57070-4	Lee's Bridge	109
705-57070-5	Upper Riverdale Road	106
705-57070-6	Valley Hill Road	110
705-57070-7	Flint River Road	109
705-57070-8	Duplicate Sample	107
LCS 705-113135/1002	Lab Control Sample	98
MB 705-113135/4	Method Blank	103
Surrogate Legend		
BFB = 4-Bromofluorobenzene		

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)				
Lab Sample ID	Client Sample ID	TPHd14 (64-135)	NBZ (50-150)	FBP (50-150)
705-57070-1	Quarry Outfall	74	128	113
705-57070-2	Outfall FR-1/AATC	70	112	104
705-57070-2	Outfall FR-1/AATC	71	114	103
705-57070-3	Forest Parkway	73	115	108
705-57070-4	Lee's Bridge	73	111	102
705-57070-5	Upper Riverdale Road	92	98	116
705-57070-6	Valley Hill Road	78	110	106
705-57070-7	Flint River Road	86	109	111
705-57070-8	Duplicate Sample	86	112	111
LCS 705-113101/2-A	Lab Control Sample	76	115	102
LCSD 705-113101/3-A	Lab Control Sample Dup	78	120	103
MB 705-113101/1-A	Method Blank	98	117	100
Surrogate Legend				
TPHd14 = p-Terphenyl-d14 (Surr)				
NBZ = Nitrobenzene-d5 (Surr)				
FBP = 2-Fluorobiphenyl				

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	Iphtalate (52-134)
705-57070-1	Quarry Outfall	83
705-57070-2	Outfall FR-1/AATC	96
705-57070-3	Forest Parkway	74
705-57070-4	Lee's Bridge	74
705-57070-5	Upper Riverdale Road	77

Eurofins Atlanta

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

(Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	Iphtalate (52-134)
705-57070-6	Valley Hill Road	69
705-57070-7	Flint River Road	77
705-57070-8	Duplicate Sample	85
LCS 705-113047/2-A	Lab Control Sample	124
LCSD 705-113047/3-A	Lab Control Sample Dup	116
MB 705-113047/1-A	Method Blank	120
Surrogate Legend		
Diocetylphthalate (Surr) = Diocetylphthalate (Surr)		

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-57070-1

Date Collected: 02/09/26 05:30

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 14:22
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113117	BH	EET ATL 2	02/10/26 14:30
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113215	ID	EET ATL	02/10/26 13:19

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-57070-2

Date Collected: 02/09/26 05:05

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 14:44
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113117	BH	EET ATL 2	02/10/26 15:03
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		5	113117	BH	EET ATL 2	02/10/26 16:42
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113215	ID	EET ATL	02/10/26 13:46

Client Sample ID: Forest Parkway

Lab Sample ID: 705-57070-3

Date Collected: 02/09/26 04:45

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 15:05
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113117	BH	EET ATL 2	02/10/26 15:36
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		5	113120	BH	EET ATL 2	02/10/26 16:46
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113215	ID	EET ATL	02/10/26 14:13

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-57070-4

Date Collected: 02/09/26 04:35

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 15:26
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113117	BH	EET ATL 2	02/10/26 16:09
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113215	ID	EET ATL	02/10/26 14:40

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-57070-5

Date Collected: 02/09/26 04:37

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 15:47
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113120	BH	EET ATL 2	02/10/26 14:31
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113192	ID	EET ATL	02/10/26 13:25
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		10	113192	ID	EET ATL	02/10/26 15:14

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-57070-6

Date Collected: 02/09/26 03:07

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 16:08
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113120	BH	EET ATL 2	02/10/26 15:05
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113192	ID	EET ATL	02/10/26 13:52

Client Sample ID: Flint River Road

Lab Sample ID: 705-57070-7

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 16:30
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113120	BH	EET ATL 2	02/10/26 15:38
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113192	ID	EET ATL	02/10/26 14:20

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-57070-8

Date Collected: 02/09/26 02:25

Matrix: Water

Date Received: 02/10/26 10:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	113135	KA	EET ATL	02/10/26 16:51
Total/NA	Prep	3511			113101	DM	EET ATL	02/10/26 11:03
Total/NA	Analysis	8270E		1	113120	BH	EET ATL 2	02/10/26 16:12
Total/NA	Prep	3510C			113047	SE	EET ATL	02/10/26 12:30
Total/NA	Analysis	8015C		1	113192	ID	EET ATL	02/10/26 14:47

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-113135/4

Matrix: Water

Analysis Batch: 113135

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	ug/L			02/10/26 12:23	1
Toluene	ND		1.0	ug/L			02/10/26 12:23	1
Ethylbenzene	ND		1.0	ug/L			02/10/26 12:23	1
m,p-Xylene	ND		2.0	ug/L			02/10/26 12:23	1
o-Xylene	ND		1.0	ug/L			02/10/26 12:23	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126				02/10/26 12:23	1

Lab Sample ID: LCS 705-113135/1002

Matrix: Water

Analysis Batch: 113135

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	46.2		ug/L		92	76 - 122
Toluene	50.0	50.1		ug/L		100	74 - 124
Ethylbenzene	50.0	49.5		ug/L		99	75 - 127
m,p-Xylene	100	97.3		ug/L		97	76 - 128
o-Xylene	50.0	47.0		ug/L		94	78 - 124
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	98		70 - 126				

Lab Sample ID: 705-56884-B-6 MS

Matrix: Water

Analysis Batch: 113135

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	540		250	779		ug/L		94	71 - 133
Toluene	270		250	559		ug/L		114	72 - 134
Ethylbenzene	97		250	376		ug/L		112	75 - 131
m,p-Xylene	370		500	925		ug/L		112	73 - 133
o-Xylene	130		250	398		ug/L		109	73 - 132
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene	116		70 - 126						

Lab Sample ID: 705-56884-B-2 DU

Matrix: Water

Analysis Batch: 113135

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Benzene	570		570		ug/L		0.5	42
Toluene	130		131		ug/L		1	42
Ethylbenzene	110		107		ug/L		0.8	28
m,p-Xylene	210		218		ug/L		2	28
o-Xylene	22		22.5		ug/L		3	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-56884-B-2 DU

Matrix: Water

Analysis Batch: 113135

Client Sample ID: Duplicate

Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	113		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-113101/1-A

Matrix: Water

Analysis Batch: 113117

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 113101

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	ug/L		02/10/26 11:03	02/10/26 11:45	1
Acenaphthylene	ND		1.0	ug/L		02/10/26 11:03	02/10/26 11:45	1
Anthracene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Benzo[a]anthracene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Benzo[a]pyrene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Benzo[b]fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 11:45	1
Benzo[g,h,i]perylene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 11:45	1
Benzo[k]fluoranthene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Chrysene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Dibenz(a,h)anthracene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 11:45	1
Fluoranthene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 11:45	1
Fluorene	ND		0.10	ug/L		02/10/26 11:03	02/10/26 11:45	1
Indeno[1,2,3-cd]pyrene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Naphthalene	ND		0.50	ug/L		02/10/26 11:03	02/10/26 11:45	1
Phenanthrene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
Pyrene	ND		0.050	ug/L		02/10/26 11:03	02/10/26 11:45	1
1-Methylnaphthalene	ND		0.50	ug/L		02/10/26 11:03	02/10/26 11:45	1
2-Methylnaphthalene	ND		0.50	ug/L		02/10/26 11:03	02/10/26 11:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	98		64 - 135	02/10/26 11:03	02/10/26 11:45	1
Nitrobenzene-d5 (Surr)	117		50 - 150	02/10/26 11:03	02/10/26 11:45	1
2-Fluorobiphenyl	100		50 - 150	02/10/26 11:03	02/10/26 11:45	1

Lab Sample ID: LCS 705-113101/2-A

Matrix: Water

Analysis Batch: 113117

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 113101

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	12.9		ug/L		113	71 - 124
Acenaphthylene	11.4	13.1		ug/L		114	70 - 128
Anthracene	11.4	12.2		ug/L		106	74 - 121
Benzo[a]anthracene	11.4	12.0		ug/L		105	72 - 133
Benzo[a]pyrene	11.4	12.9		ug/L		113	70 - 131
Benzo[b]fluoranthene	11.4	11.2		ug/L		98	70 - 129
Benzo[g,h,i]perylene	11.4	11.3		ug/L		99	70 - 130
Benzo[k]fluoranthene	11.4	12.4		ug/L		109	70 - 130
Chrysene	11.4	11.7		ug/L		102	74 - 132
Dibenz(a,h)anthracene	11.4	11.3		ug/L		99	70 - 130

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-113101/2-A

Matrix: Water

Analysis Batch: 113117

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 113101

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	11.4	12.5		ug/L		109	78 - 130
Fluorene	11.4	12.4		ug/L		109	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	11.6		ug/L		102	69 - 126
Naphthalene	11.4	12.1		ug/L		106	67 - 127
Phenanthrene	11.4	13.1		ug/L		115	70 - 130
Pyrene	11.4	12.6		ug/L		110	73 - 131
1-Methylnaphthalene	11.4	11.9		ug/L		104	73 - 127
2-Methylnaphthalene	11.4	11.5		ug/L		100	70 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	76		64 - 135
Nitrobenzene-d5 (Surr)	115		50 - 150
2-Fluorobiphenyl	102		50 - 150

Lab Sample ID: LCSD 705-113101/3-A

Matrix: Water

Analysis Batch: 113117

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 113101

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	12.8		ug/L		112	71 - 124	1	12
Acenaphthylene	11.4	13.1		ug/L		115	70 - 128	0	12
Anthracene	11.4	12.3		ug/L		108	74 - 121	1	15
Benzo[a]anthracene	11.4	11.8		ug/L		104	72 - 133	1	19
Benzo[a]pyrene	11.4	12.6		ug/L		110	70 - 131	2	13
Benzo[b]fluoranthene	11.4	11.9		ug/L		104	70 - 129	6	35
Benzo[g,h,i]perylene	11.4	11.0		ug/L		96	70 - 130	3	12
Benzo[k]fluoranthene	11.4	11.1		ug/L		97	70 - 130	11	15
Chrysene	11.4	11.9		ug/L		105	74 - 132	2	10
Dibenz(a,h)anthracene	11.4	11.0		ug/L		96	70 - 130	3	17
Fluoranthene	11.4	12.4		ug/L		109	78 - 130	0	16
Fluorene	11.4	12.4		ug/L		109	71 - 130	0	14
Indeno[1,2,3-cd]pyrene	11.4	11.3		ug/L		99	69 - 126	3	12
Naphthalene	11.4	12.5		ug/L		109	67 - 127	3	13
Phenanthrene	11.4	13.3		ug/L		116	70 - 130	1	12
Pyrene	11.4	12.6		ug/L		110	73 - 131	0	10
1-Methylnaphthalene	11.4	12.2		ug/L		107	73 - 127	3	16
2-Methylnaphthalene	11.4	11.9		ug/L		104	70 - 127	4	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	78		64 - 135
Nitrobenzene-d5 (Surr)	120		50 - 150
2-Fluorobiphenyl	103		50 - 150

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-113047/1-A

Matrix: Water

Analysis Batch: 113215

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 113047

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	mg/L		02/10/26 08:48	02/10/26 11:30	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	120		52 - 134			02/10/26 08:48	02/10/26 11:30	1

Lab Sample ID: LCS 705-113047/2-A

Matrix: Water

Analysis Batch: 113215

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 113047

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	0.954		mg/L		95	50 - 123
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Diethylphthalate (Surr)	124		52 - 134				

Lab Sample ID: LCSD 705-113047/3-A

Matrix: Water

Analysis Batch: 113215

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 113047

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.958		mg/L		96	50 - 123	0	21
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
Diethylphthalate (Surr)	116		52 - 134						

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-57070-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-57070-1	Quarry Outfall	Water	02/09/26 05:30	02/10/26 10:45	Georgia
705-57070-2	Outfall FR-1/AATC	Water	02/09/26 05:05	02/10/26 10:45	Georgia
705-57070-3	Forest Parkway	Water	02/09/26 04:45	02/10/26 10:45	Georgia
705-57070-4	Lee's Bridge	Water	02/09/26 04:35	02/10/26 10:45	Georgia
705-57070-5	Upper Riverdale Road	Water	02/09/26 04:37	02/10/26 10:45	Georgia
705-57070-6	Valley Hill Road	Water	02/09/26 03:07	02/10/26 10:45	Georgia
705-57070-7	Flint River Road	Water	02/09/26 02:25	02/10/26 10:45	Georgia
705-57070-8	Duplicate Sample	Water	02/09/26 02:25	02/10/26 10:45	Georgia

END OF REPORT