

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia 30354
Generated 3/2/2026 4:08:07 PM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-58894-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
3/2/2026 4:08:07 PM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Chain of Custody	5
Case Narrative	6
Client Sample Results	7
Detection Summary	16
Receipt Checklists	19
Surrogate Summary	20
Lab Chronicle	22
QC Sample Results	25
Certification Summary	29
Method Summary	30
Sample Summary	31
End Of Report	32



Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Atlanta

3080 Presidential Dr

Atlanta, GA 30340

Phone: 770-457-8177 Fax: 770-457-8188

Chain of Custody Record

eurofins

Environment Testing

Client Information		Sampler: <i>Nia Thomas</i>		Lab PM: Pacurar, Ioana		Carrier Tracking No(s):		COC No: 705-22540-10599.1	
Client Contact: Jerald Mitchell		Phone: <i>804-315-9779</i>		E-Mail: ioana.pacurar@et.eurofinsus.com		State of Origin:		Page 1 of 1	
Company: VGS2MATL		PWSID:		Analysis Requested					
Address: 1005 Virginia Ave Suite 310		Due Date Requested:		Preserv N - None A - HCL 705-58894 COC  Job #:					
City: Atlanta		TAT Requested (days): <i>1</i>							
State, Zip: GA, 30354		Compliance Project: ☐ Yes ☐ No							
Phone:		PO #: Purchase Order not required							
Email: Jerald.Mitchell@versar.com		WO #:		Form MSMSD (Yes or No) Field Filtered Sample (Yes or No) 8270E_LL_QQC - SIM PAHS 8260D_BTEXM - BTEX 8015C_DRO - DROTPH-Jet Fuel Total Number of containers					
Project Name: Flint River		Project #: 70506101							
Site:		SSOW#:		Other:					
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	
								Preservation Code:	
Quarry Outfall		2/20		12:12		G		Water	
Outfall FR-1/AATC		2/20		16:50		G		Water	
Forest Parkway		2/20		16:31		G		Water	
Lee's Bridge		2/20		16:17		G		Water	
Upper Riverdale Road		2/20		15:46		G		Water	
Valley Hill Road		2/20		15:23		G		Water	
Flint River Road		2/20		15:50		G		Water	
Duplicate Sample - AATC		2/20		16:50		G		Water	
Upstream/Headwaters		2/20		14:39		G		Water	
Possible Hazard Identification		☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
Deliverable Requested: I, II, III, IV, Other (specify)				☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months					
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:			
Relinquished by: <i>Jennifer Miller</i>		Date/Time: <i>2/24/2026 09:25</i>		Company: <i>Versar</i>		Received by: <i>C. A. C.</i>		Date/Time: <i>2-27-26</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>CL 2665 2.1 2.2</i>					

Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-58894-1

Job ID: 705-58894-1

Eurofins Atlanta

Job Narrative 705-58894-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/27/2026 9:25 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.1°C and 2.2°C.

GC/MS VOA

Method 8260D: The method requirement for no headspace was not met. The following volatile sample was analyzed with headspace in the sample container(s): Quarry Outfall (705-58894-1). The sample container was received with headspace.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Quarry Outfall (705-58894-1), Outfall FR-1/AATC (705-58894-2), Forest Parkwaqy (705-58894-3), Lee's Bridge (705-58894-4), Upper Riverdale Road (705-58894-5) and Valley Hill Road (705-58894-6). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58894-1

Date Collected: 02/26/26 12:12

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 16:24	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 16:24	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 16:24	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 16:24	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 16:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		70 - 126		02/27/26 16:24	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.064	J	0.50	0.023	ug/L		02/27/26 10:10	02/27/26 12:28	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 12:28	1
Anthracene	ND		0.050	0.019	ug/L		02/27/26 10:10	02/27/26 12:28	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/27/26 10:10	02/27/26 12:28	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/27/26 10:10	02/27/26 12:28	1
Benzo[b]fluoranthene	0.059	J	0.10	0.023	ug/L		02/27/26 10:10	02/27/26 12:28	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/27/26 10:10	02/27/26 12:28	1
Benzo[k]fluoranthene	0.019	J	0.050	0.015	ug/L		02/27/26 10:10	02/27/26 12:28	1
Chrysene	0.043	J	0.050	0.020	ug/L		02/27/26 10:10	02/27/26 12:28	1
Dibenz[a,h]anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 12:28	1
Fluoranthene	0.11		0.10	0.027	ug/L		02/27/26 10:10	02/27/26 12:28	1
Fluorene	0.053	J	0.10	0.028	ug/L		02/27/26 10:10	02/27/26 12:28	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/27/26 10:10	02/27/26 12:28	1
Naphthalene	0.099	J	0.50	0.026	ug/L		02/27/26 10:10	02/27/26 12:28	1
Phenanthrene	0.078		0.050	0.027	ug/L		02/27/26 10:10	02/27/26 12:28	1
Pyrene	0.070		0.050	0.035	ug/L		02/27/26 10:10	02/27/26 12:28	1
1-Methylnaphthalene	0.13	J	0.50	0.030	ug/L		02/27/26 10:10	02/27/26 12:28	1
2-Methylnaphthalene	0.12	J	0.50	0.038	ug/L		02/27/26 10:10	02/27/26 12:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	49	S1-	64 - 135	02/27/26 10:10	02/27/26 12:28	1
Nitrobenzene-d5 (Surr)	105		50 - 150	02/27/26 10:10	02/27/26 12:28	1
2-Fluorobiphenyl	91		50 - 150	02/27/26 10:10	02/27/26 12:28	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.21		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 17:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	74		52 - 134	02/27/26 10:44	02/27/26 17:05	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58894-2

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 16:48	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 16:48	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 16:48	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58894-2

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 16:48	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 16:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 126					02/27/26 16:48	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.024	ug/L		02/27/26 10:10	02/27/26 13:01	1
Acenaphthylene	ND		1.0	0.022	ug/L		02/27/26 10:10	02/27/26 13:01	1
Anthracene	ND		0.051	0.020	ug/L		02/27/26 10:10	02/27/26 13:01	1
Benzo[a]anthracene	0.10		0.051	0.027	ug/L		02/27/26 10:10	02/27/26 13:01	1
Benzo[a]pyrene	0.20		0.051	0.025	ug/L		02/27/26 10:10	02/27/26 13:01	1
Benzo[b]fluoranthene	0.46		0.10	0.024	ug/L		02/27/26 10:10	02/27/26 13:01	1
Benzo[g,h,i]perylene	0.28		0.10	0.051	ug/L		02/27/26 10:10	02/27/26 13:01	1
Benzo[k]fluoranthene	0.16		0.051	0.015	ug/L		02/27/26 10:10	02/27/26 13:01	1
Chrysene	0.35		0.051	0.021	ug/L		02/27/26 10:10	02/27/26 13:01	1
Dibenz[a,h]anthracene	0.043	J	0.10	0.032	ug/L		02/27/26 10:10	02/27/26 13:01	1
Fluoranthene	0.77		0.10	0.028	ug/L		02/27/26 10:10	02/27/26 13:01	1
Fluorene	0.095	J	0.10	0.029	ug/L		02/27/26 10:10	02/27/26 13:01	1
Indeno[1,2,3-cd]pyrene	0.22		0.051	0.031	ug/L		02/27/26 10:10	02/27/26 13:01	1
Naphthalene	0.24	J	0.51	0.027	ug/L		02/27/26 10:10	02/27/26 13:01	1
Phenanthrene	0.46		0.051	0.028	ug/L		02/27/26 10:10	02/27/26 13:01	1
Pyrene	0.49		0.051	0.036	ug/L		02/27/26 10:10	02/27/26 13:01	1
1-Methylnaphthalene	0.41	J	0.51	0.031	ug/L		02/27/26 10:10	02/27/26 13:01	1
2-Methylnaphthalene	0.45	J	0.51	0.039	ug/L		02/27/26 10:10	02/27/26 13:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	63	S1-	64 - 135				02/27/26 10:10	02/27/26 13:01	1
Nitrobenzene-d5 (Surr)	105		50 - 150				02/27/26 10:10	02/27/26 13:01	1
2-Fluorobiphenyl	90		50 - 150				02/27/26 10:10	02/27/26 13:01	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.45		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 17:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	80		52 - 134				02/27/26 10:44	02/27/26 17:32	1

Client Sample ID: Forest Parkwaqy

Lab Sample ID: 705-58894-3

Date Collected: 02/26/26 16:31

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 17:12	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 17:12	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 17:12	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 17:12	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 17:12	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Forest Parkwaqy

Lab Sample ID: 705-58894-3

Date Collected: 02/26/26 16:31

Matrix: Water

Date Received: 02/27/26 09:25

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 126					02/27/26 17:12	1
Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.13	J	0.51	0.024	ug/L		02/27/26 10:10	02/27/26 13:34	1
Acenaphthylene	0.025	J	1.0	0.022	ug/L		02/27/26 10:10	02/27/26 13:34	1
Anthracene	0.042	J	0.051	0.020	ug/L		02/27/26 10:10	02/27/26 13:34	1
Benzo[a]anthracene	0.14		0.051	0.027	ug/L		02/27/26 10:10	02/27/26 13:34	1
Benzo[a]pyrene	0.30		0.051	0.025	ug/L		02/27/26 10:10	02/27/26 13:34	1
Benzo[b]fluoranthene	0.63		0.10	0.024	ug/L		02/27/26 10:10	02/27/26 13:34	1
Benzo[g,h,i]perylene	0.37		0.10	0.051	ug/L		02/27/26 10:10	02/27/26 13:34	1
Benzo[k]fluoranthene	0.24		0.051	0.015	ug/L		02/27/26 10:10	02/27/26 13:34	1
Chrysene	0.53		0.051	0.021	ug/L		02/27/26 10:10	02/27/26 13:34	1
Dibenz[a,h]anthracene	0.061	J	0.10	0.032	ug/L		02/27/26 10:10	02/27/26 13:34	1
Fluoranthene	1.1		0.10	0.028	ug/L		02/27/26 10:10	02/27/26 13:34	1
Fluorene	0.14		0.10	0.029	ug/L		02/27/26 10:10	02/27/26 13:34	1
Indeno[1,2,3-cd]pyrene	0.30		0.051	0.031	ug/L		02/27/26 10:10	02/27/26 13:34	1
Naphthalene	0.43	J	0.51	0.027	ug/L		02/27/26 10:10	02/27/26 13:34	1
Phenanthrene	0.70		0.051	0.028	ug/L		02/27/26 10:10	02/27/26 13:34	1
Pyrene	0.75		0.051	0.036	ug/L		02/27/26 10:10	02/27/26 13:34	1
1-Methylnaphthalene	0.72		0.51	0.031	ug/L		02/27/26 10:10	02/27/26 13:34	1
2-Methylnaphthalene	0.86		0.51	0.039	ug/L		02/27/26 10:10	02/27/26 13:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	51	S1-	64 - 135				02/27/26 10:10	02/27/26 13:34	1
Nitrobenzene-d5 (Surr)	93		50 - 150				02/27/26 10:10	02/27/26 13:34	1
2-Fluorobiphenyl	81		50 - 150				02/27/26 10:10	02/27/26 13:34	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.50		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 17:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	91		52 - 134				02/27/26 10:44	02/27/26 17:59	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58894-4

Date Collected: 02/26/26 16:17

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 17:36	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 17:36	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 17:36	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 17:36	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 17:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		70 - 126					02/27/26 17:36	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58894-4

Date Collected: 02/26/26 16:17

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.14	J	0.51	0.023	ug/L		02/27/26 10:10	02/27/26 14:07	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 14:07	1
Anthracene	ND		0.051	0.019	ug/L		02/27/26 10:10	02/27/26 14:07	1
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/27/26 10:10	02/27/26 14:07	1
Benzo[a]pyrene	0.051		0.051	0.024	ug/L		02/27/26 10:10	02/27/26 14:07	1
Benzo[b]fluoranthene	0.14		0.10	0.023	ug/L		02/27/26 10:10	02/27/26 14:07	1
Benzo[g,h,i]perylene	0.075	J	0.10	0.051	ug/L		02/27/26 10:10	02/27/26 14:07	1
Benzo[k]fluoranthene	0.040	J	0.051	0.015	ug/L		02/27/26 10:10	02/27/26 14:07	1
Chrysene	0.098		0.051	0.020	ug/L		02/27/26 10:10	02/27/26 14:07	1
Dibenz[a,h]anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 14:07	1
Fluoranthene	0.22		0.10	0.027	ug/L		02/27/26 10:10	02/27/26 14:07	1
Fluorene	0.15		0.10	0.028	ug/L		02/27/26 10:10	02/27/26 14:07	1
Indeno[1,2,3-cd]pyrene	0.064		0.051	0.030	ug/L		02/27/26 10:10	02/27/26 14:07	1
Naphthalene	0.49	J	0.51	0.026	ug/L		02/27/26 10:10	02/27/26 14:07	1
Phenanthrene	0.14		0.051	0.027	ug/L		02/27/26 10:10	02/27/26 14:07	1
Pyrene	0.15		0.051	0.036	ug/L		02/27/26 10:10	02/27/26 14:07	1
1-Methylnaphthalene	0.99		0.51	0.030	ug/L		02/27/26 10:10	02/27/26 14:07	1
2-Methylnaphthalene	1.1		0.51	0.039	ug/L		02/27/26 10:10	02/27/26 14:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	50	S1-	64 - 135	02/27/26 10:10	02/27/26 14:07	1
Nitrobenzene-d5 (Surr)	94		50 - 150	02/27/26 10:10	02/27/26 14:07	1
2-Fluorobiphenyl	85		50 - 150	02/27/26 10:10	02/27/26 14:07	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L		02/27/26 10:44	02/27/26 18:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	74		52 - 134	02/27/26 10:44	02/27/26 18:27	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58894-5

Date Collected: 02/26/26 15:46

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 18:00	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 18:00	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 18:00	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 18:00	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 18:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 126		02/27/26 18:00	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.057	J	0.51	0.023	ug/L		02/27/26 10:10	02/27/26 14:40	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 14:40	1
Anthracene	ND		0.051	0.019	ug/L		02/27/26 10:10	02/27/26 14:40	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58894-5

Date Collected: 02/26/26 15:46

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/27/26 10:10	02/27/26 14:40	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		02/27/26 10:10	02/27/26 14:40	1
Benzo[b]fluoranthene	0.050	J	0.10	0.023	ug/L		02/27/26 10:10	02/27/26 14:40	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/27/26 10:10	02/27/26 14:40	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/27/26 10:10	02/27/26 14:40	1
Chrysene	0.028	J	0.051	0.020	ug/L		02/27/26 10:10	02/27/26 14:40	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 14:40	1
Fluoranthene	0.052	J	0.10	0.027	ug/L		02/27/26 10:10	02/27/26 14:40	1
Fluorene	0.036	J	0.10	0.028	ug/L		02/27/26 10:10	02/27/26 14:40	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.030	ug/L		02/27/26 10:10	02/27/26 14:40	1
Naphthalene	0.14	J	0.51	0.026	ug/L		02/27/26 10:10	02/27/26 14:40	1
Phenanthrene	0.038	J	0.051	0.027	ug/L		02/27/26 10:10	02/27/26 14:40	1
Pyrene	0.040	J	0.051	0.036	ug/L		02/27/26 10:10	02/27/26 14:40	1
1-Methylnaphthalene	0.33	J	0.51	0.030	ug/L		02/27/26 10:10	02/27/26 14:40	1
2-Methylnaphthalene	0.33	J	0.51	0.039	ug/L		02/27/26 10:10	02/27/26 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	46	S1-	64 - 135	02/27/26 10:10	02/27/26 14:40	1
Nitrobenzene-d5 (Surr)	90		50 - 150	02/27/26 10:10	02/27/26 14:40	1
2-Fluorobiphenyl	84		50 - 150	02/27/26 10:10	02/27/26 14:40	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.085	J	0.20	0.079	mg/L		02/27/26 10:44	02/27/26 18:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	62		52 - 134	02/27/26 10:44	02/27/26 18:53	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58894-6

Date Collected: 02/26/26 15:25

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 18:24	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 18:24	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 18:24	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 18:24	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 126		02/27/26 18:24	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.023	ug/L		02/27/26 10:10	02/27/26 15:13	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 15:13	1
Anthracene	ND		0.051	0.019	ug/L		02/27/26 10:10	02/27/26 15:13	1
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/27/26 10:10	02/27/26 15:13	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		02/27/26 10:10	02/27/26 15:13	1
Benzo[b]fluoranthene	0.033	J	0.10	0.023	ug/L		02/27/26 10:10	02/27/26 15:13	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58894-6

Date Collected: 02/26/26 15:25

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/27/26 10:10	02/27/26 15:13	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/27/26 10:10	02/27/26 15:13	1
Chrysene	ND		0.051	0.020	ug/L		02/27/26 10:10	02/27/26 15:13	1
Dibenz[a,h]anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 15:13	1
Fluoranthene	0.043	J	0.10	0.027	ug/L		02/27/26 10:10	02/27/26 15:13	1
Fluorene	0.045	J	0.10	0.028	ug/L		02/27/26 10:10	02/27/26 15:13	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.030	ug/L		02/27/26 10:10	02/27/26 15:13	1
Naphthalene	0.10	J	0.51	0.026	ug/L		02/27/26 10:10	02/27/26 15:13	1
Phenanthrene	0.033	J	0.051	0.027	ug/L		02/27/26 10:10	02/27/26 15:13	1
Pyrene	0.037	J	0.051	0.035	ug/L		02/27/26 10:10	02/27/26 15:13	1
1-Methylnaphthalene	0.26	J	0.51	0.030	ug/L		02/27/26 10:10	02/27/26 15:13	1
2-Methylnaphthalene	0.24	J	0.51	0.038	ug/L		02/27/26 10:10	02/27/26 15:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	59	S1-	64 - 135				02/27/26 10:10	02/27/26 15:13	1
Nitrobenzene-d5 (Surr)	95		50 - 150				02/27/26 10:10	02/27/26 15:13	1
2-Fluorobiphenyl	89		50 - 150				02/27/26 10:10	02/27/26 15:13	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 19:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	63		52 - 134				02/27/26 10:44	02/27/26 19:20	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-58894-7

Date Collected: 02/26/26 13:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 18:47	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 18:47	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 18:47	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 18:47	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 18:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 126					02/27/26 18:47	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		02/27/26 10:10	02/27/26 12:30	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 12:30	1
Anthracene	ND		0.050	0.019	ug/L		02/27/26 10:10	02/27/26 12:30	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/27/26 10:10	02/27/26 12:30	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/27/26 10:10	02/27/26 12:30	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/27/26 10:10	02/27/26 12:30	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/27/26 10:10	02/27/26 12:30	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/27/26 10:10	02/27/26 12:30	1
Chrysene	ND		0.050	0.020	ug/L		02/27/26 10:10	02/27/26 12:30	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-58894-7

Date Collected: 02/26/26 13:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 12:30	1
Fluoranthene	ND		0.10	0.027	ug/L		02/27/26 10:10	02/27/26 12:30	1
Fluorene	ND		0.10	0.028	ug/L		02/27/26 10:10	02/27/26 12:30	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/27/26 10:10	02/27/26 12:30	1
Naphthalene	0.026	J	0.50	0.026	ug/L		02/27/26 10:10	02/27/26 12:30	1
Phenanthrene	ND		0.050	0.027	ug/L		02/27/26 10:10	02/27/26 12:30	1
Pyrene	ND		0.050	0.035	ug/L		02/27/26 10:10	02/27/26 12:30	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		02/27/26 10:10	02/27/26 12:30	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		02/27/26 10:10	02/27/26 12:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	64		64 - 135				02/27/26 10:10	02/27/26 12:30	1
Nitrobenzene-d5 (Surr)	90		50 - 150				02/27/26 10:10	02/27/26 12:30	1
2-Fluorobiphenyl	87		50 - 150				02/27/26 10:10	02/27/26 12:30	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 19:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	66		52 - 134				02/27/26 10:44	02/27/26 19:47	1

Client Sample ID: Duplicate Sample - AATC

Lab Sample ID: 705-58894-8

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 19:11	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 19:11	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 19:11	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 19:11	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 19:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	120		70 - 126					02/27/26 19:11	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.023	ug/L		02/27/26 10:10	02/27/26 13:03	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/27/26 10:10	02/27/26 13:03	1
Anthracene	ND		0.051	0.019	ug/L		02/27/26 10:10	02/27/26 13:03	1
Benzo[a]anthracene	0.069		0.051	0.026	ug/L		02/27/26 10:10	02/27/26 13:03	1
Benzo[a]pyrene	0.13		0.051	0.024	ug/L		02/27/26 10:10	02/27/26 13:03	1
Benzo[b]fluoranthene	0.30		0.10	0.023	ug/L		02/27/26 10:10	02/27/26 13:03	1
Benzo[g,h,i]perylene	0.15		0.10	0.051	ug/L		02/27/26 10:10	02/27/26 13:03	1
Benzo[k]fluoranthene	0.10		0.051	0.015	ug/L		02/27/26 10:10	02/27/26 13:03	1
Chrysene	0.26		0.051	0.020	ug/L		02/27/26 10:10	02/27/26 13:03	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/27/26 10:10	02/27/26 13:03	1
Fluoranthene	0.56		0.10	0.027	ug/L		02/27/26 10:10	02/27/26 13:03	1
Fluorene	0.069	J	0.10	0.028	ug/L		02/27/26 10:10	02/27/26 13:03	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Duplicate Sample - AATC

Lab Sample ID: 705-58894-8

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	0.11		0.051	0.030	ug/L		02/27/26 10:10	02/27/26 13:03	1
Naphthalene	0.18	J	0.51	0.026	ug/L		02/27/26 10:10	02/27/26 13:03	1
Phenanthrene	0.34		0.051	0.027	ug/L		02/27/26 10:10	02/27/26 13:03	1
Pyrene	0.35		0.051	0.035	ug/L		02/27/26 10:10	02/27/26 13:03	1
1-Methylnaphthalene	0.28	J	0.51	0.030	ug/L		02/27/26 10:10	02/27/26 13:03	1
2-Methylnaphthalene	0.32	J	0.51	0.038	ug/L		02/27/26 10:10	02/27/26 13:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		64 - 135	02/27/26 10:10	02/27/26 13:03	1
Nitrobenzene-d5 (Surr)	91		50 - 150	02/27/26 10:10	02/27/26 13:03	1
2-Fluorobiphenyl	84		50 - 150	02/27/26 10:10	02/27/26 13:03	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.37		0.20	0.079	mg/L		02/27/26 10:44	03/02/26 13:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	91		52 - 134				02/27/26 10:44	03/02/26 13:55	1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-58894-9

Date Collected: 02/26/26 11:39

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 19:34	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 19:34	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 19:34	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 19:34	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 19:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		70 - 126					02/27/26 19:34	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		02/27/26 10:10	02/27/26 13:38	1
Acenaphthylene	ND		1.0	0.022	ug/L		02/27/26 10:10	02/27/26 13:38	1
Anthracene	ND		0.052	0.020	ug/L		02/27/26 10:10	02/27/26 13:38	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		02/27/26 10:10	02/27/26 13:38	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		02/27/26 10:10	02/27/26 13:38	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		02/27/26 10:10	02/27/26 13:38	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		02/27/26 10:10	02/27/26 13:38	1
Benzo[k]fluoranthene	ND		0.052	0.015	ug/L		02/27/26 10:10	02/27/26 13:38	1
Chrysene	ND		0.052	0.021	ug/L		02/27/26 10:10	02/27/26 13:38	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		02/27/26 10:10	02/27/26 13:38	1
Fluoranthene	0.083	J	0.10	0.028	ug/L		02/27/26 10:10	02/27/26 13:38	1
Fluorene	ND		0.10	0.029	ug/L		02/27/26 10:10	02/27/26 13:38	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		02/27/26 10:10	02/27/26 13:38	1
Naphthalene	ND		0.52	0.027	ug/L		02/27/26 10:10	02/27/26 13:38	1
Phenanthrene	0.051	J	0.052	0.028	ug/L		02/27/26 10:10	02/27/26 13:38	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-58894-9

Date Collected: 02/26/26 11:39

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	0.047	J	0.052	0.036	ug/L		02/27/26 10:10	02/27/26 13:38	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		02/27/26 10:10	02/27/26 13:38	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		02/27/26 10:10	02/27/26 13:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	64		64 - 135				02/27/26 10:10	02/27/26 13:38	1
Nitrobenzene-d5 (Surr)	94		50 - 150				02/27/26 10:10	02/27/26 13:38	1
2-Fluorobiphenyl	89		50 - 150				02/27/26 10:10	02/27/26 13:38	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 20:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	92		52 - 134				02/27/26 10:44	02/27/26 20:41	1

Client Sample ID: Trip Blanks

Lab Sample ID: 705-58894-10

Date Collected: 02/26/26 00:00

Matrix: Water

Date Received: 02/27/26 09:25

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 12:26	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 12:26	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 12:26	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 12:26	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 12:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	93		70 - 126					02/27/26 12:26	1

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58894-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.064	J	0.50	0.023	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.059	J	0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.019	J	0.050	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.043	J	0.050	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.11		0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	0.053	J	0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	0.099	J	0.50	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.078		0.050	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.070		0.050	0.035	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.13	J	0.50	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.12	J	0.50	0.038	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.21		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58894-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	0.10		0.051	0.027	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.20		0.051	0.025	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.46		0.10	0.024	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.28		0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.16		0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.35		0.051	0.021	ug/L	1		8270E	Total/NA
Dibenz(a,h)anthracene	0.043	J	0.10	0.032	ug/L	1		8270E	Total/NA
Fluoranthene	0.77		0.10	0.028	ug/L	1		8270E	Total/NA
Fluorene	0.095	J	0.10	0.029	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.22		0.051	0.031	ug/L	1		8270E	Total/NA
Naphthalene	0.24	J	0.51	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.46		0.051	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.49		0.051	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.41	J	0.51	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.45	J	0.51	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.45		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Forest Parkwaqy

Lab Sample ID: 705-58894-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.13	J	0.51	0.024	ug/L	1		8270E	Total/NA
Acenaphthylene	0.025	J	1.0	0.022	ug/L	1		8270E	Total/NA
Anthracene	0.042	J	0.051	0.020	ug/L	1		8270E	Total/NA
Benzo[a]anthracene	0.14		0.051	0.027	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.30		0.051	0.025	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.63		0.10	0.024	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.37		0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.24		0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.53		0.051	0.021	ug/L	1		8270E	Total/NA
Dibenz(a,h)anthracene	0.061	J	0.10	0.032	ug/L	1		8270E	Total/NA
Fluoranthene	1.1		0.10	0.028	ug/L	1		8270E	Total/NA
Fluorene	0.14		0.10	0.029	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.30		0.051	0.031	ug/L	1		8270E	Total/NA
Naphthalene	0.43	J	0.51	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.70		0.051	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.75		0.051	0.036	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Forest Parkwaqy (Continued)

Lab Sample ID: 705-58894-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1-Methylnaphthalene	0.72		0.51	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.86		0.51	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.50		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58894-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.14	J	0.51	0.023	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.051		0.051	0.024	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.14		0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.075	J	0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.040	J	0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.098		0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.22		0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	0.15		0.10	0.028	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.064		0.051	0.030	ug/L	1		8270E	Total/NA
Naphthalene	0.49	J	0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.14		0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.15		0.051	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.99		0.51	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	1.1		0.51	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58894-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.057	J	0.51	0.023	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.050	J	0.10	0.023	ug/L	1		8270E	Total/NA
Chrysene	0.028	J	0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.052	J	0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	0.036	J	0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	0.14	J	0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.038	J	0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.040	J	0.051	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.33	J	0.51	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.33	J	0.51	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.085	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58894-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[b]fluoranthene	0.033	J	0.10	0.023	ug/L	1		8270E	Total/NA
Fluoranthene	0.043	J	0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	0.045	J	0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	0.10	J	0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.033	J	0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.037	J	0.051	0.035	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.26	J	0.51	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.24	J	0.51	0.038	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-58894-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.026	J	0.50	0.026	ug/L	1		8270E	Total/NA

Client Sample ID: Duplicate Sample - AATC

Lab Sample ID: 705-58894-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	0.069		0.051	0.026	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.13		0.051	0.024	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.30		0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.15		0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.10		0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.26		0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.56		0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	0.069	J	0.10	0.028	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.11		0.051	0.030	ug/L	1		8270E	Total/NA
Naphthalene	0.18	J	0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.34		0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.35		0.051	0.035	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.28	J	0.51	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.32	J	0.51	0.038	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.37		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-58894-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluoranthene	0.083	J	0.10	0.028	ug/L	1		8270E	Total/NA
Phenanthrene	0.051	J	0.052	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.047	J	0.052	0.036	ug/L	1		8270E	Total/NA

Client Sample ID: Trip Blanks

Lab Sample ID: 705-58894-10

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-58894-1

Login Number: 58894

List Source: Eurofins Atlanta

List Number: 1

Creator: Taylor, Renee

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)						
		BFB						
Lab Sample ID	Client Sample ID	(70-126)						
705-58864-A-4 DU	Duplicate	94						
705-58864-A-4 MS	Matrix Spike	92						
705-58894-1	Quarry Outfall	93						
705-58894-2	Outfall FR-1/AATC	92						
705-58894-3	Forest Parkwaqy	94						
705-58894-4	Lee's Bridge	93						
705-58894-5	Upper Riverdale Road	94						
705-58894-6	Valley Hill Road	92						
705-58894-7	Flint River Road	92						
705-58894-8	Duplicate Sample - AATC	120						
705-58894-9	Upstream/Headwaters	93						
705-58894-10	Trip Blanks	93						
LCS 705-117031/1002	Lab Control Sample	91						
MB 705-117031/4	Method Blank	92						
Surrogate Legend								
BFB = 4-Bromofluorobenzene								

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		TPHd14	NBZ	FBP			
Lab Sample ID	Client Sample ID	(64-135)	(50-150)	(50-150)			
705-58894-1	Quarry Outfall	49 S1-	105	91			
705-58894-2	Outfall FR-1/AATC	63 S1-	105	90			
705-58894-3	Forest Parkwaqy	51 S1-	93	81			
705-58894-4	Lee's Bridge	50 S1-	94	85			
705-58894-5	Upper Riverdale Road	46 S1-	90	84			
705-58894-6	Valley Hill Road	59 S1-	95	89			
705-58894-7	Flint River Road	64	90	87			
705-58894-8	Duplicate Sample - AATC	66	91	84			
705-58894-9	Upstream/Headwaters	64	94	89			
LCS 705-116724/2-A	Lab Control Sample	76	98	88			
LCSD 705-116724/3-A	Lab Control Sample Dup	85	104	97			
MB 705-116724/1-A	Method Blank	117	102	95			
Surrogate Legend							
TPHd14 = p-Terphenyl-d14 (Surr)							
NBZ = Nitrobenzene-d5 (Surr)							
FBP = 2-Fluorobiphenyl							

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		lphthalate (					
Lab Sample ID	Client Sample ID	(52-134)					
705-58894-1	Quarry Outfall	74					
705-58894-2	Outfall FR-1/AATC	80					
705-58894-3	Forest Parkwaqy	91					

Eurofins Atlanta

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

(Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	Iphtalate (52-134)
705-58894-4	Lee's Bridge	74
705-58894-5	Upper Riverdale Road	62
705-58894-6	Valley Hill Road	63
705-58894-7	Flint River Road	66
705-58894-8	Duplicate Sample - AATC	91
705-58894-9	Upstream/Headwaters	92
LCS 705-117006/2-A	Lab Control Sample	94
LCSD 705-117006/3-A	Lab Control Sample Dup	93
MB 705-117006/1-A	Method Blank	101
Surrogate Legend		
Diocetylphthalate (Surr) = Diocetylphthalate (Surr)		

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58894-1

Date Collected: 02/26/26 12:12

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 16:24
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 12:28
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 17:05

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58894-2

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 16:48
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 13:01
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 17:32

Client Sample ID: Forest Parkwaqy

Lab Sample ID: 705-58894-3

Date Collected: 02/26/26 16:31

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 17:12
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 13:34
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 17:59

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58894-4

Date Collected: 02/26/26 16:17

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 17:36
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 14:07
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 18:27

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58894-5

Date Collected: 02/26/26 15:46

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 18:00

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58894-5

Date Collected: 02/26/26 15:46

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 14:40
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 18:53

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58894-6

Date Collected: 02/26/26 15:25

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 18:24
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116992	BH	EET ATL 2	02/27/26 15:13
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 19:20

Client Sample ID: Flint River Road

Lab Sample ID: 705-58894-7

Date Collected: 02/26/26 13:50

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 18:47
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116995	BH	EET ATL 2	02/27/26 12:30
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 19:47

Client Sample ID: Duplicate Sample - AATC

Lab Sample ID: 705-58894-8

Date Collected: 02/26/26 16:50

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 19:11
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116995	BH	EET ATL 2	02/27/26 13:03
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	03/02/26 13:55

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-58894-9

Date Collected: 02/26/26 11:39

Matrix: Water

Date Received: 02/27/26 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 19:34

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Client Sample ID: Upstream/Headwaters
Date Collected: 02/26/26 11:39
Date Received: 02/27/26 09:25

Lab Sample ID: 705-58894-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			116724	DM	EET ATL	02/27/26 10:10
Total/NA	Analysis	8270E		1	116995	BH	EET ATL 2	02/27/26 13:38
Total/NA	Prep	3510C			117006	SE	EET ATL	02/27/26 10:44
Total/NA	Analysis	8015C		1	117074	ID	EET ATL	02/27/26 20:41

Client Sample ID: Trip Blanks
Date Collected: 02/26/26 00:00
Date Received: 02/27/26 09:25

Lab Sample ID: 705-58894-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	117031	KA	EET ATL	02/27/26 12:26

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-117031/4

Matrix: Water

Analysis Batch: 117031

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/27/26 11:56	1
Toluene	ND		1.0	0.30	ug/L			02/27/26 11:56	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/27/26 11:56	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/27/26 11:56	1
o-Xylene	ND		1.0	0.50	ug/L			02/27/26 11:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	92		70 - 126		02/27/26 11:56	1

Lab Sample ID: LCS 705-117031/1002

Matrix: Water

Analysis Batch: 117031

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	50.5		ug/L		101	76 - 122
Toluene	50.0	48.0		ug/L		96	74 - 124
Ethylbenzene	50.0	48.4		ug/L		97	75 - 127
m,p-Xylene	100	91.0		ug/L		91	76 - 128
o-Xylene	50.0	50.0		ug/L		100	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	91		70 - 126

Lab Sample ID: 705-58864-A-4 MS

Matrix: Water

Analysis Batch: 117031

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1500		5000	7000		ug/L		109	71 - 133
Toluene	4300		5000	9460		ug/L		104	72 - 134
Ethylbenzene	620		5000	5750		ug/L		103	75 - 131
m,p-Xylene	3000		10000	12800		ug/L		98	73 - 133
o-Xylene	1700		5000	6810		ug/L		103	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	92		70 - 126

Lab Sample ID: 705-58864-A-4 DU

Matrix: Water

Analysis Batch: 117031

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Benzene	1500		1530		ug/L		0.3	42
Toluene	4300		4250		ug/L		0.06	42
Ethylbenzene	620		633		ug/L		2	28
m,p-Xylene	3000		2950		ug/L		2	28
o-Xylene	1700		1660		ug/L		0.6	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-58864-A-4 DU

Matrix: Water

Analysis Batch: 117031

Client Sample ID: Duplicate

Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	94		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-116724/1-A

Matrix: Water

Analysis Batch: 116709

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 116724

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		02/26/26 10:29	02/26/26 15:32	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/26/26 10:29	02/26/26 15:32	1
Anthracene	ND		0.050	0.019	ug/L		02/26/26 10:29	02/26/26 15:32	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/26/26 10:29	02/26/26 15:32	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/26/26 10:29	02/26/26 15:32	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/26/26 10:29	02/26/26 15:32	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/26/26 10:29	02/26/26 15:32	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/26/26 10:29	02/26/26 15:32	1
Chrysene	ND		0.050	0.020	ug/L		02/26/26 10:29	02/26/26 15:32	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/26/26 10:29	02/26/26 15:32	1
Fluoranthene	ND		0.10	0.027	ug/L		02/26/26 10:29	02/26/26 15:32	1
Fluorene	ND		0.10	0.028	ug/L		02/26/26 10:29	02/26/26 15:32	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/26/26 10:29	02/26/26 15:32	1
Naphthalene	ND		0.50	0.026	ug/L		02/26/26 10:29	02/26/26 15:32	1
Phenanthrene	ND		0.050	0.027	ug/L		02/26/26 10:29	02/26/26 15:32	1
Pyrene	ND		0.050	0.035	ug/L		02/26/26 10:29	02/26/26 15:32	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		02/26/26 10:29	02/26/26 15:32	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		02/26/26 10:29	02/26/26 15:32	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
p-Terphenyl-d14 (Surr)	117		64 - 135				02/26/26 10:29	02/26/26 15:32	1
Nitrobenzene-d5 (Surr)	102		50 - 150				02/26/26 10:29	02/26/26 15:32	1
2-Fluorobiphenyl	95		50 - 150				02/26/26 10:29	02/26/26 15:32	1

Lab Sample ID: LCS 705-116724/2-A

Matrix: Water

Analysis Batch: 116709

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 116724

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	12.7		ug/L		112	71 - 124
Acenaphthylene	11.4	12.9		ug/L		113	70 - 128
Anthracene	11.4	12.5		ug/L		109	74 - 121
Benzo[a]anthracene	11.4	12.1		ug/L		106	72 - 133
Benzo[a]pyrene	11.4	12.1		ug/L		106	70 - 131
Benzo[b]fluoranthene	11.4	11.6		ug/L		102	70 - 129
Benzo[g,h,i]perylene	11.4	11.3		ug/L		98	70 - 130
Benzo[k]fluoranthene	11.4	13.4		ug/L		117	70 - 130
Chrysene	11.4	11.8		ug/L		103	74 - 132
Dibenz(a,h)anthracene	11.4	11.4		ug/L		100	70 - 130

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-116724/2-A

Matrix: Water

Analysis Batch: 116709

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 116724

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	11.4	12.9		ug/L		113	78 - 130
Fluorene	11.4	13.1		ug/L		115	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	11.8		ug/L		104	69 - 126
Naphthalene	11.4	12.2		ug/L		107	67 - 127
Phenanthrene	11.4	13.1		ug/L		115	70 - 130
Pyrene	11.4	13.0		ug/L		114	73 - 131
1-Methylnaphthalene	11.4	12.0		ug/L		105	73 - 127
2-Methylnaphthalene	11.4	11.6		ug/L		101	70 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	76		64 - 135
Nitrobenzene-d5 (Surr)	98		50 - 150
2-Fluorobiphenyl	88		50 - 150

Lab Sample ID: LCSD 705-116724/3-A

Matrix: Water

Analysis Batch: 116709

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 116724

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	14.1		ug/L		124	71 - 124	10	12
Acenaphthylene	11.4	14.1		ug/L		123	70 - 128	8	12
Anthracene	11.4	13.3		ug/L		116	74 - 121	6	15
Benzo[a]anthracene	11.4	13.1		ug/L		114	72 - 133	7	19
Benzo[a]pyrene	11.4	12.9		ug/L		113	70 - 131	7	13
Benzo[b]fluoranthene	11.4	12.5		ug/L		110	70 - 129	8	35
Benzo[g,h,i]perylene	11.4	12.1		ug/L		106	70 - 130	8	12
Benzo[k]fluoranthene	11.4	14.5		ug/L		127	70 - 130	8	15
Chrysene	11.4	13.0		ug/L		113	74 - 132	9	10
Dibenz(a,h)anthracene	11.4	12.4		ug/L		108	70 - 130	8	17
Fluoranthene	11.4	14.2		ug/L		125	78 - 130	10	16
Fluorene	11.4	14.2		ug/L		124	71 - 130	8	14
Indeno[1,2,3-cd]pyrene	11.4	12.8		ug/L		112	69 - 126	8	12
Naphthalene	11.4	13.3		ug/L		117	67 - 127	9	13
Phenanthrene	11.4	14.3		ug/L		125	70 - 130	9	12
Pyrene	11.4	13.9		ug/L		121	73 - 131	7	10
1-Methylnaphthalene	11.4	13.1		ug/L		114	73 - 127	9	16
2-Methylnaphthalene	11.4	12.6		ug/L		110	70 - 127	9	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	85		64 - 135
Nitrobenzene-d5 (Surr)	104		50 - 150
2-Fluorobiphenyl	97		50 - 150

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-117006/1-A

Matrix: Water

Analysis Batch: 117074

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 117006

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/27/26 10:44	02/27/26 13:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	101		52 - 134				02/27/26 10:44	02/27/26 13:38	1

Lab Sample ID: LCS 705-117006/2-A

Matrix: Water

Analysis Batch: 117074

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 117006

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	0.869		mg/L		87	50 - 123
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Diethylphthalate (Surr)	94		52 - 134				

Lab Sample ID: LCSD 705-117006/3-A

Matrix: Water

Analysis Batch: 117074

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 117006

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.790		mg/L		79	50 - 123	9	21
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
Diethylphthalate (Surr)	93		52 - 134						

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58894-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-58894-1	Quarry Outfall	Water	02/26/26 12:12	02/27/26 09:25	Georgia
705-58894-2	Outfall FR-1/AATC	Water	02/26/26 16:50	02/27/26 09:25	Georgia
705-58894-3	Forest Parkwaqy	Water	02/26/26 16:31	02/27/26 09:25	Georgia
705-58894-4	Lee's Bridge	Water	02/26/26 16:17	02/27/26 09:25	Georgia
705-58894-5	Upper Riverdale Road	Water	02/26/26 15:46	02/27/26 09:25	Georgia
705-58894-6	Valley Hill Road	Water	02/26/26 15:25	02/27/26 09:25	Georgia
705-58894-7	Flint River Road	Water	02/26/26 13:50	02/27/26 09:25	Georgia
705-58894-8	Duplicate Sample - AATC	Water	02/26/26 16:50	02/27/26 09:25	Georgia
705-58894-9	Upstream/Headwaters	Water	02/26/26 11:39	02/27/26 09:25	Georgia
705-58894-10	Trip Blanks	Water	02/26/26 00:00	02/27/26 09:25	Georgia

END OF REPORT