

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell

Versar Inc

1005 Virginia Avenue

Atlanta, Georgia 30354

Generated 2/19/2026 5:27:41 PM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-58099-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
2/19/2026 5:27:41 PM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Chain of Custody	5
Case Narrative	7
Client Sample Results	8
Detection Summary	16
Receipt Checklists	18
Surrogate Summary	19
Lab Chronicle	21
QC Sample Results	23
Certification Summary	27
Method Summary	28
Sample Summary	29
End Of Report	30

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

3080 Presidential Dr
Atlanta, GA 30340
Phone: 770-457-8177 Fax: 770-457-8188

[illegible]

eurofins



705-58099 C00

Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-58099-1

Job ID: 705-58099-1

Eurofins Atlanta

Job Narrative 705-58099-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/18/2026 3:20 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.2°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following samples contained an allowable number of surrogate compounds outside limits: Quarry Outfall (705-58099-1) and Valley Hill Road (705-58099-6). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58099-1

Date Collected: 02/18/26 09:51

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 10:43	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 10:43	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 10:43	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 10:43	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 10:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126		02/19/26 10:43	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		02/19/26 09:50	02/19/26 12:03	1
Acenaphthylene	ND		1.0	0.022	ug/L		02/19/26 09:50	02/19/26 12:03	1
Anthracene	ND		0.052	0.020	ug/L		02/19/26 09:50	02/19/26 12:03	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		02/19/26 09:50	02/19/26 12:03	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		02/19/26 09:50	02/19/26 12:03	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		02/19/26 09:50	02/19/26 12:03	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		02/19/26 09:50	02/19/26 12:03	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		02/19/26 09:50	02/19/26 12:03	1
Chrysene	ND		0.052	0.021	ug/L		02/19/26 09:50	02/19/26 12:03	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		02/19/26 09:50	02/19/26 12:03	1
Fluoranthene	ND		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 12:03	1
Fluorene	0.081	J	0.10	0.029	ug/L		02/19/26 09:50	02/19/26 12:03	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		02/19/26 09:50	02/19/26 12:03	1
Naphthalene	0.11	J	0.52	0.027	ug/L		02/19/26 09:50	02/19/26 12:03	1
Phenanthrene	0.032	J	0.052	0.028	ug/L		02/19/26 09:50	02/19/26 12:03	1
Pyrene	ND		0.052	0.036	ug/L		02/19/26 09:50	02/19/26 12:03	1
1-Methylnaphthalene	0.20	J	0.52	0.031	ug/L		02/19/26 09:50	02/19/26 12:03	1
2-Methylnaphthalene	0.14	J	0.52	0.039	ug/L		02/19/26 09:50	02/19/26 12:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	49	S1-	64 - 135	02/19/26 09:50	02/19/26 12:03	1
Nitrobenzene-d5 (Surr)	103		50 - 150	02/19/26 09:50	02/19/26 12:03	1
2-Fluorobiphenyl	109		50 - 150	02/19/26 09:50	02/19/26 12:03	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/19/26 11:12	02/19/26 13:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	114		52 - 134	02/19/26 11:12	02/19/26 13:55	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58099-2

Date Collected: 02/18/26 10:11

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 11:04	1
Toluene	0.57	J	1.0	0.30	ug/L			02/19/26 11:04	1
Ethylbenzene	0.46	J	1.0	0.38	ug/L			02/19/26 11:04	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58099-2

Date Collected: 02/18/26 10:11

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	2.1		2.0	0.84	ug/L			02/19/26 11:04	1
o-Xylene	1.3		1.0	0.50	ug/L			02/19/26 11:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	94		70 - 126					02/19/26 11:04	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	4.5		0.52	0.024	ug/L		02/19/26 09:50	02/19/26 12:37	1
Acenaphthylene	0.44	J	1.0	0.022	ug/L		02/19/26 09:50	02/19/26 12:37	1
Anthracene	0.076		0.052	0.020	ug/L		02/19/26 09:50	02/19/26 12:37	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		02/19/26 09:50	02/19/26 12:37	1
Benzo[a]pyrene	0.044	J	0.052	0.025	ug/L		02/19/26 09:50	02/19/26 12:37	1
Benzo[b]fluoranthene	0.22		0.10	0.024	ug/L		02/19/26 09:50	02/19/26 12:37	1
Benzo[g,h,i]perylene	0.059	J	0.10	0.052	ug/L		02/19/26 09:50	02/19/26 12:37	1
Benzo[k]fluoranthene	0.051	J	0.052	0.016	ug/L		02/19/26 09:50	02/19/26 12:37	1
Chrysene	0.18		0.052	0.021	ug/L		02/19/26 09:50	02/19/26 12:37	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		02/19/26 09:50	02/19/26 12:37	1
Fluoranthene	0.34		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 12:37	1
Fluorene	3.2		0.10	0.029	ug/L		02/19/26 09:50	02/19/26 12:37	1
Indeno[1,2,3-cd]pyrene	0.068		0.052	0.031	ug/L		02/19/26 09:50	02/19/26 12:37	1
Naphthalene	5.2		0.52	0.027	ug/L		02/19/26 09:50	02/19/26 12:37	1
Phenanthrene	0.72		0.052	0.028	ug/L		02/19/26 09:50	02/19/26 12:37	1
Pyrene	0.22		0.052	0.036	ug/L		02/19/26 09:50	02/19/26 12:37	1
1-Methylnaphthalene	19		0.52	0.031	ug/L		02/19/26 09:50	02/19/26 12:37	1
2-Methylnaphthalene	28		0.52	0.039	ug/L		02/19/26 09:50	02/19/26 12:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	70		64 - 135				02/19/26 09:50	02/19/26 12:37	1
Nitrobenzene-d5 (Surr)	108		50 - 150				02/19/26 09:50	02/19/26 12:37	1
2-Fluorobiphenyl	123		50 - 150				02/19/26 09:50	02/19/26 12:37	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	9.7		0.20	0.079	mg/L		02/19/26 11:12	02/19/26 14:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	131		52 - 134				02/19/26 11:12	02/19/26 14:22	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-58099-3

Date Collected: 02/18/26 11:16

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 11:26	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 11:26	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 11:26	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 11:26	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 11:26	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-58099-3

Date Collected: 02/18/26 11:16

Matrix: Water

Date Received: 02/18/26 15:20

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		70 - 126					02/19/26 11:26	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.24	J	0.53	0.024	ug/L		02/19/26 09:50	02/19/26 13:11	1
Acenaphthylene	ND		1.1	0.022	ug/L		02/19/26 09:50	02/19/26 13:11	1
Anthracene	ND		0.053	0.020	ug/L		02/19/26 09:50	02/19/26 13:11	1
Benzo[a]anthracene	ND		0.053	0.027	ug/L		02/19/26 09:50	02/19/26 13:11	1
Benzo[a]pyrene	ND		0.053	0.025	ug/L		02/19/26 09:50	02/19/26 13:11	1
Benzo[b]fluoranthene	ND		0.11	0.024	ug/L		02/19/26 09:50	02/19/26 13:11	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		02/19/26 09:50	02/19/26 13:11	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		02/19/26 09:50	02/19/26 13:11	1
Chrysene	ND		0.053	0.021	ug/L		02/19/26 09:50	02/19/26 13:11	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		02/19/26 09:50	02/19/26 13:11	1
Fluoranthene	ND		0.11	0.028	ug/L		02/19/26 09:50	02/19/26 13:11	1
Fluorene	0.20		0.11	0.030	ug/L		02/19/26 09:50	02/19/26 13:11	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		02/19/26 09:50	02/19/26 13:11	1
Naphthalene	1.8		0.53	0.027	ug/L		02/19/26 09:50	02/19/26 13:11	1
Phenanthrene	0.068		0.053	0.028	ug/L		02/19/26 09:50	02/19/26 13:11	1
Pyrene	ND		0.053	0.037	ug/L		02/19/26 09:50	02/19/26 13:11	1
1-Methylnaphthalene	3.4		0.53	0.032	ug/L		02/19/26 09:50	02/19/26 13:11	1
2-Methylnaphthalene	4.3		0.53	0.040	ug/L		02/19/26 09:50	02/19/26 13:11	1

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	68		64 - 135				02/19/26 09:50	02/19/26 13:11	1
Nitrobenzene-d5 (Surr)	105		50 - 150				02/19/26 09:50	02/19/26 13:11	1
2-Fluorobiphenyl	112		50 - 150				02/19/26 09:50	02/19/26 13:11	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L		02/19/26 11:12	02/19/26 13:28	1

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	129		52 - 134				02/19/26 11:12	02/19/26 13:28	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58099-4

Date Collected: 02/18/26 11:43

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 11:47	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 11:47	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 11:47	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 11:47	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 11:47	1

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					02/19/26 11:47	1

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58099-4

Date Collected: 02/18/26 11:43

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.38	J	0.51	0.024	ug/L		02/19/26 09:50	02/19/26 13:45	1
Acenaphthylene	ND		1.0	0.022	ug/L		02/19/26 09:50	02/19/26 13:45	1
Anthracene	ND		0.051	0.020	ug/L		02/19/26 09:50	02/19/26 13:45	1
Benzo[a]anthracene	ND		0.051	0.027	ug/L		02/19/26 09:50	02/19/26 13:45	1
Benzo[a]pyrene	ND		0.051	0.025	ug/L		02/19/26 09:50	02/19/26 13:45	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		02/19/26 09:50	02/19/26 13:45	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/19/26 09:50	02/19/26 13:45	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/19/26 09:50	02/19/26 13:45	1
Chrysene	ND		0.051	0.021	ug/L		02/19/26 09:50	02/19/26 13:45	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		02/19/26 09:50	02/19/26 13:45	1
Fluoranthene	0.032	J	0.10	0.028	ug/L		02/19/26 09:50	02/19/26 13:45	1
Fluorene	0.29		0.10	0.029	ug/L		02/19/26 09:50	02/19/26 13:45	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		02/19/26 09:50	02/19/26 13:45	1
Naphthalene	2.1		0.51	0.027	ug/L		02/19/26 09:50	02/19/26 13:45	1
Phenanthrene	0.095		0.051	0.028	ug/L		02/19/26 09:50	02/19/26 13:45	1
Pyrene	ND		0.051	0.036	ug/L		02/19/26 09:50	02/19/26 13:45	1
1-Methylnaphthalene	4.7		0.51	0.031	ug/L		02/19/26 09:50	02/19/26 13:45	1
2-Methylnaphthalene	5.6		0.51	0.039	ug/L		02/19/26 09:50	02/19/26 13:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135				02/19/26 09:50	02/19/26 13:45	1
Nitrobenzene-d5 (Surr)	109		50 - 150				02/19/26 09:50	02/19/26 13:45	1
2-Fluorobiphenyl	121		50 - 150				02/19/26 09:50	02/19/26 13:45	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.087	J	0.20	0.079	mg/L		02/19/26 11:12	02/19/26 14:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	93		52 - 134				02/19/26 11:12	02/19/26 14:56	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58099-5

Date Collected: 02/18/26 12:22

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 12:08	1
Toluene	0.30	J	1.0	0.30	ug/L			02/19/26 12:08	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 12:08	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 12:08	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 12:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		70 - 126					02/19/26 12:08	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	3.0		0.51	0.023	ug/L		02/19/26 09:50	02/19/26 14:20	1
Acenaphthylene	0.30	J	1.0	0.021	ug/L		02/19/26 09:50	02/19/26 14:20	1
Anthracene	ND		0.051	0.019	ug/L		02/19/26 09:50	02/19/26 14:20	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58099-5

Date Collected: 02/18/26 12:22

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	0.029	J	0.051	0.026	ug/L		02/19/26 09:50	02/19/26 14:20	1
Benzo[a]pyrene	0.041	J	0.051	0.024	ug/L		02/19/26 09:50	02/19/26 14:20	1
Benzo[b]fluoranthene	0.065	J	0.10	0.023	ug/L		02/19/26 09:50	02/19/26 14:20	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/19/26 09:50	02/19/26 14:20	1
Benzo[k]fluoranthene	0.029	J	0.051	0.015	ug/L		02/19/26 09:50	02/19/26 14:20	1
Chrysene	0.066		0.051	0.020	ug/L		02/19/26 09:50	02/19/26 14:20	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		02/19/26 09:50	02/19/26 14:20	1
Fluoranthene	0.18		0.10	0.027	ug/L		02/19/26 09:50	02/19/26 14:20	1
Fluorene	2.1		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 14:20	1
Indeno[1,2,3-cd]pyrene	0.031	J	0.051	0.031	ug/L		02/19/26 09:50	02/19/26 14:20	1
Naphthalene	2.3		0.51	0.026	ug/L		02/19/26 09:50	02/19/26 14:20	1
Phenanthrene	0.54		0.051	0.027	ug/L		02/19/26 09:50	02/19/26 14:20	1
Pyrene	0.12		0.051	0.036	ug/L		02/19/26 09:50	02/19/26 14:20	1
1-Methylnaphthalene	11		0.51	0.031	ug/L		02/19/26 09:50	02/19/26 14:20	1
2-Methylnaphthalene	14		0.51	0.039	ug/L		02/19/26 09:50	02/19/26 14:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135	02/19/26 09:50	02/19/26 14:20	1
Nitrobenzene-d5 (Surr)	105		50 - 150	02/19/26 09:50	02/19/26 14:20	1
2-Fluorobiphenyl	119		50 - 150	02/19/26 09:50	02/19/26 14:20	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	3.5		0.20	0.079	mg/L		02/19/26 11:12	02/19/26 14:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	73		52 - 134	02/19/26 11:12	02/19/26 14:29	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58099-6

Date Collected: 02/18/26 12:55

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 12:30	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 12:30	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 12:30	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 12:30	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 12:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126		02/19/26 12:30	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.18	J	0.50	0.023	ug/L		02/19/26 09:50	02/19/26 14:55	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/19/26 09:50	02/19/26 14:55	1
Anthracene	ND		0.050	0.019	ug/L		02/19/26 09:50	02/19/26 14:55	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/19/26 09:50	02/19/26 14:55	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/19/26 09:50	02/19/26 14:55	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/19/26 09:50	02/19/26 14:55	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58099-6

Date Collected: 02/18/26 12:55

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/19/26 09:50	02/19/26 14:55	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/19/26 09:50	02/19/26 14:55	1
Chrysene	ND		0.050	0.020	ug/L		02/19/26 09:50	02/19/26 14:55	1
Dibenz[a,h]anthracene	ND		0.10	0.031	ug/L		02/19/26 09:50	02/19/26 14:55	1
Fluoranthene	ND		0.10	0.027	ug/L		02/19/26 09:50	02/19/26 14:55	1
Fluorene	0.16		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 14:55	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/19/26 09:50	02/19/26 14:55	1
Naphthalene	0.39	J	0.50	0.026	ug/L		02/19/26 09:50	02/19/26 14:55	1
Phenanthrene	0.041	J	0.050	0.027	ug/L		02/19/26 09:50	02/19/26 14:55	1
Pyrene	ND		0.050	0.035	ug/L		02/19/26 09:50	02/19/26 14:55	1
1-Methylnaphthalene	1.5		0.50	0.030	ug/L		02/19/26 09:50	02/19/26 14:55	1
2-Methylnaphthalene	1.2		0.50	0.038	ug/L		02/19/26 09:50	02/19/26 14:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	54	S1-	64 - 135				02/19/26 09:50	02/19/26 14:55	1
Nitrobenzene-d5 (Surr)	105		50 - 150				02/19/26 09:50	02/19/26 14:55	1
2-Fluorobiphenyl	115		50 - 150				02/19/26 09:50	02/19/26 14:55	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/19/26 11:12	02/19/26 14:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	78		52 - 134				02/19/26 11:12	02/19/26 14:02	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-58099-7

Date Collected: 02/18/26 13:51

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 12:51	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 12:51	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 12:51	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 12:51	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 12:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 126					02/19/26 12:51	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		02/19/26 09:50	02/19/26 15:29	1
Acenaphthylene	ND		1.0	0.022	ug/L		02/19/26 09:50	02/19/26 15:29	1
Anthracene	ND		0.052	0.020	ug/L		02/19/26 09:50	02/19/26 15:29	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		02/19/26 09:50	02/19/26 15:29	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		02/19/26 09:50	02/19/26 15:29	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		02/19/26 09:50	02/19/26 15:29	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		02/19/26 09:50	02/19/26 15:29	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		02/19/26 09:50	02/19/26 15:29	1
Chrysene	ND		0.052	0.021	ug/L		02/19/26 09:50	02/19/26 15:29	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-58099-7

Date Collected: 02/18/26 13:51

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		02/19/26 09:50	02/19/26 15:29	1
Fluoranthene	ND		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 15:29	1
Fluorene	0.078	J	0.10	0.029	ug/L		02/19/26 09:50	02/19/26 15:29	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		02/19/26 09:50	02/19/26 15:29	1
Naphthalene	0.14	J	0.52	0.027	ug/L		02/19/26 09:50	02/19/26 15:29	1
Phenanthrene	ND		0.052	0.028	ug/L		02/19/26 09:50	02/19/26 15:29	1
Pyrene	ND		0.052	0.036	ug/L		02/19/26 09:50	02/19/26 15:29	1
1-Methylnaphthalene	0.48	J	0.52	0.031	ug/L		02/19/26 09:50	02/19/26 15:29	1
2-Methylnaphthalene	0.33	J	0.52	0.040	ug/L		02/19/26 09:50	02/19/26 15:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	64		64 - 135				02/19/26 09:50	02/19/26 15:29	1
Nitrobenzene-d5 (Surr)	107		50 - 150				02/19/26 09:50	02/19/26 15:29	1
2-Fluorobiphenyl	116		50 - 150				02/19/26 09:50	02/19/26 15:29	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/19/26 11:12	02/19/26 13:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	85		52 - 134				02/19/26 11:12	02/19/26 13:35	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-58099-8

Date Collected: 02/18/26 12:57

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 13:12	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 13:12	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 13:12	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 13:12	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 13:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					02/19/26 13:12	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.20	J	0.51	0.023	ug/L		02/19/26 09:50	02/19/26 16:04	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/19/26 09:50	02/19/26 16:04	1
Anthracene	ND		0.051	0.019	ug/L		02/19/26 09:50	02/19/26 16:04	1
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/19/26 09:50	02/19/26 16:04	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		02/19/26 09:50	02/19/26 16:04	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/19/26 09:50	02/19/26 16:04	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/19/26 09:50	02/19/26 16:04	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/19/26 09:50	02/19/26 16:04	1
Chrysene	ND		0.051	0.020	ug/L		02/19/26 09:50	02/19/26 16:04	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/19/26 09:50	02/19/26 16:04	1
Fluoranthene	ND		0.10	0.027	ug/L		02/19/26 09:50	02/19/26 16:04	1
Fluorene	0.18		0.10	0.028	ug/L		02/19/26 09:50	02/19/26 16:04	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-58099-8

Date Collected: 02/18/26 12:57

Matrix: Water

Date Received: 02/18/26 15:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND		0.051	0.030	ug/L		02/19/26 09:50	02/19/26 16:04	1
Naphthalene	0.45	J	0.51	0.026	ug/L		02/19/26 09:50	02/19/26 16:04	1
Phenanthrene	0.045	J	0.051	0.027	ug/L		02/19/26 09:50	02/19/26 16:04	1
Pyrene	ND		0.051	0.035	ug/L		02/19/26 09:50	02/19/26 16:04	1
1-Methylnaphthalene	1.6		0.51	0.030	ug/L		02/19/26 09:50	02/19/26 16:04	1
2-Methylnaphthalene	1.4		0.51	0.038	ug/L		02/19/26 09:50	02/19/26 16:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		64 - 135	02/19/26 09:50	02/19/26 16:04	1
Nitrobenzene-d5 (Surr)	114		50 - 150	02/19/26 09:50	02/19/26 16:04	1
2-Fluorobiphenyl	124		50 - 150	02/19/26 09:50	02/19/26 16:04	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.081	J	0.20	0.079	mg/L		02/19/26 11:12	02/19/26 13:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	94		52 - 134				02/19/26 11:12	02/19/26 13:07	1

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58099-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.081	J	0.10	0.029	ug/L	1		8270E	Total/NA
Naphthalene	0.11	J	0.52	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.032	J	0.052	0.028	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.20	J	0.52	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.14	J	0.52	0.039	ug/L	1		8270E	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58099-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.57	J	1.0	0.30	ug/L	1		8260D	Total/NA
Ethylbenzene	0.46	J	1.0	0.38	ug/L	1		8260D	Total/NA
m,p-Xylene	2.1		2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	1.3		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	4.5		0.52	0.024	ug/L	1		8270E	Total/NA
Acenaphthylene	0.44	J	1.0	0.022	ug/L	1		8270E	Total/NA
Anthracene	0.076		0.052	0.020	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.044	J	0.052	0.025	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.22		0.10	0.024	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.059	J	0.10	0.052	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.051	J	0.052	0.016	ug/L	1		8270E	Total/NA
Chrysene	0.18		0.052	0.021	ug/L	1		8270E	Total/NA
Fluoranthene	0.34		0.10	0.028	ug/L	1		8270E	Total/NA
Fluorene	3.2		0.10	0.029	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.068		0.052	0.031	ug/L	1		8270E	Total/NA
Naphthalene	5.2		0.52	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.72		0.052	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.22		0.052	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	19		0.52	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	28		0.52	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	9.7		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-58099-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.24	J	0.53	0.024	ug/L	1		8270E	Total/NA
Fluorene	0.20		0.11	0.030	ug/L	1		8270E	Total/NA
Naphthalene	1.8		0.53	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.068		0.053	0.028	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	3.4		0.53	0.032	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	4.3		0.53	0.040	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58099-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.38	J	0.51	0.024	ug/L	1		8270E	Total/NA
Fluoranthene	0.032	J	0.10	0.028	ug/L	1		8270E	Total/NA
Fluorene	0.29		0.10	0.029	ug/L	1		8270E	Total/NA
Naphthalene	2.1		0.51	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.095		0.051	0.028	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	4.7		0.51	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	5.6		0.51	0.039	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Lee's Bridge (Continued)

Lab Sample ID: 705-58099-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.087	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58099-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.30	J	1.0	0.30	ug/L	1		8260D	Total/NA
Acenaphthene	3.0		0.51	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	0.30	J	1.0	0.021	ug/L	1		8270E	Total/NA
Benzo[a]anthracene	0.029	J	0.051	0.026	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.041	J	0.051	0.024	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.065	J	0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.029	J	0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.066		0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.18		0.10	0.027	ug/L	1		8270E	Total/NA
Fluorene	2.1		0.10	0.028	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.031	J	0.051	0.031	ug/L	1		8270E	Total/NA
Naphthalene	2.3		0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.54		0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.12		0.051	0.036	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	11		0.51	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	14		0.51	0.039	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	3.5		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58099-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.18	J	0.50	0.023	ug/L	1		8270E	Total/NA
Fluorene	0.16		0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	0.39	J	0.50	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.041	J	0.050	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	1.5		0.50	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	1.2		0.50	0.038	ug/L	1		8270E	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-58099-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.078	J	0.10	0.029	ug/L	1		8270E	Total/NA
Naphthalene	0.14	J	0.52	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	0.48	J	0.52	0.031	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.33	J	0.52	0.040	ug/L	1		8270E	Total/NA

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-58099-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.20	J	0.51	0.023	ug/L	1		8270E	Total/NA
Fluorene	0.18		0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	0.45	J	0.51	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.045	J	0.051	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	1.6		0.51	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	1.4		0.51	0.038	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.081	J	0.20	0.079	mg/L	1		8015C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-58099-1

Login Number: 58099

List Source: Eurofins Atlanta

List Number: 1

Creator: Gay, Dalton

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
		BFB							
Lab Sample ID	Client Sample ID	(70-126)							
705-58099-1	Quarry Outfall	102							
705-58099-1 DU	Quarry Outfall	98							
705-58099-2	Outfall FR-1/AATC	94							
705-58099-2 MS	Outfall FR-1/AATC	103							
705-58099-3	Forest Parkway	100							
705-58099-4	Lee's Bridge	103							
705-58099-5	Upper Riverdale Road	100							
705-58099-6	Valley Hill Road	103							
705-58099-7	Flint River Road	101							
705-58099-8	Duplicate Sample	103							
LCS 705-115200/1002	Lab Control Sample	105							
MB 705-115200/5	Method Blank	101							
Surrogate Legend									
BFB = 4-Bromofluorobenzene									

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		TPHd14	NBZ	FBP			
Lab Sample ID	Client Sample ID	(64-135)	(50-150)	(50-150)			
705-58099-1	Quarry Outfall	49 S1-	103	109			
705-58099-2	Outfall FR-1/AATC	70	108	123			
705-58099-3	Forest Parkway	68	105	112			
705-58099-4	Lee's Bridge	73	109	121			
705-58099-5	Upper Riverdale Road	73	105	119			
705-58099-6	Valley Hill Road	54 S1-	105	115			
705-58099-7	Flint River Road	64	107	116			
705-58099-8	Duplicate Sample	65	114	124			
752-42005-K-1-A MS	Matrix Spike	67	136	119			
752-42005-L-1-A MSD	Matrix Spike Duplicate	66	136	118			
MB 705-115115/1-A	Method Blank	123	127	122			
Surrogate Legend							
TPHd14 = p-Terphenyl-d14 (Surr)							
NBZ = Nitrobenzene-d5 (Surr)							
FBP = 2-Fluorobiphenyl							

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)				
		Iphthalate (				
Lab Sample ID	Client Sample ID	(52-134)				
705-58099-1	Quarry Outfall	114				
705-58099-2	Outfall FR-1/AATC	131				
705-58099-3	Forest Parkway	129				
705-58099-4	Lee's Bridge	93				
705-58099-5	Upper Riverdale Road	73				
705-58099-6	Valley Hill Road	78				

Eurofins Atlanta

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

(Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	lphthalate (52-134)
705-58099-7	Flint River Road	85
705-58099-8	Duplicate Sample	94
LCS 705-114912/2-A	Lab Control Sample	120
LCSD 705-114912/3-A	Lab Control Sample Dup	119
MB 705-114912/1-A	Method Blank	125

Surrogate Legend

Diethylphthalate (Surr) = Diethylphthalate (Surr)

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-58099-1

Date Collected: 02/18/26 09:51

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 10:43
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 12:03
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115306	ID	EET ATL	02/19/26 13:55

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-58099-2

Date Collected: 02/18/26 10:11

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 11:04
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 12:37
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115306	ID	EET ATL	02/19/26 14:22

Client Sample ID: Forest Parkway

Lab Sample ID: 705-58099-3

Date Collected: 02/18/26 11:16

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 11:26
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 13:11
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115306	ID	EET ATL	02/19/26 13:28

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-58099-4

Date Collected: 02/18/26 11:43

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 11:47
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 13:45
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115309	ID	EET ATL	02/19/26 14:56

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58099-5

Date Collected: 02/18/26 12:22

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 12:08

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-58099-5

Date Collected: 02/18/26 12:22

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 14:20
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115309	ID	EET ATL	02/19/26 14:29

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-58099-6

Date Collected: 02/18/26 12:55

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 12:30
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 14:55
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115309	ID	EET ATL	02/19/26 14:02

Client Sample ID: Flint River Road

Lab Sample ID: 705-58099-7

Date Collected: 02/18/26 13:51

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 12:51
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 15:29
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115309	ID	EET ATL	02/19/26 13:35

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-58099-8

Date Collected: 02/18/26 12:57

Matrix: Water

Date Received: 02/18/26 15:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	115200	CN	EET ATL	02/19/26 13:12
Total/NA	Prep	3511			115115	DM	EET ATL	02/19/26 09:50
Total/NA	Analysis	8270E		1	115237	BH	EET ATL 2	02/19/26 16:04
Total/NA	Prep	3510C			114912	SE	EET ATL	02/19/26 11:12
Total/NA	Analysis	8015C		1	115309	ID	EET ATL	02/19/26 13:07

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-115200/5

Matrix: Water

Analysis Batch: 115200

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/19/26 10:15	1
Toluene	ND		1.0	0.30	ug/L			02/19/26 10:15	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/19/26 10:15	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/19/26 10:15	1
o-Xylene	ND		1.0	0.50	ug/L			02/19/26 10:15	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 126		02/19/26 10:15	1

Lab Sample ID: LCS 705-115200/1002

Matrix: Water

Analysis Batch: 115200

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	46.3		ug/L		93	76 - 122
Toluene	50.0	55.7		ug/L		111	74 - 124
Ethylbenzene	50.0	56.5		ug/L		113	75 - 127
m,p-Xylene	100	114		ug/L		114	76 - 128
o-Xylene	50.0	54.8		ug/L		110	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	105		70 - 126

Lab Sample ID: 705-58099-2 MS

Matrix: Water

Analysis Batch: 115200

Client Sample ID: Outfall FR-1/AATC

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		50.0	46.9		ug/L		94	71 - 133
Toluene	0.57	J	50.0	51.7		ug/L		102	72 - 134
Ethylbenzene	0.46	J	50.0	51.0		ug/L		101	75 - 131
m,p-Xylene	2.1		100	104		ug/L		102	73 - 133
o-Xylene	1.3		50.0	50.3		ug/L		98	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Lab Sample ID: 705-58099-1 DU

Matrix: Water

Analysis Batch: 115200

Client Sample ID: Quarry Outfall

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-58099-1 DU

Matrix: Water

Analysis Batch: 115200

Client Sample ID: Quarry Outfall

Prep Type: Total/NA

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	98		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-115115/1-A

Matrix: Water

Analysis Batch: 115235

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 115115

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		02/18/26 16:32	02/19/26 11:59	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/18/26 16:32	02/19/26 11:59	1
Anthracene	ND		0.050	0.019	ug/L		02/18/26 16:32	02/19/26 11:59	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/18/26 16:32	02/19/26 11:59	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/18/26 16:32	02/19/26 11:59	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/18/26 16:32	02/19/26 11:59	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/18/26 16:32	02/19/26 11:59	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/18/26 16:32	02/19/26 11:59	1
Chrysene	ND		0.050	0.020	ug/L		02/18/26 16:32	02/19/26 11:59	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/18/26 16:32	02/19/26 11:59	1
Fluoranthene	ND		0.10	0.027	ug/L		02/18/26 16:32	02/19/26 11:59	1
Fluorene	ND		0.10	0.028	ug/L		02/18/26 16:32	02/19/26 11:59	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/18/26 16:32	02/19/26 11:59	1
Naphthalene	ND		0.50	0.026	ug/L		02/18/26 16:32	02/19/26 11:59	1
Phenanthrene	ND		0.050	0.027	ug/L		02/18/26 16:32	02/19/26 11:59	1
Pyrene	ND		0.050	0.035	ug/L		02/18/26 16:32	02/19/26 11:59	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		02/18/26 16:32	02/19/26 11:59	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		02/18/26 16:32	02/19/26 11:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	123		64 - 135	02/18/26 16:32	02/19/26 11:59	1
Nitrobenzene-d5 (Surr)	127		50 - 150	02/18/26 16:32	02/19/26 11:59	1
2-Fluorobiphenyl	122		50 - 150	02/18/26 16:32	02/19/26 11:59	1

Lab Sample ID: 752-42005-K-1-A MS

Matrix: Water

Analysis Batch: 115235

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 115115

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	ND		11.6	14.3		ug/L		123	64 - 123
Acenaphthylene	ND		11.6	14.5		ug/L		125	63 - 127
Anthracene	ND		11.6	13.2		ug/L		114	68 - 128
Benzo[a]anthracene	ND		11.6	10.4		ug/L		89	72 - 135
Benzo[a]pyrene	ND		11.6	9.82		ug/L		84	57 - 127
Benzo[b]fluoranthene	0.054	J	11.6	10.4		ug/L		89	50 - 131
Benzo[g,h,i]perylene	ND		11.6	9.37		ug/L		81	58 - 129
Benzo[k]fluoranthene	0.027	J	11.6	9.55		ug/L		82	60 - 134
Chrysene	0.031	J	11.6	10.5		ug/L		90	70 - 130
Dibenz(a,h)anthracene	ND		11.6	9.54		ug/L		82	51 - 131

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: 752-42005-K-1-A MS

Matrix: Water

Analysis Batch: 115235

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 115115

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	ND		11.6	12.5		ug/L		107	74 - 136
Fluorene	ND		11.6	13.7		ug/L		118	69 - 128
Indeno[1,2,3-cd]pyrene	ND		11.6	9.98		ug/L		86	54 - 127
Naphthalene	ND		11.6	14.1		ug/L		121	57 - 129
Phenanthrene	ND		11.6	14.2		ug/L		122	68 - 131
Pyrene	0.044	J	11.6	13.6		ug/L		116	72 - 139
1-Methylnaphthalene	ND		11.6	13.6		ug/L		117	61 - 130
2-Methylnaphthalene	ND		11.6	13.3		ug/L		114	60 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
p-Terphenyl-d14 (Surr)	67		64 - 135
Nitrobenzene-d5 (Surr)	136		50 - 150
2-Fluorobiphenyl	119		50 - 150

Lab Sample ID: 752-42005-L-1-A MSD

Matrix: Water

Analysis Batch: 115235

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 115115

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	ND		11.6	14.1		ug/L		122	64 - 123	1	26
Acenaphthylene	ND		11.6	14.4		ug/L		125	63 - 127	1	32
Anthracene	ND		11.6	13.1		ug/L		113	68 - 128	1	22
Benzo[a]anthracene	ND		11.6	10.5		ug/L		90	72 - 135	1	20
Benzo[a]pyrene	ND		11.6	10.1		ug/L		87	57 - 127	3	21
Benzo[b]fluoranthene	0.054	J	11.6	10.4		ug/L		89	50 - 131	0	33
Benzo[g,h,i]perylene	ND		11.6	9.64		ug/L		83	58 - 129	3	26
Benzo[k]fluoranthene	0.027	J	11.6	9.87		ug/L		85	60 - 134	3	20
Chrysene	0.031	J	11.6	10.7		ug/L		92	70 - 130	2	20
Dibenz(a,h)anthracene	ND		11.6	9.79		ug/L		84	51 - 131	3	25
Fluoranthene	ND		11.6	12.7		ug/L		109	74 - 136	1	20
Fluorene	ND		11.6	13.8		ug/L		119	69 - 128	1	22
Indeno[1,2,3-cd]pyrene	ND		11.6	10.2		ug/L		88	54 - 127	3	33
Naphthalene	ND		11.6	13.7		ug/L		119	57 - 129	2	40
Phenanthrene	ND		11.6	14.1		ug/L		121	68 - 131	1	19
Pyrene	0.044	J	11.6	13.9		ug/L		120	72 - 139	3	28
1-Methylnaphthalene	ND		11.6	13.5		ug/L		117	61 - 130	1	32
2-Methylnaphthalene	ND		11.6	13.1		ug/L		113	60 - 132	1	34

Surrogate	MSD %Recovery	MSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	66		64 - 135
Nitrobenzene-d5 (Surr)	136		50 - 150
2-Fluorobiphenyl	118		50 - 150

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-114912/1-A

Matrix: Water

Analysis Batch: 115306

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 114912

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/18/26 11:12	02/19/26 12:06	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	125		52 - 134				02/18/26 11:12	02/19/26 12:06	1

Lab Sample ID: LCS 705-114912/2-A

Matrix: Water

Analysis Batch: 115306

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 114912

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	1.04		mg/L		104	50 - 123
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Diethylphthalate (Surr)	120		52 - 134				

Lab Sample ID: LCSD 705-114912/3-A

Matrix: Water

Analysis Batch: 115306

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 114912

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.978		mg/L		98	50 - 123	6	21
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
Diethylphthalate (Surr)	119		52 - 134						

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-58099-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-58099-1	Quarry Outfall	Water	02/18/26 09:51	02/18/26 15:20	Georgia
705-58099-2	Outfall FR-1/AATC	Water	02/18/26 10:11	02/18/26 15:20	Georgia
705-58099-3	Forest Parkway	Water	02/18/26 11:16	02/18/26 15:20	Georgia
705-58099-4	Lee's Bridge	Water	02/18/26 11:43	02/18/26 15:20	Georgia
705-58099-5	Upper Riverdale Road	Water	02/18/26 12:22	02/18/26 15:20	Georgia
705-58099-6	Valley Hill Road	Water	02/18/26 12:55	02/18/26 15:20	Georgia
705-58099-7	Flint River Road	Water	02/18/26 13:51	02/18/26 15:20	Georgia
705-58099-8	Duplicate Sample	Water	02/18/26 12:57	02/18/26 15:20	Georgia

END OF REPORT