

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia (St) 30354

Generated 4/2/2026 4:57:30 PM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-62496-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
4/2/2026 4:57:30 PM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Definitions/Glossary	8
Client Sample Results	9
QC Sample Results	18
QC Association Summary	22
Lab Chronicle	24
Method Summary	27
Certification Summary	28
Chain of Custody	29
Receipt Checklists	30
End Of Report	31



Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-62496-1

Job ID: 705-62496-1

Eurofins Atlanta

Job Narrative 705-62496-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/1/2026 4:37 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.1°C and 3.0°C.

Receipt Exceptions

A trip blank was submitted for analysis with these samples; however, it was not listed on the Chain of Custody (COC).

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Quarry Outfall (705-62496-1). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-62496-1	Quarry Outfall	Water	04/01/26 09:57	04/01/26 16:37	Georgia (St)
705-62496-2	Outfall FR-1/AATC	Water	04/01/26 13:29	04/01/26 16:37	Georgia (St)
705-62496-3	Forest Parkway	Water	04/01/26 13:04	04/01/26 16:37	Georgia (St)
705-62496-4	Lee's Bridge	Water	04/01/26 12:50	04/01/26 16:37	Georgia (St)
705-62496-5	Upper Riverdale Road	Water	04/01/26 12:22	04/01/26 16:37	Georgia (St)
705-62496-6	Valley Hill Road	Water	04/01/26 11:58	04/01/26 16:37	Georgia (St)
705-62496-7	Flint River Road	Water	04/01/26 11:20	04/01/26 16:37	Georgia (St)
705-62496-8	Duplicate Sample	Water	04/01/26 12:22	04/01/26 16:37	Georgia (St)
705-62496-9	Upstream/Headwaters	Water	04/01/26 10:33	04/01/26 16:37	Georgia (St)
705-62496-10	Trip Blanks	Water	04/01/26 00:00	04/01/26 16:37	Georgia (St)

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-62496-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	0.65	J	1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-62496-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.7		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.15	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-62496-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.1		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-62496-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.5		1.0	0.30	ug/L	1			8260D	Total/NA
1-Methylnaphthalene	0.062	J	0.54	0.032	ug/L	1			8270E	Total/NA
2-Methylnaphthalene	0.068	J	0.54	0.041	ug/L	1			8270E	Total/NA
Diesel Range Organics [C10-C28]	0.20		0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-62496-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.6		1.0	0.30	ug/L	1			8260D	Total/NA
1-Methylnaphthalene	0.042	J	0.56	0.033	ug/L	1			8270E	Total/NA
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-62496-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.8		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.17	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-62496-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	2.3		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-62496-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	2.2		1.0	0.30	ug/L	1			8260D	Total/NA
1-Methylnaphthalene	0.040	J	0.56	0.034	ug/L	1			8270E	Total/NA
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-62496-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.1		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.18	J	0.20	0.079	mg/L	1			8015C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Trip Blanks	Lab Sample ID: 705-62496-10
-------------------------------	-----------------------------

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
SQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-62496-1

Date Collected: 04/01/26 09:57

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 05:32	1
Toluene	0.65	J	1.0	0.30	ug/L			04/02/26 05:32	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 05:32	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 05:32	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 05:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126		04/02/26 05:32	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.025	ug/L		04/02/26 10:27	04/02/26 13:47	1
Acenaphthylene	ND		1.1	0.022	ug/L		04/02/26 10:27	04/02/26 13:47	1
Anthracene	ND		0.053	0.020	ug/L		04/02/26 10:27	04/02/26 13:47	1
Benzo[a]anthracene	ND		0.053	0.028	ug/L		04/02/26 10:27	04/02/26 13:47	1
Benzo[a]pyrene	ND		0.053	0.026	ug/L		04/02/26 10:27	04/02/26 13:47	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		04/02/26 10:27	04/02/26 13:47	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		04/02/26 10:27	04/02/26 13:47	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		04/02/26 10:27	04/02/26 13:47	1
Chrysene	ND		0.053	0.021	ug/L		04/02/26 10:27	04/02/26 13:47	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		04/02/26 10:27	04/02/26 13:47	1
Fluoranthene	ND		0.11	0.029	ug/L		04/02/26 10:27	04/02/26 13:47	1
Fluorene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 13:47	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		04/02/26 10:27	04/02/26 13:47	1
Naphthalene	ND		0.53	0.028	ug/L		04/02/26 10:27	04/02/26 13:47	1
Phenanthrene	ND		0.053	0.029	ug/L		04/02/26 10:27	04/02/26 13:47	1
Pyrene	ND		0.053	0.037	ug/L		04/02/26 10:27	04/02/26 13:47	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		04/02/26 10:27	04/02/26 13:47	1
2-Methylnaphthalene	ND		0.53	0.041	ug/L		04/02/26 10:27	04/02/26 13:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	62	S1-	64 - 135	04/02/26 10:27	04/02/26 13:47	1
Nitrobenzene-d5 (Surr)	110		50 - 150	04/02/26 10:27	04/02/26 13:47	1
2-Fluorobiphenyl	100		50 - 150	04/02/26 10:27	04/02/26 13:47	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 10:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	104		52 - 134	04/02/26 07:37	04/02/26 10:29	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-62496-2

Date Collected: 04/01/26 13:29

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 05:57	1
Toluene	1.7		1.0	0.30	ug/L			04/02/26 05:57	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 05:57	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-62496-2

Date Collected: 04/01/26 13:29

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 05:57	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 05:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					04/02/26 05:57	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.54	0.025	ug/L		04/02/26 10:27	04/02/26 14:20	1
Acenaphthylene	ND		1.1	0.022	ug/L		04/02/26 10:27	04/02/26 14:20	1
Anthracene	ND		0.054	0.020	ug/L		04/02/26 10:27	04/02/26 14:20	1
Benzo[a]anthracene	ND		0.054	0.028	ug/L		04/02/26 10:27	04/02/26 14:20	1
Benzo[a]pyrene	ND		0.054	0.026	ug/L		04/02/26 10:27	04/02/26 14:20	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		04/02/26 10:27	04/02/26 14:20	1
Benzo[g,h,i]perylene	ND		0.11	0.054	ug/L		04/02/26 10:27	04/02/26 14:20	1
Benzo[k]fluoranthene	ND		0.054	0.016	ug/L		04/02/26 10:27	04/02/26 14:20	1
Chrysene	ND		0.054	0.021	ug/L		04/02/26 10:27	04/02/26 14:20	1
Dibenz[a,h]anthracene	ND		0.11	0.033	ug/L		04/02/26 10:27	04/02/26 14:20	1
Fluoranthene	ND		0.11	0.029	ug/L		04/02/26 10:27	04/02/26 14:20	1
Fluorene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 14:20	1
Indeno[1,2,3-cd]pyrene	ND		0.054	0.032	ug/L		04/02/26 10:27	04/02/26 14:20	1
Naphthalene	ND		0.54	0.028	ug/L		04/02/26 10:27	04/02/26 14:20	1
Phenanthrene	ND		0.054	0.029	ug/L		04/02/26 10:27	04/02/26 14:20	1
Pyrene	ND		0.054	0.037	ug/L		04/02/26 10:27	04/02/26 14:20	1
1-Methylnaphthalene	ND		0.54	0.032	ug/L		04/02/26 10:27	04/02/26 14:20	1
2-Methylnaphthalene	ND		0.54	0.041	ug/L		04/02/26 10:27	04/02/26 14:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	70		64 - 135				04/02/26 10:27	04/02/26 14:20	1
Nitrobenzene-d5 (Surr)	116		50 - 150				04/02/26 10:27	04/02/26 14:20	1
2-Fluorobiphenyl	109		50 - 150				04/02/26 10:27	04/02/26 14:20	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.15	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 10:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	86		52 - 134				04/02/26 07:37	04/02/26 10:57	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-62496-3

Date Collected: 04/01/26 13:04

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 06:21	1
Toluene	1.1		1.0	0.30	ug/L			04/02/26 06:21	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 06:21	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 06:21	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 06:21	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-62496-3

Date Collected: 04/01/26 13:04

Matrix: Water

Date Received: 04/01/26 16:37

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126					04/02/26 06:21	1
Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		04/02/26 10:27	04/02/26 14:52	1
Acenaphthylene	ND		1.0	0.022	ug/L		04/02/26 10:27	04/02/26 14:52	1
Anthracene	ND		0.052	0.020	ug/L		04/02/26 10:27	04/02/26 14:52	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		04/02/26 10:27	04/02/26 14:52	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		04/02/26 10:27	04/02/26 14:52	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		04/02/26 10:27	04/02/26 14:52	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		04/02/26 10:27	04/02/26 14:52	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		04/02/26 10:27	04/02/26 14:52	1
Chrysene	ND		0.052	0.021	ug/L		04/02/26 10:27	04/02/26 14:52	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		04/02/26 10:27	04/02/26 14:52	1
Fluoranthene	ND		0.10	0.028	ug/L		04/02/26 10:27	04/02/26 14:52	1
Fluorene	ND		0.10	0.029	ug/L		04/02/26 10:27	04/02/26 14:52	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		04/02/26 10:27	04/02/26 14:52	1
Naphthalene	ND		0.52	0.027	ug/L		04/02/26 10:27	04/02/26 14:52	1
Phenanthrene	ND		0.052	0.028	ug/L		04/02/26 10:27	04/02/26 14:52	1
Pyrene	ND		0.052	0.036	ug/L		04/02/26 10:27	04/02/26 14:52	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		04/02/26 10:27	04/02/26 14:52	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		04/02/26 10:27	04/02/26 14:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		64 - 135				04/02/26 10:27	04/02/26 14:52	1
Nitrobenzene-d5 (Surr)	118		50 - 150				04/02/26 10:27	04/02/26 14:52	1
2-Fluorobiphenyl	111		50 - 150				04/02/26 10:27	04/02/26 14:52	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 11:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	101		52 - 134				04/02/26 07:37	04/02/26 11:25	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-62496-4

Date Collected: 04/01/26 12:50

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 06:46	1
Toluene	1.5		1.0	0.30	ug/L			04/02/26 06:46	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 06:46	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 06:46	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 06:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					04/02/26 06:46	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-62496-4

Date Collected: 04/01/26 12:50

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.54	0.025	ug/L		04/02/26 10:27	04/02/26 12:38	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/02/26 10:27	04/02/26 12:38	1
Anthracene	ND		0.054	0.020	ug/L		04/02/26 10:27	04/02/26 12:38	1
Benzo[a]anthracene	ND		0.054	0.028	ug/L		04/02/26 10:27	04/02/26 12:38	1
Benzo[a]pyrene	ND		0.054	0.026	ug/L		04/02/26 10:27	04/02/26 12:38	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		04/02/26 10:27	04/02/26 12:38	1
Benzo[g,h,i]perylene	ND		0.11	0.054	ug/L		04/02/26 10:27	04/02/26 12:38	1
Benzo[k]fluoranthene	ND		0.054	0.016	ug/L		04/02/26 10:27	04/02/26 12:38	1
Chrysene	ND		0.054	0.022	ug/L		04/02/26 10:27	04/02/26 12:38	1
Dibenz[a,h]anthracene	ND		0.11	0.033	ug/L		04/02/26 10:27	04/02/26 12:38	1
Fluoranthene	ND		0.11	0.029	ug/L		04/02/26 10:27	04/02/26 12:38	1
Fluorene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 12:38	1
Indeno[1,2,3-cd]pyrene	ND		0.054	0.032	ug/L		04/02/26 10:27	04/02/26 12:38	1
Naphthalene	ND		0.54	0.028	ug/L		04/02/26 10:27	04/02/26 12:38	1
Phenanthrene	ND		0.054	0.029	ug/L		04/02/26 10:27	04/02/26 12:38	1
Pyrene	ND		0.054	0.038	ug/L		04/02/26 10:27	04/02/26 12:38	1
1-Methylnaphthalene	0.062	J	0.54	0.032	ug/L		04/02/26 10:27	04/02/26 12:38	1
2-Methylnaphthalene	0.068	J	0.54	0.041	ug/L		04/02/26 10:27	04/02/26 12:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		64 - 135				04/02/26 10:27	04/02/26 12:38	1
Nitrobenzene-d5 (Surr)	122		50 - 150				04/02/26 10:27	04/02/26 12:38	1
2-Fluorobiphenyl	109		50 - 150				04/02/26 10:27	04/02/26 12:38	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.20		0.20	0.079	mg/L		04/02/26 07:37	04/02/26 11:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	96		52 - 134				04/02/26 07:37	04/02/26 11:53	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-62496-5

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 07:11	1
Toluene	1.6		1.0	0.30	ug/L			04/02/26 07:11	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 07:11	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 07:11	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 07:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126					04/02/26 07:11	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.56	0.026	ug/L		04/02/26 10:27	04/02/26 13:09	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/02/26 10:27	04/02/26 13:09	1
Anthracene	ND		0.056	0.021	ug/L		04/02/26 10:27	04/02/26 13:09	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-62496-5

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.056	0.029	ug/L		04/02/26 10:27	04/02/26 13:09	1
Benzo[a]pyrene	ND		0.056	0.027	ug/L		04/02/26 10:27	04/02/26 13:09	1
Benzo[b]fluoranthene	ND		0.11	0.026	ug/L		04/02/26 10:27	04/02/26 13:09	1
Benzo[g,h,i]perylene	ND		0.11	0.056	ug/L		04/02/26 10:27	04/02/26 13:09	1
Benzo[k]fluoranthene	ND		0.056	0.017	ug/L		04/02/26 10:27	04/02/26 13:09	1
Chrysene	ND		0.056	0.022	ug/L		04/02/26 10:27	04/02/26 13:09	1
Dibenz[a,h]anthracene	ND		0.11	0.034	ug/L		04/02/26 10:27	04/02/26 13:09	1
Fluoranthene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 13:09	1
Fluorene	ND		0.11	0.031	ug/L		04/02/26 10:27	04/02/26 13:09	1
Indeno[1,2,3-cd]pyrene	ND		0.056	0.033	ug/L		04/02/26 10:27	04/02/26 13:09	1
Naphthalene	ND		0.56	0.029	ug/L		04/02/26 10:27	04/02/26 13:09	1
Phenanthrene	ND		0.056	0.030	ug/L		04/02/26 10:27	04/02/26 13:09	1
Pyrene	ND		0.056	0.039	ug/L		04/02/26 10:27	04/02/26 13:09	1
1-Methylnaphthalene	0.042	J	0.56	0.033	ug/L		04/02/26 10:27	04/02/26 13:09	1
2-Methylnaphthalene	ND		0.56	0.042	ug/L		04/02/26 10:27	04/02/26 13:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		64 - 135	04/02/26 10:27	04/02/26 13:09	1
Nitrobenzene-d5 (Surr)	125		50 - 150	04/02/26 10:27	04/02/26 13:09	1
2-Fluorobiphenyl	110		50 - 150	04/02/26 10:27	04/02/26 13:09	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 12:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	52		52 - 134	04/02/26 07:37	04/02/26 12:20	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-62496-6

Date Collected: 04/01/26 11:58

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 07:35	1
Toluene	1.8		1.0	0.30	ug/L			04/02/26 07:35	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 07:35	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 07:35	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 07:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		04/02/26 07:35	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		04/02/26 10:27	04/02/26 13:41	1
Acenaphthylene	ND		1.0	0.022	ug/L		04/02/26 10:27	04/02/26 13:41	1
Anthracene	ND		0.052	0.020	ug/L		04/02/26 10:27	04/02/26 13:41	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		04/02/26 10:27	04/02/26 13:41	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		04/02/26 10:27	04/02/26 13:41	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		04/02/26 10:27	04/02/26 13:41	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-62496-6

Date Collected: 04/01/26 11:58

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		04/02/26 10:27	04/02/26 13:41	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		04/02/26 10:27	04/02/26 13:41	1
Chrysene	ND		0.052	0.021	ug/L		04/02/26 10:27	04/02/26 13:41	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		04/02/26 10:27	04/02/26 13:41	1
Fluoranthene	ND		0.10	0.028	ug/L		04/02/26 10:27	04/02/26 13:41	1
Fluorene	ND		0.10	0.029	ug/L		04/02/26 10:27	04/02/26 13:41	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		04/02/26 10:27	04/02/26 13:41	1
Naphthalene	ND		0.52	0.027	ug/L		04/02/26 10:27	04/02/26 13:41	1
Phenanthrene	ND		0.052	0.028	ug/L		04/02/26 10:27	04/02/26 13:41	1
Pyrene	ND		0.052	0.037	ug/L		04/02/26 10:27	04/02/26 13:41	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		04/02/26 10:27	04/02/26 13:41	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		04/02/26 10:27	04/02/26 13:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		64 - 135	04/02/26 10:27	04/02/26 13:41	1
Nitrobenzene-d5 (Surr)	126		50 - 150	04/02/26 10:27	04/02/26 13:41	1
2-Fluorobiphenyl	108		50 - 150	04/02/26 10:27	04/02/26 13:41	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.17	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 12:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	86		52 - 134				04/02/26 07:37	04/02/26 12:48	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-62496-7

Date Collected: 04/01/26 11:20

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 08:00	1
Toluene	2.3		1.0	0.30	ug/L			04/02/26 08:00	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 08:00	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 08:00	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 08:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					04/02/26 08:00	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.54	0.025	ug/L		04/02/26 10:27	04/02/26 14:12	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/02/26 10:27	04/02/26 14:12	1
Anthracene	ND		0.054	0.020	ug/L		04/02/26 10:27	04/02/26 14:12	1
Benzo[a]anthracene	ND		0.054	0.028	ug/L		04/02/26 10:27	04/02/26 14:12	1
Benzo[a]pyrene	ND		0.054	0.026	ug/L		04/02/26 10:27	04/02/26 14:12	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		04/02/26 10:27	04/02/26 14:12	1
Benzo[g,h,i]perylene	ND		0.11	0.054	ug/L		04/02/26 10:27	04/02/26 14:12	1
Benzo[k]fluoranthene	ND		0.054	0.016	ug/L		04/02/26 10:27	04/02/26 14:12	1
Chrysene	ND		0.054	0.021	ug/L		04/02/26 10:27	04/02/26 14:12	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-62496-7

Date Collected: 04/01/26 11:20

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		04/02/26 10:27	04/02/26 14:12	1
Fluoranthene	ND		0.11	0.029	ug/L		04/02/26 10:27	04/02/26 14:12	1
Fluorene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 14:12	1
Indeno[1,2,3-cd]pyrene	ND		0.054	0.032	ug/L		04/02/26 10:27	04/02/26 14:12	1
Naphthalene	ND		0.54	0.028	ug/L		04/02/26 10:27	04/02/26 14:12	1
Phenanthrene	ND		0.054	0.029	ug/L		04/02/26 10:27	04/02/26 14:12	1
Pyrene	ND		0.054	0.038	ug/L		04/02/26 10:27	04/02/26 14:12	1
1-Methylnaphthalene	ND		0.54	0.032	ug/L		04/02/26 10:27	04/02/26 14:12	1
2-Methylnaphthalene	ND		0.54	0.041	ug/L		04/02/26 10:27	04/02/26 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	79		64 - 135				04/02/26 10:27	04/02/26 14:12	1
Nitrobenzene-d5 (Surr)	145		50 - 150				04/02/26 10:27	04/02/26 14:12	1
2-Fluorobiphenyl	116		50 - 150				04/02/26 10:27	04/02/26 14:12	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 13:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	90		52 - 134				04/02/26 07:37	04/02/26 13:16	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-62496-8

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 08:25	1
Toluene	2.2		1.0	0.30	ug/L			04/02/26 08:25	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 08:25	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 08:25	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 08:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126					04/02/26 08:25	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.56	0.026	ug/L		04/02/26 10:27	04/02/26 14:44	1
Acenaphthylene	ND		1.1	0.024	ug/L		04/02/26 10:27	04/02/26 14:44	1
Anthracene	ND		0.056	0.021	ug/L		04/02/26 10:27	04/02/26 14:44	1
Benzo[a]anthracene	ND		0.056	0.029	ug/L		04/02/26 10:27	04/02/26 14:44	1
Benzo[a]pyrene	ND		0.056	0.027	ug/L		04/02/26 10:27	04/02/26 14:44	1
Benzo[b]fluoranthene	ND		0.11	0.026	ug/L		04/02/26 10:27	04/02/26 14:44	1
Benzo[g,h,i]perylene	ND		0.11	0.056	ug/L		04/02/26 10:27	04/02/26 14:44	1
Benzo[k]fluoranthene	ND		0.056	0.017	ug/L		04/02/26 10:27	04/02/26 14:44	1
Chrysene	ND		0.056	0.023	ug/L		04/02/26 10:27	04/02/26 14:44	1
Dibenz(a,h)anthracene	ND		0.11	0.035	ug/L		04/02/26 10:27	04/02/26 14:44	1
Fluoranthene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 14:44	1
Fluorene	ND		0.11	0.032	ug/L		04/02/26 10:27	04/02/26 14:44	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-62496-8

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND		0.056	0.034	ug/L		04/02/26 10:27	04/02/26 14:44	1
Naphthalene	ND		0.56	0.029	ug/L		04/02/26 10:27	04/02/26 14:44	1
Phenanthrene	ND		0.056	0.030	ug/L		04/02/26 10:27	04/02/26 14:44	1
Pyrene	ND		0.056	0.040	ug/L		04/02/26 10:27	04/02/26 14:44	1
1-Methylnaphthalene	0.040	J	0.56	0.034	ug/L		04/02/26 10:27	04/02/26 14:44	1
2-Methylnaphthalene	ND		0.56	0.043	ug/L		04/02/26 10:27	04/02/26 14:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135	04/02/26 10:27	04/02/26 14:44	1
Nitrobenzene-d5 (Surr)	127		50 - 150	04/02/26 10:27	04/02/26 14:44	1
2-Fluorobiphenyl	101		50 - 150	04/02/26 10:27	04/02/26 14:44	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.16	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 13:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	97		52 - 134	04/02/26 07:37	04/02/26 13:44	1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-62496-9

Date Collected: 04/01/26 10:33

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 08:49	1
Toluene	1.1		1.0	0.30	ug/L			04/02/26 08:49	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 08:49	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 08:49	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 08:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105		70 - 126		04/02/26 08:49	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.56	0.026	ug/L		04/02/26 10:27	04/02/26 15:15	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/02/26 10:27	04/02/26 15:15	1
Anthracene	ND		0.056	0.021	ug/L		04/02/26 10:27	04/02/26 15:15	1
Benzo[a]anthracene	ND		0.056	0.029	ug/L		04/02/26 10:27	04/02/26 15:15	1
Benzo[a]pyrene	ND		0.056	0.027	ug/L		04/02/26 10:27	04/02/26 15:15	1
Benzo[b]fluoranthene	ND		0.11	0.026	ug/L		04/02/26 10:27	04/02/26 15:15	1
Benzo[g,h,i]perylene	ND		0.11	0.056	ug/L		04/02/26 10:27	04/02/26 15:15	1
Benzo[k]fluoranthene	ND		0.056	0.017	ug/L		04/02/26 10:27	04/02/26 15:15	1
Chrysene	ND		0.056	0.022	ug/L		04/02/26 10:27	04/02/26 15:15	1
Dibenz(a,h)anthracene	ND		0.11	0.035	ug/L		04/02/26 10:27	04/02/26 15:15	1
Fluoranthene	ND		0.11	0.030	ug/L		04/02/26 10:27	04/02/26 15:15	1
Fluorene	ND		0.11	0.031	ug/L		04/02/26 10:27	04/02/26 15:15	1
Indeno[1,2,3-cd]pyrene	ND		0.056	0.033	ug/L		04/02/26 10:27	04/02/26 15:15	1
Naphthalene	ND		0.56	0.029	ug/L		04/02/26 10:27	04/02/26 15:15	1
Phenanthrene	ND		0.056	0.030	ug/L		04/02/26 10:27	04/02/26 15:15	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-62496-9

Date Collected: 04/01/26 10:33

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	ND		0.056	0.039	ug/L		04/02/26 10:27	04/02/26 15:15	1
1-Methylnaphthalene	ND		0.56	0.033	ug/L		04/02/26 10:27	04/02/26 15:15	1
2-Methylnaphthalene	ND		0.56	0.042	ug/L		04/02/26 10:27	04/02/26 15:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	74		64 - 135				04/02/26 10:27	04/02/26 15:15	1
Nitrobenzene-d5 (Surr)	132		50 - 150				04/02/26 10:27	04/02/26 15:15	1
2-Fluorobiphenyl	104		50 - 150				04/02/26 10:27	04/02/26 15:15	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.18	J	0.20	0.079	mg/L		04/02/26 07:37	04/02/26 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	104		52 - 134				04/02/26 07:37	04/02/26 14:12	1

Client Sample ID: Trip Blanks

Lab Sample ID: 705-62496-10

Date Collected: 04/01/26 00:00

Matrix: Water

Date Received: 04/01/26 16:37

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 03:29	1
Toluene	ND		1.0	0.30	ug/L			04/02/26 03:29	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 03:29	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 03:29	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 03:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126					04/02/26 03:29	1

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-125087/8

Matrix: Water

Analysis Batch: 125087

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/02/26 02:39	1
Toluene	ND		1.0	0.30	ug/L			04/02/26 02:39	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/02/26 02:39	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/02/26 02:39	1
o-Xylene	ND		1.0	0.50	ug/L			04/02/26 02:39	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					04/02/26 02:39	1

Lab Sample ID: LCS 705-125087/1004

Matrix: Water

Analysis Batch: 125087

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	19.7		ug/L		99	76 - 122
Toluene	20.0	19.6		ug/L		98	74 - 124
Ethylbenzene	20.0	19.7		ug/L		99	75 - 127
m,p-Xylene	20.0	20.1		ug/L		101	76 - 128
o-Xylene	20.0	20.2		ug/L		101	78 - 124
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	103		70 - 126				

Lab Sample ID: 705-62002-A-1 MS

Matrix: Water

Analysis Batch: 125087

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		20.0	21.4		ug/L		107	71 - 133
Toluene	ND		20.0	20.9		ug/L		105	72 - 134
Ethylbenzene	ND		20.0	21.1		ug/L		105	75 - 131
m,p-Xylene	ND		20.0	21.1		ug/L		106	73 - 133
o-Xylene	ND		20.0	21.1		ug/L		106	73 - 132
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene	104		70 - 126						

Lab Sample ID: 705-62002-A-3 DU

Matrix: Water

Analysis Batch: 125087

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-62002-A-3 DU

Matrix: Water

Analysis Batch: 125087

Client Sample ID: Duplicate

Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	101		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-125227/1-A

Matrix: Water

Analysis Batch: 125224

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 125227

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		04/02/26 10:27	04/02/26 12:10	1
Acenaphthylene	ND		1.0	0.021	ug/L		04/02/26 10:27	04/02/26 12:10	1
Anthracene	ND		0.050	0.019	ug/L		04/02/26 10:27	04/02/26 12:10	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		04/02/26 10:27	04/02/26 12:10	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		04/02/26 10:27	04/02/26 12:10	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		04/02/26 10:27	04/02/26 12:10	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		04/02/26 10:27	04/02/26 12:10	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		04/02/26 10:27	04/02/26 12:10	1
Chrysene	ND		0.050	0.020	ug/L		04/02/26 10:27	04/02/26 12:10	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		04/02/26 10:27	04/02/26 12:10	1
Fluoranthene	ND		0.10	0.027	ug/L		04/02/26 10:27	04/02/26 12:10	1
Fluorene	ND		0.10	0.028	ug/L		04/02/26 10:27	04/02/26 12:10	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		04/02/26 10:27	04/02/26 12:10	1
Naphthalene	ND		0.50	0.026	ug/L		04/02/26 10:27	04/02/26 12:10	1
Phenanthrene	ND		0.050	0.027	ug/L		04/02/26 10:27	04/02/26 12:10	1
Pyrene	ND		0.050	0.035	ug/L		04/02/26 10:27	04/02/26 12:10	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		04/02/26 10:27	04/02/26 12:10	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		04/02/26 10:27	04/02/26 12:10	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
p-Terphenyl-d14 (Surr)	97		64 - 135				04/02/26 10:27	04/02/26 12:10	1
Nitrobenzene-d5 (Surr)	109		50 - 150				04/02/26 10:27	04/02/26 12:10	1
2-Fluorobiphenyl	106		50 - 150				04/02/26 10:27	04/02/26 12:10	1

Lab Sample ID: LCS 705-125227/2-A

Matrix: Water

Analysis Batch: 125224

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 125227

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	13.1		ug/L		115	71 - 124
Acenaphthylene	11.4	13.4		ug/L		117	70 - 128
Anthracene	11.4	12.5		ug/L		110	74 - 121
Benzo[a]anthracene	11.4	10.9		ug/L		95	72 - 133
Benzo[a]pyrene	11.4	10.0		ug/L		88	70 - 131
Benzo[b]fluoranthene	11.4	9.89		ug/L		87	70 - 129
Benzo[g,h,i]perylene	11.4	9.74		ug/L		85	70 - 130
Benzo[k]fluoranthene	11.4	10.5		ug/L		92	70 - 130
Chrysene	11.4	10.9		ug/L		96	74 - 132
Dibenz(a,h)anthracene	11.4	10.1		ug/L		88	70 - 130

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-125227/2-A

Matrix: Water

Analysis Batch: 125224

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 125227

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	11.4	12.6		ug/L		110	78 - 130
Fluorene	11.4	13.0		ug/L		114	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	10.0		ug/L		87	69 - 126
Naphthalene	11.4	12.5		ug/L		110	67 - 127
Phenanthrene	11.4	12.6		ug/L		110	70 - 130
Pyrene	11.4	11.9		ug/L		105	73 - 131
1-Methylnaphthalene	11.4	11.7		ug/L		102	73 - 127
2-Methylnaphthalene	11.4	11.2		ug/L		98	70 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	83		64 - 135
Nitrobenzene-d5 (Surr)	125		50 - 150
2-Fluorobiphenyl	113		50 - 150

Lab Sample ID: LCSD 705-125227/3-A

Matrix: Water

Analysis Batch: 125224

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 125227

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	12.7		ug/L		112	71 - 124	3	12
Acenaphthylene	11.4	13.3		ug/L		116	70 - 128	1	12
Anthracene	11.4	12.5		ug/L		110	74 - 121	0	15
Benzo[a]anthracene	11.4	10.7		ug/L		93	72 - 133	2	19
Benzo[a]pyrene	11.4	9.93		ug/L		87	70 - 131	1	13
Benzo[b]fluoranthene	11.4	10.6		ug/L		92	70 - 129	7	35
Benzo[g,h,i]perylene	11.4	9.56		ug/L		84	70 - 130	2	12
Benzo[k]fluoranthene	11.4	9.50		ug/L		83	70 - 130	10	15
Chrysene	11.4	10.8		ug/L		94	74 - 132	1	10
Dibenz(a,h)anthracene	11.4	9.90		ug/L		87	70 - 130	2	17
Fluoranthene	11.4	12.8		ug/L		112	78 - 130	1	16
Fluorene	11.4	12.8		ug/L		112	71 - 130	2	14
Indeno[1,2,3-cd]pyrene	11.4	9.82		ug/L		86	69 - 126	2	12
Naphthalene	11.4	12.6		ug/L		110	67 - 127	0	13
Phenanthrene	11.4	12.5		ug/L		110	70 - 130	1	12
Pyrene	11.4	12.0		ug/L		105	73 - 131	1	10
1-Methylnaphthalene	11.4	11.5		ug/L		101	73 - 127	1	16
2-Methylnaphthalene	11.4	11.0		ug/L		96	70 - 127	1	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	82		64 - 135
Nitrobenzene-d5 (Surr)	126		50 - 150
2-Fluorobiphenyl	111		50 - 150

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-124897/1-A

Matrix: Water

Analysis Batch: 124530

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 124897

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/01/26 10:37	04/01/26 15:51	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	87		52 - 134				04/01/26 10:37	04/01/26 15:51	1

Lab Sample ID: LCS 705-124897/2-A

Matrix: Water

Analysis Batch: 124530

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 124897

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	0.918		mg/L		92	50 - 123
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Diethylphthalate (Surr)	89		52 - 134				

Lab Sample ID: LCSD 705-124897/3-A

Matrix: Water

Analysis Batch: 124530

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 124897

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.850		mg/L		85	50 - 123	8	21
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
Diethylphthalate (Surr)	83		52 - 134						

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

GC/MS VOA

Analysis Batch: 125087

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-1	Quarry Outfall	Total/NA	Water	8260D	
705-62496-2	Outfall FR-1/AATC	Total/NA	Water	8260D	
705-62496-3	Forest Parkway	Total/NA	Water	8260D	
705-62496-4	Lee's Bridge	Total/NA	Water	8260D	
705-62496-5	Upper Riverdale Road	Total/NA	Water	8260D	
705-62496-6	Valley Hill Road	Total/NA	Water	8260D	
705-62496-7	Flint River Road	Total/NA	Water	8260D	
705-62496-8	Duplicate Sample	Total/NA	Water	8260D	
705-62496-9	Upstream/Headwaters	Total/NA	Water	8260D	
705-62496-10	Trip Blanks	Total/NA	Water	8260D	
MB 705-125087/8	Method Blank	Total/NA	Water	8260D	
LCS 705-125087/1004	Lab Control Sample	Total/NA	Water	8260D	
705-62002-A-1 MS	Matrix Spike	Total/NA	Water	8260D	
705-62002-A-3 DU	Duplicate	Total/NA	Water	8260D	

GC/MS Semi VOA

Analysis Batch: 125221

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-4	Lee's Bridge	Total/NA	Water	8270E	125227
705-62496-5	Upper Riverdale Road	Total/NA	Water	8270E	125227
705-62496-6	Valley Hill Road	Total/NA	Water	8270E	125227
705-62496-7	Flint River Road	Total/NA	Water	8270E	125227
705-62496-8	Duplicate Sample	Total/NA	Water	8270E	125227
705-62496-9	Upstream/Headwaters	Total/NA	Water	8270E	125227

Analysis Batch: 125224

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-1	Quarry Outfall	Total/NA	Water	8270E	125227
705-62496-2	Outfall FR-1/AATC	Total/NA	Water	8270E	125227
705-62496-3	Forest Parkway	Total/NA	Water	8270E	125227
MB 705-125227/1-A	Method Blank	Total/NA	Water	8270E	125227
LCS 705-125227/2-A	Lab Control Sample	Total/NA	Water	8270E	125227
LCSD 705-125227/3-A	Lab Control Sample Dup	Total/NA	Water	8270E	125227

Prep Batch: 125227

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-1	Quarry Outfall	Total/NA	Water	3511	
705-62496-2	Outfall FR-1/AATC	Total/NA	Water	3511	
705-62496-3	Forest Parkway	Total/NA	Water	3511	
705-62496-4	Lee's Bridge	Total/NA	Water	3511	
705-62496-5	Upper Riverdale Road	Total/NA	Water	3511	
705-62496-6	Valley Hill Road	Total/NA	Water	3511	
705-62496-7	Flint River Road	Total/NA	Water	3511	
705-62496-8	Duplicate Sample	Total/NA	Water	3511	
705-62496-9	Upstream/Headwaters	Total/NA	Water	3511	
MB 705-125227/1-A	Method Blank	Total/NA	Water	3511	
LCS 705-125227/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 705-125227/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Eurofins Atlanta

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

GC Semi VOA

Analysis Batch: 124530

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 705-124897/1-A	Method Blank	Total/NA	Water	8015C	124897
LCS 705-124897/2-A	Lab Control Sample	Total/NA	Water	8015C	124897
LCSD 705-124897/3-A	Lab Control Sample Dup	Total/NA	Water	8015C	124897

Prep Batch: 124897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-1	Quarry Outfall	Total/NA	Water	3510C	
705-62496-2	Outfall FR-1/AATC	Total/NA	Water	3510C	
705-62496-3	Forest Parkway	Total/NA	Water	3510C	
705-62496-4	Lee's Bridge	Total/NA	Water	3510C	
705-62496-5	Upper Riverdale Road	Total/NA	Water	3510C	
705-62496-6	Valley Hill Road	Total/NA	Water	3510C	
705-62496-7	Flint River Road	Total/NA	Water	3510C	
705-62496-8	Duplicate Sample	Total/NA	Water	3510C	
705-62496-9	Upstream/Headwaters	Total/NA	Water	3510C	
MB 705-124897/1-A	Method Blank	Total/NA	Water	3510C	
LCS 705-124897/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 705-124897/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 125247

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-62496-1	Quarry Outfall	Total/NA	Water	8015C	124897
705-62496-2	Outfall FR-1/AATC	Total/NA	Water	8015C	124897
705-62496-3	Forest Parkway	Total/NA	Water	8015C	124897
705-62496-4	Lee's Bridge	Total/NA	Water	8015C	124897
705-62496-5	Upper Riverdale Road	Total/NA	Water	8015C	124897
705-62496-6	Valley Hill Road	Total/NA	Water	8015C	124897
705-62496-7	Flint River Road	Total/NA	Water	8015C	124897
705-62496-8	Duplicate Sample	Total/NA	Water	8015C	124897
705-62496-9	Upstream/Headwaters	Total/NA	Water	8015C	124897

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-62496-1

Date Collected: 04/01/26 09:57

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 05:32
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125224	BH	EET ATL 2	04/02/26 13:47
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 10:29

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-62496-2

Date Collected: 04/01/26 13:29

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 05:57
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125224	BH	EET ATL 2	04/02/26 14:20
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 10:57

Client Sample ID: Forest Parkway

Lab Sample ID: 705-62496-3

Date Collected: 04/01/26 13:04

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 06:21
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125224	BH	EET ATL 2	04/02/26 14:52
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 11:25

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-62496-4

Date Collected: 04/01/26 12:50

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 06:46
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 12:38
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 11:53

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-62496-5

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 07:11

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-62496-5

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 13:09
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 12:20

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-62496-6

Date Collected: 04/01/26 11:58

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 07:35
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 13:41
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 12:48

Client Sample ID: Flint River Road

Lab Sample ID: 705-62496-7

Date Collected: 04/01/26 11:20

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 08:00
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 14:12
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 13:16

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-62496-8

Date Collected: 04/01/26 12:22

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 08:25
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 14:44
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 13:44

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-62496-9

Date Collected: 04/01/26 10:33

Matrix: Water

Date Received: 04/01/26 16:37

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 08:49

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Client Sample ID: Upstream/Headwaters
Date Collected: 04/01/26 10:33
Date Received: 04/01/26 16:37

Lab Sample ID: 705-62496-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			125227	DM	EET ATL	04/02/26 10:27
Total/NA	Analysis	8270E		1	125221	BH	EET ATL 2	04/02/26 15:15
Total/NA	Prep	3510C			124897	SE	EET ATL	04/02/26 07:37
Total/NA	Analysis	8015C		1	125247	UH	EET ATL	04/02/26 14:12

Client Sample ID: Trip Blanks
Date Collected: 04/01/26 00:00
Date Received: 04/01/26 16:37

Lab Sample ID: 705-62496-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	125087	UI	EET ATL 1	04/02/26 03:29

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL 1
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-62496-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Eurofins Atlanta

3080 Presidential Dr
Atlanta, GA 30340
Phone: 770-457-8177 Fax: 770-457-8188

Chain of Custody Record



Environment Testing

Client Information		Sampler: <u>Nica Thomas</u>	Lab PM: <u>Pacurar, Ioana</u>	Carrier Tracking No(s):	COC No: <u>705-2371</u>
Client Contact: <u>Jerald Mitchell</u>		Phone: <u>864-315-9779</u>	E-Mail: <u>ioana.pacurar@et.eurofinsus.com</u>	State of Origin: <u>GA</u>	Page: <u>Page 1 c</u>
Company: <u>VGS2MATL</u>		PWSID:	Analysis Requested		
Address: <u>1005 Virginia Ave Suite 310</u>		Due Date Requested:	Preserve <u>N - None</u> <u>A - HCL</u> <u>705-62496 COC</u>		
City: <u>Atlanta</u>		TAT Requested (days):	Job #:		
State, Zip: <u>GA, 30354</u>		Compliance Project: ☐ Yes ☐ No	Other:		
Phone:		PO #: <u>Purchase Order not required</u>			
Email: <u>Jerald.Mitchell@versar.com</u>		WO #:			
Project Name: <u>Flint River</u>		Project #: <u>70506101</u>			
Site:		SSOW#:			

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	8270E_LL_QQQ - SIM PAHS	8260D_BTENM - BTEX	8016C_DRO - DRO/TPH-Jet Fuel	Total Number of containers	Special Instructions/Note:
Quarry Outfall	4/1/26	09:54	G	Water		N	A	N		
Outfall FR-1/AATC	4/1/26	13:24	G	Water		N	A	N		
Forest Parkway	4/1/26	13:04	G	Water		N	A	N		
Lee's Bridge	4/1/26	12:50	G	Water		N	A	N		
Upper Riverdale Road	4/1/26	12:22	G	Water		N	A	N		
Valley Hill Road	4/1/26	11:58	G	Water		N	A	N		
Flint River Road	4/1/26	11:20	G	Water		N	A	N		
Duplicate Sample	4/1/26	12:22	G	Water		N	A	N		
Upstream/Headwaters	4/1/26	10:33	G	Water		N	A	N		
				Water						

Possible Hazard Identification		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological		☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months	
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:	

Empty Kit Relinquished by: <u>Jennifer Miller</u>		Date: <u>4/1/2026</u>	Time:	Method of Shipment:
Relinquished by: <u>Jennifer Miller</u>	Date/Time: <u>4/1/26/16:31</u>	Company: <u>Versar</u>	Received by: <u>OR</u>	Date/Time: <u>4-1-26</u>
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:

Custody Seals Intact: ☐ Yes ☐ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: <u>C1 2665 2.1 3.0</u>
--	-------------------	--

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-62496-1

Login Number: 62496

List Source: Eurofins Atlanta

List Number: 1

Creator: Taylor, Renee

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

END OF REPORT