

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia (St) 30354

Generated 3/17/2026 7:58:15 AM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-60727-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
3/17/2026 7:58:15 AM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Chain of Custody	5
Case Narrative	6
Client Sample Results	7
Detection Summary	16
Receipt Checklists	17
Surrogate Summary	18
Lab Chronicle	20
QC Sample Results	23
Certification Summary	28
Method Summary	29
Sample Summary	30
End Of Report	31

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

JAMMY EXANTUS

[illegible]

Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-60727-1

Job ID: 705-60727-1

Eurofins Atlanta

Job Narrative 705-60727-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 3/12/2026 12:15 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.3°C and 2.0°C.

Receipt Exceptions

The following sample was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): Upstream/Headwaters (705-60727-9). Laboratory proceeded with the analysis due to the rush TAT request.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Upper Riverdale Road (705-60727-5) and (705-60727-B-8-B MS). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-60727-1

Date Collected: 03/11/26 12:12

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 12:18	1
Toluene	ND		1.0	0.30	ug/L			03/16/26 12:18	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 12:18	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 12:18	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 12:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	109		70 - 126		03/16/26 12:18	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.025	ug/L		03/16/26 11:47	03/16/26 15:09	1
Acenaphthylene	ND		1.1	0.022	ug/L		03/16/26 11:47	03/16/26 15:09	1
Anthracene	ND		0.053	0.020	ug/L		03/16/26 11:47	03/16/26 15:09	1
Benzo[a]anthracene	ND		0.053	0.028	ug/L		03/16/26 11:47	03/16/26 15:09	1
Benzo[a]pyrene	ND		0.053	0.026	ug/L		03/16/26 11:47	03/16/26 15:09	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		03/16/26 11:47	03/16/26 15:09	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		03/16/26 11:47	03/16/26 15:09	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		03/16/26 11:47	03/16/26 15:09	1
Chrysene	ND		0.053	0.021	ug/L		03/16/26 11:47	03/16/26 15:09	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		03/16/26 11:47	03/16/26 15:09	1
Fluoranthene	ND		0.11	0.029	ug/L		03/16/26 11:47	03/16/26 15:09	1
Fluorene	ND		0.11	0.030	ug/L		03/16/26 11:47	03/16/26 15:09	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		03/16/26 11:47	03/16/26 15:09	1
Naphthalene	ND		0.53	0.028	ug/L		03/16/26 11:47	03/16/26 15:09	1
Phenanthrene	ND		0.053	0.029	ug/L		03/16/26 11:47	03/16/26 15:09	1
Pyrene	ND		0.053	0.037	ug/L		03/16/26 11:47	03/16/26 15:09	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		03/16/26 11:47	03/16/26 15:09	1
2-Methylnaphthalene	ND		0.53	0.041	ug/L		03/16/26 11:47	03/16/26 15:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	69		64 - 135	03/16/26 11:47	03/16/26 15:09	1
Nitrobenzene-d5 (Surr)	104		50 - 150	03/16/26 11:47	03/16/26 15:09	1
2-Fluorobiphenyl	96		50 - 150	03/16/26 11:47	03/16/26 15:09	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 16:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	71		52 - 134	03/16/26 09:15	03/16/26 16:35	1

Client Sample ID: OutFall FR-1/AATC

Lab Sample ID: 705-60727-2

Date Collected: 03/11/26 16:16

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 12:39	1
Toluene	1.1		1.0	0.30	ug/L			03/16/26 12:39	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 12:39	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: OutFall FR-1/AATC

Lab Sample ID: 705-60727-2

Date Collected: 03/11/26 16:16

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 12:39	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 12:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 126					03/16/26 12:39	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		03/16/26 11:47	03/16/26 15:43	1
Acenaphthylene	ND		1.0	0.022	ug/L		03/16/26 11:47	03/16/26 15:43	1
Anthracene	ND		0.052	0.020	ug/L		03/16/26 11:47	03/16/26 15:43	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		03/16/26 11:47	03/16/26 15:43	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		03/16/26 11:47	03/16/26 15:43	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		03/16/26 11:47	03/16/26 15:43	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		03/16/26 11:47	03/16/26 15:43	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		03/16/26 11:47	03/16/26 15:43	1
Chrysene	ND		0.052	0.021	ug/L		03/16/26 11:47	03/16/26 15:43	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		03/16/26 11:47	03/16/26 15:43	1
Fluoranthene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 15:43	1
Fluorene	ND		0.10	0.029	ug/L		03/16/26 11:47	03/16/26 15:43	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		03/16/26 11:47	03/16/26 15:43	1
Naphthalene	ND		0.52	0.027	ug/L		03/16/26 11:47	03/16/26 15:43	1
Phenanthrene	ND		0.052	0.028	ug/L		03/16/26 11:47	03/16/26 15:43	1
Pyrene	ND		0.052	0.036	ug/L		03/16/26 11:47	03/16/26 15:43	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		03/16/26 11:47	03/16/26 15:43	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		03/16/26 11:47	03/16/26 15:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	71		64 - 135				03/16/26 11:47	03/16/26 15:43	1
Nitrobenzene-d5 (Surr)	111		50 - 150				03/16/26 11:47	03/16/26 15:43	1
2-Fluorobiphenyl	96		50 - 150				03/16/26 11:47	03/16/26 15:43	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.089	J	0.20	0.079	mg/L		03/16/26 09:15	03/16/26 17:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	69		52 - 134				03/16/26 09:15	03/16/26 17:02	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-60727-3

Date Collected: 03/11/26 16:55

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 13:43	1
Toluene	1.3		1.0	0.30	ug/L			03/16/26 13:43	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 13:43	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 13:43	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 13:43	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-60727-3

Date Collected: 03/11/26 16:55

Matrix: Water

Date Received: 03/12/26 12:15

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126		03/16/26 13:43	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		03/16/26 11:47	03/16/26 16:17	1
Acenaphthylene	ND		1.0	0.022	ug/L		03/16/26 11:47	03/16/26 16:17	1
Anthracene	ND		0.052	0.020	ug/L		03/16/26 11:47	03/16/26 16:17	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		03/16/26 11:47	03/16/26 16:17	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		03/16/26 11:47	03/16/26 16:17	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		03/16/26 11:47	03/16/26 16:17	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		03/16/26 11:47	03/16/26 16:17	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		03/16/26 11:47	03/16/26 16:17	1
Chrysene	ND		0.052	0.021	ug/L		03/16/26 11:47	03/16/26 16:17	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		03/16/26 11:47	03/16/26 16:17	1
Fluoranthene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 16:17	1
Fluorene	ND		0.10	0.029	ug/L		03/16/26 11:47	03/16/26 16:17	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		03/16/26 11:47	03/16/26 16:17	1
Naphthalene	ND		0.52	0.027	ug/L		03/16/26 11:47	03/16/26 16:17	1
Phenanthrene	ND		0.052	0.028	ug/L		03/16/26 11:47	03/16/26 16:17	1
Pyrene	ND		0.052	0.036	ug/L		03/16/26 11:47	03/16/26 16:17	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		03/16/26 11:47	03/16/26 16:17	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		03/16/26 11:47	03/16/26 16:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	72		64 - 135	03/16/26 11:47	03/16/26 16:17	1
Nitrobenzene-d5 (Surr)	105		50 - 150	03/16/26 11:47	03/16/26 16:17	1
2-Fluorobiphenyl	97		50 - 150	03/16/26 11:47	03/16/26 16:17	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 17:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	71		52 - 134	03/16/26 09:15	03/16/26 17:29	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-60727-4

Date Collected: 03/11/26 17:38

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 14:05	1
Toluene	1.6		1.0	0.30	ug/L			03/16/26 14:05	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 14:05	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 14:05	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 14:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		03/16/26 14:05	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-60727-4

Date Collected: 03/11/26 17:38

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.024	ug/L		03/16/26 11:47	03/16/26 16:50	1
Acenaphthylene	ND		1.1	0.022	ug/L		03/16/26 11:47	03/16/26 16:50	1
Anthracene	ND		0.053	0.020	ug/L		03/16/26 11:47	03/16/26 16:50	1
Benzo[a]anthracene	ND		0.053	0.027	ug/L		03/16/26 11:47	03/16/26 16:50	1
Benzo[a]pyrene	ND		0.053	0.025	ug/L		03/16/26 11:47	03/16/26 16:50	1
Benzo[b]fluoranthene	ND		0.11	0.024	ug/L		03/16/26 11:47	03/16/26 16:50	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		03/16/26 11:47	03/16/26 16:50	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		03/16/26 11:47	03/16/26 16:50	1
Chrysene	ND		0.053	0.021	ug/L		03/16/26 11:47	03/16/26 16:50	1
Dibenz[a,h]anthracene	ND		0.11	0.033	ug/L		03/16/26 11:47	03/16/26 16:50	1
Fluoranthene	ND		0.11	0.028	ug/L		03/16/26 11:47	03/16/26 16:50	1
Fluorene	ND		0.11	0.030	ug/L		03/16/26 11:47	03/16/26 16:50	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		03/16/26 11:47	03/16/26 16:50	1
Naphthalene	ND		0.53	0.027	ug/L		03/16/26 11:47	03/16/26 16:50	1
Phenanthrene	ND		0.053	0.028	ug/L		03/16/26 11:47	03/16/26 16:50	1
Pyrene	ND		0.053	0.037	ug/L		03/16/26 11:47	03/16/26 16:50	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		03/16/26 11:47	03/16/26 16:50	1
2-Methylnaphthalene	ND		0.53	0.040	ug/L		03/16/26 11:47	03/16/26 16:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	77		64 - 135	03/16/26 11:47	03/16/26 16:50	1
Nitrobenzene-d5 (Surr)	108		50 - 150	03/16/26 11:47	03/16/26 16:50	1
2-Fluorobiphenyl	99		50 - 150	03/16/26 11:47	03/16/26 16:50	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 17:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	87		52 - 134	03/16/26 09:15	03/16/26 17:57	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-60727-5

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 14:26	1
Toluene	1.6		1.0	0.30	ug/L			03/16/26 14:26	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 14:26	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 14:26	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 14:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		03/16/26 14:26	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		03/16/26 11:47	03/16/26 15:58	1
Acenaphthylene	ND		1.0	0.022	ug/L		03/16/26 11:47	03/16/26 15:58	1
Anthracene	ND		0.052	0.020	ug/L		03/16/26 11:47	03/16/26 15:58	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-60727-5

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.052	0.027	ug/L		03/16/26 11:47	03/16/26 15:58	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		03/16/26 11:47	03/16/26 15:58	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		03/16/26 11:47	03/16/26 15:58	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		03/16/26 11:47	03/16/26 15:58	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		03/16/26 11:47	03/16/26 15:58	1
Chrysene	ND		0.052	0.021	ug/L		03/16/26 11:47	03/16/26 15:58	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		03/16/26 11:47	03/16/26 15:58	1
Fluoranthene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 15:58	1
Fluorene	ND		0.10	0.029	ug/L		03/16/26 11:47	03/16/26 15:58	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		03/16/26 11:47	03/16/26 15:58	1
Naphthalene	ND		0.52	0.027	ug/L		03/16/26 11:47	03/16/26 15:58	1
Phenanthrene	ND		0.052	0.028	ug/L		03/16/26 11:47	03/16/26 15:58	1
Pyrene	ND		0.052	0.036	ug/L		03/16/26 11:47	03/16/26 15:58	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		03/16/26 11:47	03/16/26 15:58	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		03/16/26 11:47	03/16/26 15:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	63	S1-	64 - 135	03/16/26 11:47	03/16/26 15:58	1
Nitrobenzene-d5 (Surr)	108		50 - 150	03/16/26 11:47	03/16/26 15:58	1
2-Fluorobiphenyl	94		50 - 150	03/16/26 11:47	03/16/26 15:58	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.082	J	0.20	0.079	mg/L		03/16/26 09:15	03/16/26 18:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	91		52 - 134	03/16/26 09:15	03/16/26 18:24	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-60727-6

Date Collected: 03/11/26 14:33

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 14:48	1
Toluene	ND		1.0	0.30	ug/L			03/16/26 14:48	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 14:48	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 14:48	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 14:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126		03/16/26 14:48	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		03/16/26 11:47	03/16/26 16:31	1
Acenaphthylene	ND		1.0	0.022	ug/L		03/16/26 11:47	03/16/26 16:31	1
Anthracene	ND		0.052	0.020	ug/L		03/16/26 11:47	03/16/26 16:31	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		03/16/26 11:47	03/16/26 16:31	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		03/16/26 11:47	03/16/26 16:31	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		03/16/26 11:47	03/16/26 16:31	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-60727-6

Date Collected: 03/11/26 14:33

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		03/16/26 11:47	03/16/26 16:31	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		03/16/26 11:47	03/16/26 16:31	1
Chrysene	ND		0.052	0.021	ug/L		03/16/26 11:47	03/16/26 16:31	1
Dibenz[a,h]anthracene	ND		0.10	0.032	ug/L		03/16/26 11:47	03/16/26 16:31	1
Fluoranthene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 16:31	1
Fluorene	ND		0.10	0.029	ug/L		03/16/26 11:47	03/16/26 16:31	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		03/16/26 11:47	03/16/26 16:31	1
Naphthalene	ND		0.52	0.027	ug/L		03/16/26 11:47	03/16/26 16:31	1
Phenanthrene	ND		0.052	0.028	ug/L		03/16/26 11:47	03/16/26 16:31	1
Pyrene	ND		0.052	0.037	ug/L		03/16/26 11:47	03/16/26 16:31	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		03/16/26 11:47	03/16/26 16:31	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		03/16/26 11:47	03/16/26 16:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	68		64 - 135				03/16/26 11:47	03/16/26 16:31	1
Nitrobenzene-d5 (Surr)	109		50 - 150				03/16/26 11:47	03/16/26 16:31	1
2-Fluorobiphenyl	93		50 - 150				03/16/26 11:47	03/16/26 16:31	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 18:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	72		52 - 134				03/16/26 09:15	03/16/26 18:52	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-60727-7

Date Collected: 03/11/26 13:21

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 15:09	1
Toluene	1.1		1.0	0.30	ug/L			03/16/26 15:09	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 15:09	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 15:09	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 15:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126					03/16/26 15:09	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		03/16/26 11:47	03/16/26 17:03	1
Acenaphthylene	ND		1.0	0.022	ug/L		03/16/26 11:47	03/16/26 17:03	1
Anthracene	ND		0.052	0.020	ug/L		03/16/26 11:47	03/16/26 17:03	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		03/16/26 11:47	03/16/26 17:03	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		03/16/26 11:47	03/16/26 17:03	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		03/16/26 11:47	03/16/26 17:03	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		03/16/26 11:47	03/16/26 17:03	1
Benzo[k]fluoranthene	ND		0.052	0.016	ug/L		03/16/26 11:47	03/16/26 17:03	1
Chrysene	ND		0.052	0.021	ug/L		03/16/26 11:47	03/16/26 17:03	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-60727-7

Date Collected: 03/11/26 13:21

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		03/16/26 11:47	03/16/26 17:03	1
Fluoranthene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 17:03	1
Fluorene	ND		0.10	0.029	ug/L		03/16/26 11:47	03/16/26 17:03	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		03/16/26 11:47	03/16/26 17:03	1
Naphthalene	ND		0.52	0.027	ug/L		03/16/26 11:47	03/16/26 17:03	1
Phenanthrene	ND		0.052	0.028	ug/L		03/16/26 11:47	03/16/26 17:03	1
Pyrene	ND		0.052	0.036	ug/L		03/16/26 11:47	03/16/26 17:03	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		03/16/26 11:47	03/16/26 17:03	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		03/16/26 11:47	03/16/26 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	76		64 - 135				03/16/26 11:47	03/16/26 17:03	1
Nitrobenzene-d5 (Surr)	108		50 - 150				03/16/26 11:47	03/16/26 17:03	1
2-Fluorobiphenyl	91		50 - 150				03/16/26 11:47	03/16/26 17:03	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 19:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	76		52 - 134				03/16/26 09:15	03/16/26 19:19	1

Client Sample ID: Duplicate Sample Upper Riverdale

Lab Sample ID: 705-60727-8

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 15:30	1
Toluene	1.4		1.0	0.30	ug/L			03/16/26 15:30	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 15:30	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 15:30	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 15:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105		70 - 126					03/16/26 15:30	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.024	ug/L		03/16/26 11:48	03/16/26 14:21	1
Acenaphthylene	ND		1.1	0.022	ug/L		03/16/26 11:48	03/16/26 14:21	1
Anthracene	ND		0.053	0.020	ug/L		03/16/26 11:48	03/16/26 14:21	1
Benzo[a]anthracene	ND		0.053	0.027	ug/L		03/16/26 11:48	03/16/26 14:21	1
Benzo[a]pyrene	ND		0.053	0.025	ug/L		03/16/26 11:48	03/16/26 14:21	1
Benzo[b]fluoranthene	ND		0.11	0.024	ug/L		03/16/26 11:48	03/16/26 14:21	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		03/16/26 11:48	03/16/26 14:21	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		03/16/26 11:48	03/16/26 14:21	1
Chrysene	ND		0.053	0.021	ug/L		03/16/26 11:48	03/16/26 14:21	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		03/16/26 11:48	03/16/26 14:21	1
Fluoranthene	ND		0.11	0.028	ug/L		03/16/26 11:48	03/16/26 14:21	1
Fluorene	ND		0.11	0.029	ug/L		03/16/26 11:48	03/16/26 14:21	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Duplicate Sample Upper Riverdale

Lab Sample ID: 705-60727-8

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		03/16/26 11:48	03/16/26 14:21	1
Naphthalene	ND		0.53	0.027	ug/L		03/16/26 11:48	03/16/26 14:21	1
Phenanthrene	ND		0.053	0.028	ug/L		03/16/26 11:48	03/16/26 14:21	1
Pyrene	ND		0.053	0.037	ug/L		03/16/26 11:48	03/16/26 14:21	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		03/16/26 11:48	03/16/26 14:21	1
2-Methylnaphthalene	ND		0.53	0.040	ug/L		03/16/26 11:48	03/16/26 14:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	86		64 - 135	03/16/26 11:48	03/16/26 14:21	1
Nitrobenzene-d5 (Surr)	109		50 - 150	03/16/26 11:48	03/16/26 14:21	1
2-Fluorobiphenyl	93		50 - 150	03/16/26 11:48	03/16/26 14:21	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 19:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	66		52 - 134				03/16/26 09:15	03/16/26 19:46	1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-60727-9

Date Collected: 03/11/26 15:07

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 15:52	1
Toluene	ND		1.0	0.30	ug/L			03/16/26 15:52	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 15:52	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 15:52	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 15:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	108		70 - 126					03/16/26 15:52	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.53	0.024	ug/L		03/16/26 11:48	03/16/26 14:30	1
Acenaphthylene	ND		1.1	0.022	ug/L		03/16/26 11:48	03/16/26 14:30	1
Anthracene	ND		0.053	0.020	ug/L		03/16/26 11:48	03/16/26 14:30	1
Benzo[a]anthracene	ND		0.053	0.028	ug/L		03/16/26 11:48	03/16/26 14:30	1
Benzo[a]pyrene	ND		0.053	0.026	ug/L		03/16/26 11:48	03/16/26 14:30	1
Benzo[b]fluoranthene	ND		0.11	0.024	ug/L		03/16/26 11:48	03/16/26 14:30	1
Benzo[g,h,i]perylene	ND		0.11	0.053	ug/L		03/16/26 11:48	03/16/26 14:30	1
Benzo[k]fluoranthene	ND		0.053	0.016	ug/L		03/16/26 11:48	03/16/26 14:30	1
Chrysene	ND		0.053	0.021	ug/L		03/16/26 11:48	03/16/26 14:30	1
Dibenz(a,h)anthracene	ND		0.11	0.033	ug/L		03/16/26 11:48	03/16/26 14:30	1
Fluoranthene	0.047	J	0.11	0.029	ug/L		03/16/26 11:48	03/16/26 14:30	1
Fluorene	ND		0.11	0.030	ug/L		03/16/26 11:48	03/16/26 14:30	1
Indeno[1,2,3-cd]pyrene	ND		0.053	0.032	ug/L		03/16/26 11:48	03/16/26 14:30	1
Naphthalene	ND		0.53	0.028	ug/L		03/16/26 11:48	03/16/26 14:30	1
Phenanthrene	0.12		0.053	0.029	ug/L		03/16/26 11:48	03/16/26 14:30	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-60727-9

Date Collected: 03/11/26 15:07

Matrix: Water

Date Received: 03/12/26 12:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	ND		0.053	0.037	ug/L		03/16/26 11:48	03/16/26 14:30	1
1-Methylnaphthalene	ND		0.53	0.032	ug/L		03/16/26 11:48	03/16/26 14:30	1
2-Methylnaphthalene	ND		0.53	0.040	ug/L		03/16/26 11:48	03/16/26 14:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	103		64 - 135				03/16/26 11:48	03/16/26 14:30	1
Nitrobenzene-d5 (Surr)	105		50 - 150				03/16/26 11:48	03/16/26 14:30	1
2-Fluorobiphenyl	94		50 - 150				03/16/26 11:48	03/16/26 14:30	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 20:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	92		52 - 134				03/16/26 09:15	03/16/26 20:14	1

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-60727-1

No Detections.

Client Sample ID: OutFall FR-1/AATC

Lab Sample ID: 705-60727-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.1		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.089	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-60727-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.3		1.0	0.30	ug/L	1			8260D	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-60727-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.6		1.0	0.30	ug/L	1			8260D	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-60727-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.6		1.0	0.30	ug/L	1			8260D	Total/NA
Diesel Range Organics [C10-C28]	0.082	J	0.20	0.079	mg/L	1			8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-60727-6

No Detections.

Client Sample ID: Flint River Road

Lab Sample ID: 705-60727-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.1		1.0	0.30	ug/L	1			8260D	Total/NA

Client Sample ID: Duplicate Sample Upper Riverdale

Lab Sample ID: 705-60727-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Toluene	1.4		1.0	0.30	ug/L	1			8260D	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-60727-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil	Fac	D	Method	Prep Type
Fluoranthene	0.047	J	0.11	0.029	ug/L	1			8270E	Total/NA
Phenanthrene	0.12		0.053	0.029	ug/L	1			8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-60727-1

Login Number: 60727

List Source: Eurofins Atlanta

List Number: 1

Creator: Stephens, Andrena

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)						
		BFB						
Lab Sample ID	Client Sample ID	(70-126)						
705-60727-1	Quarry Outfall	109						
705-60727-1 MS	Quarry Outfall	103						
705-60727-2	OutFall FR-1/AATC	107						
705-60727-2 DU	OutFall FR-1/AATC	107						
705-60727-3	Forest Parkway	106						
705-60727-4	Lee's Bridge	104						
705-60727-5	Upper Riverdale Road	104						
705-60727-6	Valley Hill Road	106						
705-60727-7	Flint River Road	104						
705-60727-8	Duplicate Sample Upper Riverdale	105						
705-60727-9	Upstream/Headwaters	108						
LCS 705-120738/1001	Lab Control Sample	102						
MB 705-120738/3	Method Blank	104						
Surrogate Legend								
BFB = 4-Bromofluorobenzene								

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)					
		TPHd14	NBZ	FBP			
Lab Sample ID	Client Sample ID	(64-135)	(50-150)	(50-150)			
705-60727-1	Quarry Outfall	69	104	96			
705-60727-2	OutFall FR-1/AATC	71	111	96			
705-60727-3	Forest Parkway	72	105	97			
705-60727-4	Lee's Bridge	77	108	99			
705-60727-5	Upper Riverdale Road	63 S1-	108	94			
705-60727-6	Valley Hill Road	68	109	93			
705-60727-7	Flint River Road	76	108	91			
705-60727-8	Duplicate Sample Upper Riverdale	86	109	93			
705-60727-8 MS	Duplicate Sample Upper Riverdale	62 S1-	108	95			
705-60727-8 MSD	Duplicate Sample Upper Riverdale	75	109	95			
705-60727-9	Upstream/Headwaters	103	105	94			
LCS 705-120757/2-A	Lab Control Sample	85	107	99			
MB 705-120757/1-A	Method Blank	84	102	96			
Surrogate Legend							
TPHd14 = p-Terphenyl-d14 (Surr)							
NBZ = Nitrobenzene-d5 (Surr)							
FBP = 2-Fluorobiphenyl							

Surrogate Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	lphthalate (52-134)
705-60727-1	Quarry Outfall	71
705-60727-2	OutFall FR-1/AATC	69
705-60727-3	Forest Parkway	71
705-60727-4	Lee's Bridge	87
705-60727-5	Upper Riverdale Road	91
705-60727-6	Valley Hill Road	72
705-60727-7	Flint River Road	76
705-60727-8	Duplicate Sample Upper Riverdale	66
705-60727-9	Upstream/Headwaters	92
LCS 705-120665/2-A	Lab Control Sample	81
LCSD 705-120665/3-A	Lab Control Sample Dup	87
MB 705-120665/1-A	Method Blank	96
Surrogate Legend		
Diethylphthalate (Surr) = Diethylphthalate (Surr)		

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-60727-1

Date Collected: 03/11/26 12:12

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 12:18
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120715	BH	EET ATL 2	03/16/26 15:09
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 16:35

Client Sample ID: OutFall FR-1/AATC

Lab Sample ID: 705-60727-2

Date Collected: 03/11/26 16:16

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 12:39
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120715	BH	EET ATL 2	03/16/26 15:43
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 17:02

Client Sample ID: Forest Parkway

Lab Sample ID: 705-60727-3

Date Collected: 03/11/26 16:55

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 13:43
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120715	BH	EET ATL 2	03/16/26 16:17
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 17:29

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-60727-4

Date Collected: 03/11/26 17:38

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 14:05
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120715	BH	EET ATL 2	03/16/26 16:50
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 17:57

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-60727-5

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 14:26

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-60727-5

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120709	BH	EET ATL 2	03/16/26 15:58
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 18:24

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-60727-6

Date Collected: 03/11/26 14:33

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 14:48
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120709	BH	EET ATL 2	03/16/26 16:31
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 18:52

Client Sample ID: Flint River Road

Lab Sample ID: 705-60727-7

Date Collected: 03/11/26 13:21

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 15:09
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:47
Total/NA	Analysis	8270E		1	120709	BH	EET ATL 2	03/16/26 17:03
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 19:19

Client Sample ID: Duplicate Sample Upper Riverdale

Lab Sample ID: 705-60727-8

Date Collected: 03/11/26 18:09

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 15:30
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:48
Total/NA	Analysis	8270E		1	120709	BH	EET ATL 2	03/16/26 14:21
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 19:46

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-60727-9

Date Collected: 03/11/26 15:07

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	120738	CN	EET ATL	03/16/26 15:52

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-60727-9

Date Collected: 03/11/26 15:07

Matrix: Water

Date Received: 03/12/26 12:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			120757	BH	EET ATL	03/16/26 11:48
Total/NA	Analysis	8270E		1	120715	BH	EET ATL 2	03/16/26 14:30
Total/NA	Prep	3510C			120665	SE	EET ATL	03/16/26 09:15
Total/NA	Analysis	8015C		1	120886	ID	EET ATL	03/16/26 20:14

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-120738/3

Matrix: Water

Analysis Batch: 120738

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			03/16/26 11:56	1
Toluene	ND		1.0	0.30	ug/L			03/16/26 11:56	1
Ethylbenzene	ND		1.0	0.38	ug/L			03/16/26 11:56	1
m,p-Xylene	ND		2.0	0.84	ug/L			03/16/26 11:56	1
o-Xylene	ND		1.0	0.50	ug/L			03/16/26 11:56	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		03/16/26 11:56	1

Lab Sample ID: LCS 705-120738/1001

Matrix: Water

Analysis Batch: 120738

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	46.1		ug/L		92	76 - 122
Toluene	50.0	54.5		ug/L		109	74 - 124
Ethylbenzene	50.0	54.1		ug/L		108	75 - 127
m,p-Xylene	100	110		ug/L		110	76 - 128
o-Xylene	50.0	51.9		ug/L		104	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	102		70 - 126

Lab Sample ID: 705-60727-1 MS

Matrix: Water

Analysis Batch: 120738

Client Sample ID: Quarry Outfall

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		50.0	47.9		ug/L		96	71 - 133
Toluene	ND		50.0	58.0		ug/L		116	72 - 134
Ethylbenzene	ND		50.0	56.0		ug/L		112	75 - 131
m,p-Xylene	ND		100	114		ug/L		114	73 - 133
o-Xylene	ND		50.0	55.2		ug/L		110	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Lab Sample ID: 705-60727-2 DU

Matrix: Water

Analysis Batch: 120738

Client Sample ID: OutFall FR-1/AATC

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	1.1		1.14		ug/L		6	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-60727-2 DU

Matrix: Water

Analysis Batch: 120738

Client Sample ID: OutFall FR-1/AATC

Prep Type: Total/NA

Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	107		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-120757/1-A

Matrix: Water

Analysis Batch: 120715

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 120757

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		03/16/26 11:47	03/16/26 13:23	1
Acenaphthylene	ND		1.0	0.021	ug/L		03/16/26 11:47	03/16/26 13:23	1
Anthracene	ND		0.050	0.019	ug/L		03/16/26 11:47	03/16/26 13:23	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		03/16/26 11:47	03/16/26 13:23	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		03/16/26 11:47	03/16/26 13:23	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		03/16/26 11:47	03/16/26 13:23	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		03/16/26 11:47	03/16/26 13:23	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		03/16/26 11:47	03/16/26 13:23	1
Chrysene	ND		0.050	0.020	ug/L		03/16/26 11:47	03/16/26 13:23	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		03/16/26 11:47	03/16/26 13:23	1
Fluoranthene	ND		0.10	0.027	ug/L		03/16/26 11:47	03/16/26 13:23	1
Fluorene	ND		0.10	0.028	ug/L		03/16/26 11:47	03/16/26 13:23	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		03/16/26 11:47	03/16/26 13:23	1
Naphthalene	ND		0.50	0.026	ug/L		03/16/26 11:47	03/16/26 13:23	1
Phenanthrene	ND		0.050	0.027	ug/L		03/16/26 11:47	03/16/26 13:23	1
Pyrene	ND		0.050	0.035	ug/L		03/16/26 11:47	03/16/26 13:23	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		03/16/26 11:47	03/16/26 13:23	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		03/16/26 11:47	03/16/26 13:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	84		64 - 135	03/16/26 11:47	03/16/26 13:23	1
Nitrobenzene-d5 (Surr)	102		50 - 150	03/16/26 11:47	03/16/26 13:23	1
2-Fluorobiphenyl	96		50 - 150	03/16/26 11:47	03/16/26 13:23	1

Lab Sample ID: LCS 705-120757/2-A

Matrix: Water

Analysis Batch: 120715

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 120757

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	11.1		ug/L		97	71 - 124
Acenaphthylene	11.4	11.3		ug/L		99	70 - 128
Anthracene	11.4	11.5		ug/L		101	74 - 121
Benzo[a]anthracene	11.4	10.3		ug/L		90	72 - 133
Benzo[a]pyrene	11.4	10.2		ug/L		90	70 - 131
Benzo[b]fluoranthene	11.4	9.93		ug/L		87	70 - 129
Benzo[g,h,i]perylene	11.4	9.37		ug/L		82	70 - 130
Benzo[k]fluoranthene	11.4	10.3		ug/L		90	70 - 130
Chrysene	11.4	10.5		ug/L		92	74 - 132
Dibenz(a,h)anthracene	11.4	10.0		ug/L		88	70 - 130

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-120757/2-A

Matrix: Water

Analysis Batch: 120715

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 120757

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoranthene	11.4	11.0		ug/L		96	78 - 130
Fluorene	11.4	11.1		ug/L		97	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	10.3		ug/L		90	69 - 126
Naphthalene	11.4	10.9		ug/L		95	67 - 127
Phenanthrene	11.4	11.3		ug/L		98	70 - 130
Pyrene	11.4	11.7		ug/L		102	73 - 131
1-Methylnaphthalene	11.4	10.1		ug/L		89	73 - 127
2-Methylnaphthalene	11.4	10.0		ug/L		88	70 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	85		64 - 135
Nitrobenzene-d5 (Surr)	107		50 - 150
2-Fluorobiphenyl	99		50 - 150

Lab Sample ID: 705-60727-8 MS

Matrix: Water

Analysis Batch: 120709

Client Sample ID: Duplicate Sample Upper Riverdale

Prep Type: Total/NA

Prep Batch: 120757

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	ND		12.0	12.1		ug/L		101	64 - 123
Acenaphthylene	ND		12.0	12.6		ug/L		105	63 - 127
Anthracene	ND		12.0	12.2		ug/L		101	68 - 128
Benzo[a]anthracene	ND		12.0	11.5		ug/L		96	72 - 135
Benzo[a]pyrene	ND		12.0	10.4		ug/L		86	57 - 127
Benzo[b]fluoranthene	ND		12.0	10.2		ug/L		85	50 - 131
Benzo[g,h,i]perylene	ND		12.0	10.4		ug/L		87	58 - 129
Benzo[k]fluoranthene	ND		12.0	10.2		ug/L		85	60 - 134
Chrysene	ND		12.0	10.3		ug/L		85	70 - 130
Dibenz(a,h)anthracene	ND		12.0	10.4		ug/L		87	51 - 131
Fluoranthene	ND		12.0	11.8		ug/L		98	74 - 136
Fluorene	ND		12.0	12.2		ug/L		101	69 - 128
Indeno[1,2,3-cd]pyrene	ND		12.0	11.0		ug/L		91	54 - 127
Naphthalene	ND		12.0	11.7		ug/L		98	57 - 129
Phenanthrene	ND		12.0	13.1		ug/L		109	68 - 131
Pyrene	ND		12.0	11.9		ug/L		99	72 - 139
1-Methylnaphthalene	ND		12.0	11.7		ug/L		98	61 - 130
2-Methylnaphthalene	ND		12.0	11.5		ug/L		95	60 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
p-Terphenyl-d14 (Surr)	62	S1-	64 - 135
Nitrobenzene-d5 (Surr)	108		50 - 150
2-Fluorobiphenyl	95		50 - 150

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: 705-60727-8 MSD

Matrix: Water

Analysis Batch: 120709

Client Sample ID: Duplicate Sample Upper Riverdale

Prep Type: Total/NA

Prep Batch: 120757

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	ND		12.1	12.7		ug/L		104	64 - 123	4	26
Acenaphthylene	ND		12.1	13.0		ug/L		108	63 - 127	4	32
Anthracene	ND		12.1	12.3		ug/L		101	68 - 128	1	22
Benzo[a]anthracene	ND		12.1	11.7		ug/L		97	72 - 135	2	20
Benzo[a]pyrene	ND		12.1	11.4		ug/L		94	57 - 127	9	21
Benzo[b]fluoranthene	ND		12.1	11.5		ug/L		95	50 - 131	12	33
Benzo[g,h,i]perylene	ND		12.1	11.5		ug/L		95	58 - 129	10	26
Benzo[k]fluoranthene	ND		12.1	11.1		ug/L		92	60 - 134	9	20
Chrysene	ND		12.1	12.0		ug/L		99	70 - 130	16	20
Dibenz(a,h)anthracene	ND		12.1	11.5		ug/L		95	51 - 131	10	25
Fluoranthene	ND		12.1	12.1		ug/L		99	74 - 136	2	20
Fluorene	ND		12.1	12.6		ug/L		104	69 - 128	3	22
Indeno[1,2,3-cd]pyrene	ND		12.1	12.1		ug/L		100	54 - 127	9	33
Naphthalene	ND		12.1	12.1		ug/L		100	57 - 129	3	40
Phenanthrene	ND		12.1	12.7		ug/L		105	68 - 131	3	19
Pyrene	ND		12.1	12.3		ug/L		101	72 - 139	3	28
1-Methylnaphthalene	ND		12.1	11.9		ug/L		98	61 - 130	2	32
2-Methylnaphthalene	ND		12.1	11.7		ug/L		96	60 - 132	2	34

Surrogate	MSD %Recovery	MSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	75		64 - 135
Nitrobenzene-d5 (Surr)	109		50 - 150
2-Fluorobiphenyl	95		50 - 150

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-120665/1-A

Matrix: Water

Analysis Batch: 120886

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 120665

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		03/16/26 09:15	03/16/26 15:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	96		52 - 134	03/16/26 09:15	03/16/26 15:13	1

Lab Sample ID: LCS 705-120665/2-A

Matrix: Water

Analysis Batch: 120886

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 120665

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	1.00	0.825		mg/L		82	50 - 123

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Diethylphthalate (Surr)	81		52 - 134

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics) (Continued)

Lab Sample ID: LCSD 705-120665/3-A

Matrix: Water

Analysis Batch: 120886

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 120665

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	0.826		mg/L		83	50 - 123	0	21

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Diethylphthalate (Surr)	87		52 - 134

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-60727-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-60727-1	Quarry Outfall	Water	03/11/26 12:12	03/12/26 12:15	Georgia (St)
705-60727-2	OutFall FR-1/AATC	Water	03/11/26 16:16	03/12/26 12:15	Georgia (St)
705-60727-3	Forest Parkway	Water	03/11/26 16:55	03/12/26 12:15	Georgia (St)
705-60727-4	Lee's Bridge	Water	03/11/26 17:38	03/12/26 12:15	Georgia (St)
705-60727-5	Upper Riverdale Road	Water	03/11/26 18:09	03/12/26 12:15	Georgia (St)
705-60727-6	Valley Hill Road	Water	03/11/26 14:33	03/12/26 12:15	Georgia (St)
705-60727-7	Flint River Road	Water	03/11/26 13:21	03/12/26 12:15	Georgia (St)
705-60727-8	Duplicate Sample Upper Riverdale	Water	03/11/26 18:09	03/12/26 12:15	Georgia (St)
705-60727-9	Upstream/Headwaters	Water	03/11/26 15:07	03/12/26 12:15	Georgia (St)

END OF REPORT