

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia (St) 30354

Generated 4/17/2026 10:59:39 AM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-63889-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
4/17/2026 10:59:39 AM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Definitions/Glossary	8
Client Sample Results	9
QC Sample Results	18
QC Association Summary	23
Lab Chronicle	25
Method Summary	28
Certification Summary	29
Chain of Custody	30
Receipt Checklists	31
End Of Report	32

Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-63889-1

Job ID: 705-63889-1

Eurofins Atlanta

Job Narrative 705-63889-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/15/2026 4:43 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.9°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Forest Parkway (705-63889-3), Lee's Bridge (705-63889-4), Upper Riverdale Road (705-63889-5), Valley Hill Road (705-63889-6) and Flint River Road (705-63889-7). These results have been reported and qualified.

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: Duplicate Sample (705-63889-8). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-63889-1	Quarry Outfall	Water	04/15/26 11:05	04/15/26 16:43	Georgia (St)
705-63889-2	Outfall FR-1/AATC	Water	04/15/26 14:40	04/15/26 16:43	Georgia (St)
705-63889-3	Forest Parkway	Water	04/15/26 14:21	04/15/26 16:43	Georgia (St)
705-63889-4	Lee's Bridge	Water	04/15/26 14:03	04/15/26 16:43	Georgia (St)
705-63889-5	Upper Riverdale Road	Water	04/15/26 13:26	04/15/26 16:43	Georgia (St)
705-63889-6	Valley Hill Road	Water	04/15/26 13:02	04/15/26 16:43	Georgia (St)
705-63889-7	Flint River Road	Water	04/15/26 12:37	04/15/26 16:43	Georgia (St)
705-63889-8	Duplicate Sample	Water	04/15/26 14:06	04/15/26 16:43	Georgia (St)
705-63889-9	Upstream/Headwaters	Water	04/15/26 11:26	04/15/26 16:43	Georgia (St)

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-63889-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.2		1.0	0.30	ug/L	1		8260D	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-63889-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.062	J	0.52	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.062		0.052	0.028	ug/L	1		8270E	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-63889-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.1		1.0	0.30	ug/L	1		8260D	Total/NA
Naphthalene	0.054	J	0.50	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.035	J	0.050	0.027	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.081	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-63889-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.5		1.0	0.30	ug/L	1		8260D	Total/NA
Naphthalene	0.043	J	0.48	0.025	ug/L	1		8270E	Total/NA
Phenanthrene	0.027	J	0.048	0.026	ug/L	1		8270E	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-63889-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.6		1.0	0.30	ug/L	1		8260D	Total/NA
Naphthalene	0.036	J	0.49	0.026	ug/L	1		8270E	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-63889-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.2		1.0	0.30	ug/L	1		8260D	Total/NA
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-63889-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.0		1.0	0.30	ug/L	1		8260D	Total/NA
Benzo[a]anthracene	0.22		0.051	0.026	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.45		0.051	0.024	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.89		0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[g,h,i]perylene	0.52		0.10	0.051	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.40		0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.70		0.051	0.020	ug/L	1		8270E	Total/NA
Dibenz(a,h)anthracene	0.059	J	0.10	0.032	ug/L	1		8270E	Total/NA
Fluoranthene	0.97		0.10	0.027	ug/L	1		8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.41		0.051	0.031	ug/L	1		8270E	Total/NA
Phenanthrene	0.34		0.051	0.027	ug/L	1		8270E	Total/NA
Pyrene	0.72		0.051	0.036	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L	1		8015C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-63889-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	1.2		1.0	0.30	ug/L	1		8260D	Total/NA
1-Methylnaphthalene	0.049	J	0.50	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	0.057	J	0.50	0.038	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-63889-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.83	J	1.0	0.30	ug/L	1		8260D	Total/NA
Benzo[b]fluoranthene	0.099	J	0.11	0.025	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.037	J	0.055	0.017	ug/L	1		8270E	Total/NA
Chrysene	0.12		0.055	0.022	ug/L	1		8270E	Total/NA
Fluoranthene	0.25		0.11	0.030	ug/L	1		8270E	Total/NA
Phenanthrene	0.13		0.055	0.030	ug/L	1		8270E	Total/NA
Pyrene	0.13		0.055	0.039	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-63889-1

Date Collected: 04/15/26 11:05

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 19:21	1
Toluene	1.2		1.0	0.30	ug/L			04/15/26 19:21	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 19:21	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 19:21	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 19:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126		04/15/26 19:21	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.55	0.025	ug/L		04/15/26 18:28	04/16/26 13:07	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/15/26 18:28	04/16/26 13:07	1
Anthracene	ND		0.055	0.021	ug/L		04/15/26 18:28	04/16/26 13:07	1
Benzo[a]anthracene	ND		0.055	0.029	ug/L		04/15/26 18:28	04/16/26 13:07	1
Benzo[a]pyrene	ND		0.055	0.026	ug/L		04/15/26 18:28	04/16/26 13:07	1
Benzo[b]fluoranthene	ND		0.11	0.025	ug/L		04/15/26 18:28	04/16/26 13:07	1
Benzo[g,h,i]perylene	ND		0.11	0.055	ug/L		04/15/26 18:28	04/16/26 13:07	1
Benzo[k]fluoranthene	ND		0.055	0.017	ug/L		04/15/26 18:28	04/16/26 13:07	1
Chrysene	ND		0.055	0.022	ug/L		04/15/26 18:28	04/16/26 13:07	1
Dibenz(a,h)anthracene	ND		0.11	0.034	ug/L		04/15/26 18:28	04/16/26 13:07	1
Fluoranthene	ND		0.11	0.030	ug/L		04/15/26 18:28	04/16/26 13:07	1
Fluorene	ND		0.11	0.031	ug/L		04/15/26 18:28	04/16/26 13:07	1
Indeno[1,2,3-cd]pyrene	ND		0.055	0.033	ug/L		04/15/26 18:28	04/16/26 13:07	1
Naphthalene	ND		0.55	0.029	ug/L		04/15/26 18:28	04/16/26 13:07	1
Phenanthrene	ND		0.055	0.030	ug/L		04/15/26 18:28	04/16/26 13:07	1
Pyrene	ND		0.055	0.039	ug/L		04/15/26 18:28	04/16/26 13:07	1
1-Methylnaphthalene	ND		0.55	0.033	ug/L		04/15/26 18:28	04/16/26 13:07	1
2-Methylnaphthalene	ND		0.55	0.042	ug/L		04/15/26 18:28	04/16/26 13:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	75		64 - 135	04/15/26 18:28	04/16/26 13:07	1
Nitrobenzene-d5 (Surr)	104		50 - 150	04/15/26 18:28	04/16/26 13:07	1
2-Fluorobiphenyl	99		50 - 150	04/15/26 18:28	04/16/26 13:07	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/16/26 08:17	04/16/26 14:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	102		52 - 134	04/16/26 08:17	04/16/26 14:22	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-63889-2

Date Collected: 04/15/26 14:40

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 19:43	1
Toluene	ND		1.0	0.30	ug/L			04/15/26 19:43	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 19:43	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-63889-2

Date Collected: 04/15/26 14:40

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 19:43	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 19:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126					04/15/26 19:43	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.52	0.024	ug/L		04/15/26 18:28	04/16/26 13:41	1
Acenaphthylene	ND		1.0	0.022	ug/L		04/15/26 18:28	04/16/26 13:41	1
Anthracene	ND		0.052	0.020	ug/L		04/15/26 18:28	04/16/26 13:41	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		04/15/26 18:28	04/16/26 13:41	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		04/15/26 18:28	04/16/26 13:41	1
Benzo[b]fluoranthene	ND		0.10	0.024	ug/L		04/15/26 18:28	04/16/26 13:41	1
Benzo[g,h,i]perylene	ND		0.10	0.052	ug/L		04/15/26 18:28	04/16/26 13:41	1
Benzo[k]fluoranthene	ND		0.052	0.015	ug/L		04/15/26 18:28	04/16/26 13:41	1
Chrysene	ND		0.052	0.021	ug/L		04/15/26 18:28	04/16/26 13:41	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		04/15/26 18:28	04/16/26 13:41	1
Fluoranthene	ND		0.10	0.028	ug/L		04/15/26 18:28	04/16/26 13:41	1
Fluorene	ND		0.10	0.029	ug/L		04/15/26 18:28	04/16/26 13:41	1
Indeno[1,2,3-cd]pyrene	ND		0.052	0.031	ug/L		04/15/26 18:28	04/16/26 13:41	1
Naphthalene	0.062	J	0.52	0.027	ug/L		04/15/26 18:28	04/16/26 13:41	1
Phenanthrene	0.062		0.052	0.028	ug/L		04/15/26 18:28	04/16/26 13:41	1
Pyrene	ND		0.052	0.036	ug/L		04/15/26 18:28	04/16/26 13:41	1
1-Methylnaphthalene	ND		0.52	0.031	ug/L		04/15/26 18:28	04/16/26 13:41	1
2-Methylnaphthalene	ND		0.52	0.039	ug/L		04/15/26 18:28	04/16/26 13:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	72		64 - 135				04/15/26 18:28	04/16/26 13:41	1
Nitrobenzene-d5 (Surr)	110		50 - 150				04/15/26 18:28	04/16/26 13:41	1
2-Fluorobiphenyl	111		50 - 150				04/15/26 18:28	04/16/26 13:41	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/16/26 08:17	04/16/26 14:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	81		52 - 134				04/16/26 08:17	04/16/26 14:50	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-63889-3

Date Collected: 04/15/26 14:21

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 20:06	1
Toluene	1.1		1.0	0.30	ug/L			04/15/26 20:06	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 20:06	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 20:06	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 20:06	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-63889-3

Date Collected: 04/15/26 14:21

Matrix: Water

Date Received: 04/15/26 16:43

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126		04/15/26 20:06	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		04/15/26 18:28	04/16/26 14:16	1
Acenaphthylene	ND		0.99	0.021	ug/L		04/15/26 18:28	04/16/26 14:16	1
Anthracene	ND		0.050	0.019	ug/L		04/15/26 18:28	04/16/26 14:16	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		04/15/26 18:28	04/16/26 14:16	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		04/15/26 18:28	04/16/26 14:16	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		04/15/26 18:28	04/16/26 14:16	1
Benzo[g,h,i]perylene	ND		0.099	0.050	ug/L		04/15/26 18:28	04/16/26 14:16	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		04/15/26 18:28	04/16/26 14:16	1
Chrysene	ND		0.050	0.020	ug/L		04/15/26 18:28	04/16/26 14:16	1
Dibenz(a,h)anthracene	ND		0.099	0.031	ug/L		04/15/26 18:28	04/16/26 14:16	1
Fluoranthene	ND		0.099	0.027	ug/L		04/15/26 18:28	04/16/26 14:16	1
Fluorene	ND		0.099	0.028	ug/L		04/15/26 18:28	04/16/26 14:16	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		04/15/26 18:28	04/16/26 14:16	1
Naphthalene	0.054	J	0.50	0.026	ug/L		04/15/26 18:28	04/16/26 14:16	1
Phenanthrene	0.035	J	0.050	0.027	ug/L		04/15/26 18:28	04/16/26 14:16	1
Pyrene	ND		0.050	0.035	ug/L		04/15/26 18:28	04/16/26 14:16	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		04/15/26 18:28	04/16/26 14:16	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		04/15/26 18:28	04/16/26 14:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	51	S1-	64 - 135	04/15/26 18:28	04/16/26 14:16	1
Nitrobenzene-d5 (Surr)	106		50 - 150	04/15/26 18:28	04/16/26 14:16	1
2-Fluorobiphenyl	105		50 - 150	04/15/26 18:28	04/16/26 14:16	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.081	J	0.20	0.079	mg/L		04/16/26 08:17	04/16/26 16:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	52		52 - 134	04/16/26 08:17	04/16/26 16:00	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-63889-4

Date Collected: 04/15/26 14:03

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 20:28	1
Toluene	1.5		1.0	0.30	ug/L			04/15/26 20:28	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 20:28	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 20:28	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 20:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	98		70 - 126		04/15/26 20:28	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-63889-4

Date Collected: 04/15/26 14:03

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.48	0.022	ug/L		04/15/26 18:28	04/16/26 14:50	1
Acenaphthylene	ND		0.97	0.020	ug/L		04/15/26 18:28	04/16/26 14:50	1
Anthracene	ND		0.048	0.018	ug/L		04/15/26 18:28	04/16/26 14:50	1
Benzo[a]anthracene	ND		0.048	0.025	ug/L		04/15/26 18:28	04/16/26 14:50	1
Benzo[a]pyrene	ND		0.048	0.023	ug/L		04/15/26 18:28	04/16/26 14:50	1
Benzo[b]fluoranthene	ND		0.097	0.022	ug/L		04/15/26 18:28	04/16/26 14:50	1
Benzo[g,h,i]perylene	ND		0.097	0.048	ug/L		04/15/26 18:28	04/16/26 14:50	1
Benzo[k]fluoranthene	ND		0.048	0.015	ug/L		04/15/26 18:28	04/16/26 14:50	1
Chrysene	ND		0.048	0.019	ug/L		04/15/26 18:28	04/16/26 14:50	1
Dibenz(a,h)anthracene	ND		0.097	0.030	ug/L		04/15/26 18:28	04/16/26 14:50	1
Fluoranthene	ND		0.097	0.026	ug/L		04/15/26 18:28	04/16/26 14:50	1
Fluorene	ND		0.097	0.027	ug/L		04/15/26 18:28	04/16/26 14:50	1
Indeno[1,2,3-cd]pyrene	ND		0.048	0.029	ug/L		04/15/26 18:28	04/16/26 14:50	1
Naphthalene	0.043	J	0.48	0.025	ug/L		04/15/26 18:28	04/16/26 14:50	1
Phenanthrene	0.027	J	0.048	0.026	ug/L		04/15/26 18:28	04/16/26 14:50	1
Pyrene	ND		0.048	0.034	ug/L		04/15/26 18:28	04/16/26 14:50	1
1-Methylnaphthalene	ND		0.48	0.029	ug/L		04/15/26 18:28	04/16/26 14:50	1
2-Methylnaphthalene	ND		0.48	0.037	ug/L		04/15/26 18:28	04/16/26 14:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	41	S1-	64 - 135	04/15/26 18:28	04/16/26 14:50	1
Nitrobenzene-d5 (Surr)	104		50 - 150	04/15/26 18:28	04/16/26 14:50	1
2-Fluorobiphenyl	108		50 - 150	04/15/26 18:28	04/16/26 14:50	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/16/26 08:17	04/16/26 13:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	77		52 - 134	04/16/26 08:17	04/16/26 13:01	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-63889-5

Date Collected: 04/15/26 13:26

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 19:34	1
Toluene	1.6		1.0	0.30	ug/L			04/15/26 19:34	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 19:34	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 19:34	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 19:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126		04/15/26 19:34	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.49	0.023	ug/L		04/15/26 18:28	04/16/26 15:23	1
Acenaphthylene	ND		0.99	0.021	ug/L		04/15/26 18:28	04/16/26 15:23	1
Anthracene	ND		0.049	0.019	ug/L		04/15/26 18:28	04/16/26 15:23	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-63889-5

Date Collected: 04/15/26 13:26

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.049	0.026	ug/L		04/15/26 18:28	04/16/26 15:23	1
Benzo[a]pyrene	ND		0.049	0.024	ug/L		04/15/26 18:28	04/16/26 15:23	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		04/15/26 18:28	04/16/26 15:23	1
Benzo[g,h,i]perylene	ND		0.099	0.049	ug/L		04/15/26 18:28	04/16/26 15:23	1
Benzo[k]fluoranthene	ND		0.049	0.015	ug/L		04/15/26 18:28	04/16/26 15:23	1
Chrysene	ND		0.049	0.020	ug/L		04/15/26 18:28	04/16/26 15:23	1
Dibenz(a,h)anthracene	ND		0.099	0.031	ug/L		04/15/26 18:28	04/16/26 15:23	1
Fluoranthene	ND		0.099	0.027	ug/L		04/15/26 18:28	04/16/26 15:23	1
Fluorene	ND		0.099	0.028	ug/L		04/15/26 18:28	04/16/26 15:23	1
Indeno[1,2,3-cd]pyrene	ND		0.049	0.030	ug/L		04/15/26 18:28	04/16/26 15:23	1
Naphthalene	0.036	J	0.49	0.026	ug/L		04/15/26 18:28	04/16/26 15:23	1
Phenanthrene	ND		0.049	0.027	ug/L		04/15/26 18:28	04/16/26 15:23	1
Pyrene	ND		0.049	0.035	ug/L		04/15/26 18:28	04/16/26 15:23	1
1-Methylnaphthalene	ND		0.49	0.030	ug/L		04/15/26 18:28	04/16/26 15:23	1
2-Methylnaphthalene	ND		0.49	0.037	ug/L		04/15/26 18:28	04/16/26 15:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	52	S1-	64 - 135				04/15/26 18:28	04/16/26 15:23	1
Nitrobenzene-d5 (Surr)	105		50 - 150				04/15/26 18:28	04/16/26 15:23	1
2-Fluorobiphenyl	106		50 - 150				04/15/26 18:28	04/16/26 15:23	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/16/26 08:17	04/16/26 13:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	70		52 - 134				04/16/26 08:17	04/16/26 13:30	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-63889-6

Date Collected: 04/15/26 13:02

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 19:56	1
Toluene	1.2		1.0	0.30	ug/L			04/15/26 19:56	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 19:56	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 19:56	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 19:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	105		70 - 126					04/15/26 19:56	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.49	0.023	ug/L		04/15/26 18:28	04/16/26 15:57	1
Acenaphthylene	ND		0.99	0.021	ug/L		04/15/26 18:28	04/16/26 15:57	1
Anthracene	ND		0.049	0.019	ug/L		04/15/26 18:28	04/16/26 15:57	1
Benzo[a]anthracene	ND		0.049	0.026	ug/L		04/15/26 18:28	04/16/26 15:57	1
Benzo[a]pyrene	ND		0.049	0.024	ug/L		04/15/26 18:28	04/16/26 15:57	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		04/15/26 18:28	04/16/26 15:57	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-63889-6

Date Collected: 04/15/26 13:02

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.099	0.049	ug/L		04/15/26 18:28	04/16/26 15:57	1
Benzo[k]fluoranthene	ND		0.049	0.015	ug/L		04/15/26 18:28	04/16/26 15:57	1
Chrysene	ND		0.049	0.020	ug/L		04/15/26 18:28	04/16/26 15:57	1
Dibenz(a,h)anthracene	ND		0.099	0.031	ug/L		04/15/26 18:28	04/16/26 15:57	1
Fluoranthene	ND		0.099	0.027	ug/L		04/15/26 18:28	04/16/26 15:57	1
Fluorene	ND		0.099	0.028	ug/L		04/15/26 18:28	04/16/26 15:57	1
Indeno[1,2,3-cd]pyrene	ND		0.049	0.030	ug/L		04/15/26 18:28	04/16/26 15:57	1
Naphthalene	ND		0.49	0.026	ug/L		04/15/26 18:28	04/16/26 15:57	1
Phenanthrene	ND		0.049	0.027	ug/L		04/15/26 18:28	04/16/26 15:57	1
Pyrene	ND		0.049	0.035	ug/L		04/15/26 18:28	04/16/26 15:57	1
1-Methylnaphthalene	ND		0.49	0.030	ug/L		04/15/26 18:28	04/16/26 15:57	1
2-Methylnaphthalene	ND		0.49	0.038	ug/L		04/15/26 18:28	04/16/26 15:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	54	S1-	64 - 135	04/15/26 18:28	04/16/26 15:57	1
Nitrobenzene-d5 (Surr)	102		50 - 150	04/15/26 18:28	04/16/26 15:57	1
2-Fluorobiphenyl	103		50 - 150	04/15/26 18:28	04/16/26 15:57	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L		04/16/26 08:17	04/16/26 13:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	127		52 - 134	04/16/26 08:17	04/16/26 13:58	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-63889-7

Date Collected: 04/15/26 12:37

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 20:18	1
Toluene	1.0		1.0	0.30	ug/L			04/15/26 20:18	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 20:18	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 20:18	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 20:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	107		70 - 126		04/15/26 20:18	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.51	0.023	ug/L		04/15/26 18:28	04/16/26 16:42	1
Acenaphthylene	ND		1.0	0.021	ug/L		04/15/26 18:28	04/16/26 16:42	1
Anthracene	ND		0.051	0.019	ug/L		04/15/26 18:28	04/16/26 16:42	1
Benzo[a]anthracene	0.22		0.051	0.026	ug/L		04/15/26 18:28	04/16/26 16:42	1
Benzo[a]pyrene	0.45		0.051	0.024	ug/L		04/15/26 18:28	04/16/26 16:42	1
Benzo[b]fluoranthene	0.89		0.10	0.023	ug/L		04/15/26 18:28	04/16/26 16:42	1
Benzo[g,h,i]perylene	0.52		0.10	0.051	ug/L		04/15/26 18:28	04/16/26 16:42	1
Benzo[k]fluoranthene	0.40		0.051	0.015	ug/L		04/15/26 18:28	04/16/26 16:42	1
Chrysene	0.70		0.051	0.020	ug/L		04/15/26 18:28	04/16/26 16:42	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-63889-7

Date Collected: 04/15/26 12:37

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	0.059	J	0.10	0.032	ug/L		04/15/26 18:28	04/16/26 16:42	1
Fluoranthene	0.97		0.10	0.027	ug/L		04/15/26 18:28	04/16/26 16:42	1
Fluorene	ND		0.10	0.028	ug/L		04/15/26 18:28	04/16/26 16:42	1
Indeno[1,2,3-cd]pyrene	0.41		0.051	0.031	ug/L		04/15/26 18:28	04/16/26 16:42	1
Naphthalene	ND		0.51	0.026	ug/L		04/15/26 18:28	04/16/26 16:42	1
Phenanthrene	0.34		0.051	0.027	ug/L		04/15/26 18:28	04/16/26 16:42	1
Pyrene	0.72		0.051	0.036	ug/L		04/15/26 18:28	04/16/26 16:42	1
1-Methylnaphthalene	ND		0.51	0.031	ug/L		04/15/26 18:28	04/16/26 16:42	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		04/15/26 18:28	04/16/26 16:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	56	S1-	64 - 135				04/15/26 18:28	04/16/26 16:42	1
Nitrobenzene-d5 (Surr)	101		50 - 150				04/15/26 18:28	04/16/26 16:42	1
2-Fluorobiphenyl	94		50 - 150				04/15/26 18:28	04/16/26 16:42	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.11	J	0.20	0.079	mg/L		04/16/26 08:17	04/16/26 14:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	71		52 - 134				04/16/26 08:17	04/16/26 14:27	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-63889-8

Date Collected: 04/15/26 14:06

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 20:40	1
Toluene	1.2		1.0	0.30	ug/L			04/15/26 20:40	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 20:40	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 20:40	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 20:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	110		70 - 126					04/15/26 20:40	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		04/15/26 18:28	04/16/26 15:36	1
Acenaphthylene	ND		0.99	0.021	ug/L		04/15/26 18:28	04/16/26 15:36	1
Anthracene	ND		0.050	0.019	ug/L		04/15/26 18:28	04/16/26 15:36	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		04/15/26 18:28	04/16/26 15:36	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		04/15/26 18:28	04/16/26 15:36	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		04/15/26 18:28	04/16/26 15:36	1
Benzo[g,h,i]perylene	ND		0.099	0.050	ug/L		04/15/26 18:28	04/16/26 15:36	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		04/15/26 18:28	04/16/26 15:36	1
Chrysene	ND		0.050	0.020	ug/L		04/15/26 18:28	04/16/26 15:36	1
Dibenz(a,h)anthracene	ND		0.099	0.031	ug/L		04/15/26 18:28	04/16/26 15:36	1
Fluoranthene	ND		0.099	0.027	ug/L		04/15/26 18:28	04/16/26 15:36	1
Fluorene	ND		0.099	0.028	ug/L		04/15/26 18:28	04/16/26 15:36	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Duplicate Sample

Date Collected: 04/15/26 14:06

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-8

Matrix: Water

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		04/15/26 18:28	04/16/26 15:36	1
Naphthalene	ND		0.50	0.026	ug/L		04/15/26 18:28	04/16/26 15:36	1
Phenanthrene	ND		0.050	0.027	ug/L		04/15/26 18:28	04/16/26 15:36	1
Pyrene	ND		0.050	0.035	ug/L		04/15/26 18:28	04/16/26 15:36	1
1-Methylnaphthalene	0.049	J	0.50	0.030	ug/L		04/15/26 18:28	04/16/26 15:36	1
2-Methylnaphthalene	0.057	J	0.50	0.038	ug/L		04/15/26 18:28	04/16/26 15:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	49	S1-	64 - 135	04/15/26 18:28	04/16/26 15:36	1
Nitrobenzene-d5 (Surr)	117		50 - 150	04/15/26 18:28	04/16/26 15:36	1
2-Fluorobiphenyl	107		50 - 150	04/15/26 18:28	04/16/26 15:36	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J	0.20	0.079	mg/L		04/16/26 08:17	04/16/26 14:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dioctylphthalate (Surr)	78		52 - 134	04/16/26 08:17	04/16/26 14:55	1

Client Sample ID: Upstream/Headwaters

Date Collected: 04/15/26 11:26

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-9

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 21:01	1
Toluene	0.83	J	1.0	0.30	ug/L			04/15/26 21:01	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 21:01	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 21:01	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 21:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		04/15/26 21:01	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.55	0.025	ug/L		04/15/26 18:28	04/16/26 17:15	1
Acenaphthylene	ND		1.1	0.023	ug/L		04/15/26 18:28	04/16/26 17:15	1
Anthracene	ND		0.055	0.021	ug/L		04/15/26 18:28	04/16/26 17:15	1
Benzo[a]anthracene	ND		0.055	0.029	ug/L		04/15/26 18:28	04/16/26 17:15	1
Benzo[a]pyrene	ND		0.055	0.026	ug/L		04/15/26 18:28	04/16/26 17:15	1
Benzo[b]fluoranthene	0.099	J	0.11	0.025	ug/L		04/15/26 18:28	04/16/26 17:15	1
Benzo[g,h,i]perylene	ND		0.11	0.055	ug/L		04/15/26 18:28	04/16/26 17:15	1
Benzo[k]fluoranthene	0.037	J	0.055	0.017	ug/L		04/15/26 18:28	04/16/26 17:15	1
Chrysene	0.12		0.055	0.022	ug/L		04/15/26 18:28	04/16/26 17:15	1
Dibenz(a,h)anthracene	ND		0.11	0.034	ug/L		04/15/26 18:28	04/16/26 17:15	1
Fluoranthene	0.25		0.11	0.030	ug/L		04/15/26 18:28	04/16/26 17:15	1
Fluorene	ND		0.11	0.031	ug/L		04/15/26 18:28	04/16/26 17:15	1
Indeno[1,2,3-cd]pyrene	ND		0.055	0.033	ug/L		04/15/26 18:28	04/16/26 17:15	1
Naphthalene	ND		0.55	0.029	ug/L		04/15/26 18:28	04/16/26 17:15	1
Phenanthrene	0.13		0.055	0.030	ug/L		04/15/26 18:28	04/16/26 17:15	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-63889-9

Date Collected: 04/15/26 11:26

Matrix: Water

Date Received: 04/15/26 16:43

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	0.13		0.055	0.039	ug/L		04/15/26 18:28	04/16/26 17:15	1
1-Methylnaphthalene	ND		0.55	0.033	ug/L		04/15/26 18:28	04/16/26 17:15	1
2-Methylnaphthalene	ND		0.55	0.042	ug/L		04/15/26 18:28	04/16/26 17:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	84		64 - 135				04/15/26 18:28	04/16/26 17:15	1
Nitrobenzene-d5 (Surr)	109		50 - 150				04/15/26 18:28	04/16/26 17:15	1
2-Fluorobiphenyl	104		50 - 150				04/15/26 18:28	04/16/26 17:15	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		04/16/26 08:17	04/16/26 15:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	90		52 - 134				04/16/26 08:17	04/16/26 15:24	1

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-128357/5

Matrix: Water

Analysis Batch: 128357

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 12:28	1
Toluene	ND		1.0	0.30	ug/L			04/15/26 12:28	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 12:28	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 12:28	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 12:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		04/15/26 12:28	1

Lab Sample ID: LCS 705-128357/1002

Matrix: Water

Analysis Batch: 128357

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	21.9		ug/L		110	76 - 122
Toluene	20.0	20.5		ug/L		103	74 - 124
Ethylbenzene	20.0	20.0		ug/L		100	75 - 127
m,p-Xylene	20.0	20.7		ug/L		104	76 - 128
o-Xylene	20.0	21.7		ug/L		108	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	106		70 - 126

Lab Sample ID: 752-43510-C-1 MS

Matrix: Water

Analysis Batch: 128357

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		20.0	24.0		ug/L		120	71 - 133
Toluene	ND		20.0	22.3		ug/L		112	72 - 134
Ethylbenzene	ND		20.0	23.5		ug/L		118	75 - 131
m,p-Xylene	ND		20.0	23.2		ug/L		116	73 - 133
o-Xylene	ND		20.0	23.4		ug/L		117	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	108		70 - 126

Lab Sample ID: 705-63346-A-1 DU

Matrix: Water

Analysis Batch: 128357

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-63346-A-1 DU

Matrix: Water

Analysis Batch: 128357

Client Sample ID: Duplicate

Prep Type: Total/NA

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	105		70 - 126

Lab Sample ID: MB 705-128362/5

Matrix: Water

Analysis Batch: 128362

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			04/15/26 12:35	1
Toluene	ND		1.0	0.30	ug/L			04/15/26 12:35	1
Ethylbenzene	ND		1.0	0.38	ug/L			04/15/26 12:35	1
m,p-Xylene	ND		2.0	0.84	ug/L			04/15/26 12:35	1
o-Xylene	ND		1.0	0.50	ug/L			04/15/26 12:35	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene	99		70 - 126				04/15/26 12:35	1	

Lab Sample ID: LCS 705-128362/1003

Matrix: Water

Analysis Batch: 128362

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LCS					%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Benzene	20.0	21.7		ug/L		109	76 - 122		
Toluene	20.0	22.9		ug/L		115	74 - 124		
Ethylbenzene	20.0	23.0		ug/L		115	75 - 127		
m,p-Xylene	20.0	23.3		ug/L		117	76 - 128		
o-Xylene	20.0	23.2		ug/L		116	78 - 124		

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	104		70 - 126

Lab Sample ID: 705-63589-A-20 MS

Matrix: Water

Analysis Batch: 128362

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	Sample	Sample	Spike	MS	MS			%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	ND		20.0	22.5		ug/L		112	71 - 133
Toluene	ND		20.0	23.6		ug/L		118	72 - 134
Ethylbenzene	ND		20.0	24.4		ug/L		122	75 - 131
m,p-Xylene	ND		20.0	24.3		ug/L		121	73 - 133
o-Xylene	ND		20.0	23.9		ug/L		120	73 - 132

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-63589-A-23 DU

Matrix: Water

Analysis Batch: 128362

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	ND		ND		ug/L		NC	28

Surrogate	%Recovery	DU Qualifier	Limits
4-Bromofluorobenzene	99		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-128570/1-A

Matrix: Water

Analysis Batch: 128681

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 128570

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		04/15/26 18:28	04/16/26 11:26	1
Acenaphthylene	ND		1.0	0.021	ug/L		04/15/26 18:28	04/16/26 11:26	1
Anthracene	ND		0.050	0.019	ug/L		04/15/26 18:28	04/16/26 11:26	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		04/15/26 18:28	04/16/26 11:26	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		04/15/26 18:28	04/16/26 11:26	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		04/15/26 18:28	04/16/26 11:26	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		04/15/26 18:28	04/16/26 11:26	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		04/15/26 18:28	04/16/26 11:26	1
Chrysene	ND		0.050	0.020	ug/L		04/15/26 18:28	04/16/26 11:26	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		04/15/26 18:28	04/16/26 11:26	1
Fluoranthene	ND		0.10	0.027	ug/L		04/15/26 18:28	04/16/26 11:26	1
Fluorene	ND		0.10	0.028	ug/L		04/15/26 18:28	04/16/26 11:26	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		04/15/26 18:28	04/16/26 11:26	1
Naphthalene	ND		0.50	0.026	ug/L		04/15/26 18:28	04/16/26 11:26	1
Phenanthrene	ND		0.050	0.027	ug/L		04/15/26 18:28	04/16/26 11:26	1
Pyrene	ND		0.050	0.035	ug/L		04/15/26 18:28	04/16/26 11:26	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		04/15/26 18:28	04/16/26 11:26	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		04/15/26 18:28	04/16/26 11:26	1

Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	93		64 - 135	04/15/26 18:28	04/16/26 11:26	1
Nitrobenzene-d5 (Surr)	111		50 - 150	04/15/26 18:28	04/16/26 11:26	1
2-Fluorobiphenyl	108		50 - 150	04/15/26 18:28	04/16/26 11:26	1

Lab Sample ID: LCS 705-128570/2-A

Matrix: Water

Analysis Batch: 128681

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 128570

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	12.2		ug/L		107	71 - 124
Acenaphthylene	11.4	12.7		ug/L		111	70 - 128
Anthracene	11.4	11.8		ug/L		104	74 - 121

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-128570/2-A

Matrix: Water

Analysis Batch: 128681

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 128570

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzo[a]anthracene	11.4	10.8		ug/L		94	72 - 133
Benzo[a]pyrene	11.4	10.0		ug/L		88	70 - 131
Benzo[b]fluoranthene	11.4	11.3		ug/L		99	70 - 129
Benzo[g,h,i]perylene	11.4	9.83		ug/L		86	70 - 130
Benzo[k]fluoranthene	11.4	10.0		ug/L		88	70 - 130
Chrysene	11.4	10.9		ug/L		96	74 - 132
Dibenz(a,h)anthracene	11.4	10.2		ug/L		89	70 - 130
Fluoranthene	11.4	11.2		ug/L		98	78 - 130
Fluorene	11.4	11.8		ug/L		104	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	10.0		ug/L		88	69 - 126
Naphthalene	11.4	11.5		ug/L		101	67 - 127
Phenanthrene	11.4	12.0		ug/L		105	70 - 130
Pyrene	11.4	10.6		ug/L		93	73 - 131
1-Methylnaphthalene	11.4	11.4		ug/L		99	73 - 127
2-Methylnaphthalene	11.4	10.9		ug/L		96	70 - 127

Surrogate	LCS %Recovery	LCS Qualifier	Limits
p-Terphenyl-d14 (Surr)	84		64 - 135
Nitrobenzene-d5 (Surr)	112		50 - 150
2-Fluorobiphenyl	102		50 - 150

Lab Sample ID: LCSD 705-128570/3-A

Matrix: Water

Analysis Batch: 128681

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 128570

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	12.3		ug/L		107	71 - 124	1	12
Acenaphthylene	11.4	12.7		ug/L		111	70 - 128	0	12
Anthracene	11.4	12.1		ug/L		106	74 - 121	3	15
Benzo[a]anthracene	11.4	10.5		ug/L		92	72 - 133	3	19
Benzo[a]pyrene	11.4	9.83		ug/L		86	70 - 131	2	13
Benzo[b]fluoranthene	11.4	11.0		ug/L		96	70 - 129	3	35
Benzo[g,h,i]perylene	11.4	9.59		ug/L		84	70 - 130	3	12
Benzo[k]fluoranthene	11.4	9.61		ug/L		84	70 - 130	4	15
Chrysene	11.4	10.5		ug/L		92	74 - 132	4	10
Dibenz(a,h)anthracene	11.4	9.86		ug/L		86	70 - 130	3	17
Fluoranthene	11.4	11.6		ug/L		101	78 - 130	4	16
Fluorene	11.4	11.9		ug/L		104	71 - 130	1	14
Indeno[1,2,3-cd]pyrene	11.4	9.76		ug/L		85	69 - 126	3	12
Naphthalene	11.4	11.6		ug/L		101	67 - 127	0	13
Phenanthrene	11.4	12.3		ug/L		108	70 - 130	3	12
Pyrene	11.4	10.8		ug/L		94	73 - 131	2	10
1-Methylnaphthalene	11.4	11.2		ug/L		98	73 - 127	2	16
2-Methylnaphthalene	11.4	10.8		ug/L		95	70 - 127	1	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	81		64 - 135
Nitrobenzene-d5 (Surr)	110		50 - 150

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCSD 705-128570/3-A

Matrix: Water

Analysis Batch: 128681

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 128570

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl	103		50 - 150

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-128626/1-A

Matrix: Water

Analysis Batch: 128735

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 128626

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	Result	Qualifier					04/16/26 08:17	04/16/26 12:59	1
	ND		0.20	0.079	mg/L				

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	%Recovery	Qualifier		04/16/26 08:17	04/16/26 12:59	1
	66		52 - 134			

Lab Sample ID: LCS 705-128626/2-A

Matrix: Water

Analysis Batch: 128735

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 128626

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Diesel Range Organics [C10-C28]	Added	Result	Qualifier			78	Limits
	1.00	0.779		mg/L			50 - 123

Surrogate	LCS	LCS	Limits
Diethylphthalate (Surr)	%Recovery	Qualifier	
	83		52 - 134

Lab Sample ID: LCSD 705-128626/3-A

Matrix: Water

Analysis Batch: 128735

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 128626

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD
Diesel Range Organics [C10-C28]	Added	Result	Qualifier			81	Limits	3	Limit
	1.00	0.805		mg/L			50 - 123		21

Surrogate	LCSD	LCSD	Limits
Diethylphthalate (Surr)	%Recovery	Qualifier	
	88		52 - 134

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

GC/MS VOA

Analysis Batch: 128357

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-5	Upper Riverdale Road	Total/NA	Water	8260D	
705-63889-6	Valley Hill Road	Total/NA	Water	8260D	
705-63889-7	Flint River Road	Total/NA	Water	8260D	
705-63889-8	Duplicate Sample	Total/NA	Water	8260D	
705-63889-9	Upstream/Headwaters	Total/NA	Water	8260D	
MB 705-128357/5	Method Blank	Total/NA	Water	8260D	
LCS 705-128357/1002	Lab Control Sample	Total/NA	Water	8260D	
752-43510-C-1 MS	Matrix Spike	Total/NA	Water	8260D	
705-63346-A-1 DU	Duplicate	Total/NA	Water	8260D	

Analysis Batch: 128362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-1	Quarry Outfall	Total/NA	Water	8260D	
705-63889-2	Outfall FR-1/AATC	Total/NA	Water	8260D	
705-63889-3	Forest Parkway	Total/NA	Water	8260D	
705-63889-4	Lee's Bridge	Total/NA	Water	8260D	
MB 705-128362/5	Method Blank	Total/NA	Water	8260D	
LCS 705-128362/1003	Lab Control Sample	Total/NA	Water	8260D	
705-63589-A-20 MS	Matrix Spike	Total/NA	Water	8260D	
705-63589-A-23 DU	Duplicate	Total/NA	Water	8260D	

GC/MS Semi VOA

Prep Batch: 128570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-1	Quarry Outfall	Total/NA	Water	3511	
705-63889-2	Outfall FR-1/AATC	Total/NA	Water	3511	
705-63889-3	Forest Parkway	Total/NA	Water	3511	
705-63889-4	Lee's Bridge	Total/NA	Water	3511	
705-63889-5	Upper Riverdale Road	Total/NA	Water	3511	
705-63889-6	Valley Hill Road	Total/NA	Water	3511	
705-63889-7	Flint River Road	Total/NA	Water	3511	
705-63889-8	Duplicate Sample	Total/NA	Water	3511	
705-63889-9	Upstream/Headwaters	Total/NA	Water	3511	
MB 705-128570/1-A	Method Blank	Total/NA	Water	3511	
LCS 705-128570/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 705-128570/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Analysis Batch: 128681

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-1	Quarry Outfall	Total/NA	Water	8270E	128570
705-63889-2	Outfall FR-1/AATC	Total/NA	Water	8270E	128570
705-63889-3	Forest Parkway	Total/NA	Water	8270E	128570
705-63889-4	Lee's Bridge	Total/NA	Water	8270E	128570
705-63889-5	Upper Riverdale Road	Total/NA	Water	8270E	128570
705-63889-6	Valley Hill Road	Total/NA	Water	8270E	128570
705-63889-7	Flint River Road	Total/NA	Water	8270E	128570
705-63889-9	Upstream/Headwaters	Total/NA	Water	8270E	128570
MB 705-128570/1-A	Method Blank	Total/NA	Water	8270E	128570
LCS 705-128570/2-A	Lab Control Sample	Total/NA	Water	8270E	128570
LCSD 705-128570/3-A	Lab Control Sample Dup	Total/NA	Water	8270E	128570

Eurofins Atlanta

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

GC/MS Semi VOA

Analysis Batch: 128756

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-8	Duplicate Sample	Total/NA	Water	8270E	128570

GC Semi VOA

Prep Batch: 128626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-1	Quarry Outfall	Total/NA	Water	3510C	
705-63889-2	Outfall FR-1/AATC	Total/NA	Water	3510C	
705-63889-3	Forest Parkway	Total/NA	Water	3510C	
705-63889-4	Lee's Bridge	Total/NA	Water	3510C	
705-63889-5	Upper Riverdale Road	Total/NA	Water	3510C	
705-63889-6	Valley Hill Road	Total/NA	Water	3510C	
705-63889-7	Flint River Road	Total/NA	Water	3510C	
705-63889-8	Duplicate Sample	Total/NA	Water	3510C	
705-63889-9	Upstream/Headwaters	Total/NA	Water	3510C	
MB 705-128626/1-A	Method Blank	Total/NA	Water	3510C	
LCS 705-128626/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 705-128626/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 128735

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-1	Quarry Outfall	Total/NA	Water	8015C	128626
705-63889-2	Outfall FR-1/AATC	Total/NA	Water	8015C	128626
MB 705-128626/1-A	Method Blank	Total/NA	Water	8015C	128626
LCS 705-128626/2-A	Lab Control Sample	Total/NA	Water	8015C	128626
LCSD 705-128626/3-A	Lab Control Sample Dup	Total/NA	Water	8015C	128626

Analysis Batch: 128738

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-63889-3	Forest Parkway	Total/NA	Water	8015C	128626
705-63889-4	Lee's Bridge	Total/NA	Water	8015C	128626
705-63889-5	Upper Riverdale Road	Total/NA	Water	8015C	128626
705-63889-6	Valley Hill Road	Total/NA	Water	8015C	128626
705-63889-7	Flint River Road	Total/NA	Water	8015C	128626
705-63889-8	Duplicate Sample	Total/NA	Water	8015C	128626
705-63889-9	Upstream/Headwaters	Total/NA	Water	8015C	128626

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Quarry Outfall

Date Collected: 04/15/26 11:05

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128362	AV	EET ATL 1	04/15/26 19:21
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 13:07
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128735	ID	EET ATL	04/16/26 14:22

Client Sample ID: Outfall FR-1/AATC

Date Collected: 04/15/26 14:40

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128362	AV	EET ATL 1	04/15/26 19:43
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 13:41
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128735	ID	EET ATL	04/16/26 14:50

Client Sample ID: Forest Parkway

Date Collected: 04/15/26 14:21

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128362	AV	EET ATL 1	04/15/26 20:06
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 14:16
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 16:00

Client Sample ID: Lee's Bridge

Date Collected: 04/15/26 14:03

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128362	AV	EET ATL 1	04/15/26 20:28
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 14:50
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 13:01

Client Sample ID: Upper Riverdale Road

Date Collected: 04/15/26 13:26

Date Received: 04/15/26 16:43

Lab Sample ID: 705-63889-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128357	AV	EET ATL 1	04/15/26 19:34

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-63889-5

Date Collected: 04/15/26 13:26

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 15:23
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 13:30

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-63889-6

Date Collected: 04/15/26 13:02

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128357	AV	EET ATL 1	04/15/26 19:56
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 15:57
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 13:58

Client Sample ID: Flint River Road

Lab Sample ID: 705-63889-7

Date Collected: 04/15/26 12:37

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128357	AV	EET ATL 1	04/15/26 20:18
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 16:42
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 14:27

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-63889-8

Date Collected: 04/15/26 14:06

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128357	AV	EET ATL 1	04/15/26 20:40
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128756	BH	EET ATL 2	04/16/26 15:36
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 14:55

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-63889-9

Date Collected: 04/15/26 11:26

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	128357	AV	EET ATL 1	04/15/26 21:01

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-63889-9

Date Collected: 04/15/26 11:26

Matrix: Water

Date Received: 04/15/26 16:43

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			128570	DM	EET ATL	04/15/26 18:28
Total/NA	Analysis	8270E		1	128681	BH	EET ATL 2	04/16/26 17:15
Total/NA	Prep	3510C			128626	SE	EET ATL	04/16/26 08:17
Total/NA	Analysis	8015C		1	128738	ID	EET ATL	04/16/26 15:24

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL 1
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 1 = Eurofins Atlanta Building B, 3785 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-63889-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Eurofins Atlanta

3080 Presidential Dr
Atlanta, GA 30340
Phone: 770-457-8177 Fax: 770-457-8188

Chain of Custody Record



Environment Testing

Sammy/Jennifer/Cornelius

Client Information		Sampler: <i>Nick Thomas</i>		Lab PM: Pacurar, Ioana		Carrier Tracking No(s):		CDC No: 705-23718-11086.1	
Client Contact: Jerald Mitchell		Phone: <i>864-315-9779</i>		E-Mail: ioana.pacurar@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1	
Company: VGS2MATL		PWSID:		Analysis Requested					
Address: 1005 Virginia Ave Suite 310		Due Date Requested:		8270E_LL_QQQ - SIM PAHs 8260D_BTEXM - BTEX 8016C_DRO - DROTPH Jet Fuel 705-63889 COC					
City: Atlanta		TAT Requested (days):							
State, Zip: GA, 30354		Compliance Project: ☐ Yes ☐ No							
Phone:		PO #:							
Email: Jerald.Mitchell@versar.com		Purchase Order not required							
Project Name: Flint River		Project #: 70506101		8270E_LL_QQQ - SIM PAHs 8260D_BTEXM - BTEX 8016C_DRO - DROTPH Jet Fuel 705-63889 COC					
Site:		SSOW#:							
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=oils, BT=Tissue, A=Air, DW=Drinking Water)	Total Number of			
Quarry Outfall		4/15/26	11:05	G	Water	N	A	N	
Outfall FR-1/AATC <i>1439</i>		4/15/26	11:40	G	Water	N	A	N	
Forest Parkway		4/15/26	14:01	G	Water	N	A	N	
Lee's Bridge		4/15/26	14:03	G	Water	N	A	N	
Upper Riverdale Road		4/15/26	13:26	G	Water	N	A	N	
Valley Hill Road		4/15/26	13:02	G	Water	N	A	N	
Flint River Road <i>1439</i>		4/15/26	12:37	G	Water	N	A	N	
Duplicate Sample		4/15/26	14:06	G	Water	N	A	N	
Upstream/Headwaters		4/15/26	11:26	G	Water	N	A	N	
					Water				
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological					☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months				
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:				
Empty Kit Relinquished by:		Date: <i>4/15/2026</i>		Time:		Method of Shipment:			
Relinquished by: <i>SAMMY EXANTUS</i>		Date/Time: <i>4-15-26 16:48</i>		Company:		Received by: <i>ORC</i>		Date/Time: <i>4.15.26</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>Q 2665 39</i>					

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-63889-1

Login Number: 63889

List Source: Eurofins Atlanta

List Number: 1

Creator: Jeremiah, Mortley

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

END OF REPORT