

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar, Inc.
100 Hartsfield Centre Pkwy, Ste 610
Atlanta, Georgia 30354

Generated 2/5/2026 2:35:31 PM Revision 1

JOB DESCRIPTION

Feb2 VGS2MATL

JOB NUMBER


705-56321-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
2/5/2026 2:35:31 PM
Revision 1

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Chain of Custody	5
Case Narrative	6
Client Sample Results	7
Detection Summary	14
Receipt Checklists	16
Surrogate Summary	17
Lab Chronicle	19
QC Sample Results	21
Certification Summary	26
Method Summary	27
Sample Summary	28
End Of Report	29



Definitions/Glossary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
I	Value is EMPC (estimated maximum possible concentration).
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.


GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sammy excentus

2/5/2026 (Rev. 1)

Case Narrative

Client: Versar, Inc.
Project: Feb2 VGS2MATL

Job ID: 705-56321-1

Job ID: 705-56321-1

Eurofins Atlanta

Job Narrative 705-56321-1

REVISION

The report being provided is a revision of the original report sent on 2/3/2026. The report (revision 1) is being revised due to MDL and J flagged values added at the request of Nia Thomas with Versar via email on 2/5/26.

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 2/3/2026 7:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.9°C, 1.2°C and 1.5°C.

Receipt Exceptions

The method requirement for no headspace was not met. The following volatile sample was analyzed with headspace in the sample container(s): Duplicate of Lee's Bridge (705-56321-6). For sample 705-56321-6, only sample containers D and E were received with headspace present. All other sample containers were received with zero headspace present.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Surrogate recovery for the following sample was outside control limits: Outfall FR-1 #1 (705-56321-3). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8270E: The following sample was diluted due to the nature of the sample matrix: Outfall FR-1 #1 (705-56321-3). Elevated reporting limits (RLs) are provided.

Method 8270E: The method blank for preparation batch 705-111526 and analytical batch 705-111429 contained Acenaphthylene, Benzo[b]fluoranthene, Benzo[k]fluoranthene and Phenanthrene above the method detection limit. This target analyte concentration was less than half the reporting limit (1/2RL) in the method blank; therefore, re-extraction of the samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Upstream #1

Lab Sample ID: 705-56321-1

Date Collected: 02/02/26 18:30

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 11:50	1
Toluene	ND		1.0	0.30	ug/L			02/03/26 11:50	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/03/26 11:50	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/03/26 11:50	1
o-Xylene	ND		1.0	0.50	ug/L			02/03/26 11:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126		02/03/26 11:50	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		02/03/26 10:19	02/03/26 11:32	1
Acenaphthylene	ND		1.0	0.021	ug/L		02/03/26 10:19	02/03/26 11:32	1
Anthracene	ND		0.050	0.019	ug/L		02/03/26 10:19	02/03/26 11:32	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/03/26 10:19	02/03/26 11:32	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/03/26 10:19	02/03/26 11:32	1
Benzo[b]fluoranthene	0.035	J	0.10	0.023	ug/L		02/03/26 10:19	02/03/26 11:32	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/03/26 10:19	02/03/26 11:32	1
Benzo[k]fluoranthene	0.038	J	0.050	0.015	ug/L		02/03/26 10:19	02/03/26 11:32	1
Chrysene	ND		0.050	0.020	ug/L		02/03/26 10:19	02/03/26 11:32	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/03/26 10:19	02/03/26 11:32	1
Fluoranthene	ND		0.10	0.027	ug/L		02/03/26 10:19	02/03/26 11:32	1
Fluorene	ND		0.10	0.028	ug/L		02/03/26 10:19	02/03/26 11:32	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/03/26 10:19	02/03/26 11:32	1
Naphthalene	ND		0.50	0.026	ug/L		02/03/26 10:19	02/03/26 11:32	1
Phenanthrene	0.027	J	0.050	0.027	ug/L		02/03/26 10:19	02/03/26 11:32	1
Pyrene	ND		0.050	0.035	ug/L		02/03/26 10:19	02/03/26 11:32	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		02/03/26 10:19	02/03/26 11:32	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		02/03/26 10:19	02/03/26 11:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	83		64 - 135	02/03/26 10:19	02/03/26 11:32	1
Nitrobenzene-d5 (Surr)	94		50 - 150	02/03/26 10:19	02/03/26 11:32	1
2-Fluorobiphenyl	113		50 - 150	02/03/26 10:19	02/03/26 11:32	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		02/03/26 09:55	02/03/26 12:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	93		52 - 134	02/03/26 09:55	02/03/26 12:44	1

Client Sample ID: Quarry Outfall #1

Lab Sample ID: 705-56321-2

Date Collected: 02/02/26 15:00

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 11:26	1
Toluene	ND		1.0	0.30	ug/L			02/03/26 11:26	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/03/26 11:26	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Quarry Outfall #1

Lab Sample ID: 705-56321-2

Date Collected: 02/02/26 15:00

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			02/03/26 11:26	1
o-Xylene	1.9		1.0	0.50	ug/L			02/03/26 11:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	100		70 - 126					02/03/26 11:26	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1.1		0.50	0.023	ug/L		02/03/26 10:19	02/03/26 12:55	1
Acenaphthylene	0.10	J	1.0	0.021	ug/L		02/03/26 10:19	02/03/26 12:55	1
Anthracene	ND		0.050	0.019	ug/L		02/03/26 10:19	02/03/26 12:55	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/03/26 10:19	02/03/26 12:55	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/03/26 10:19	02/03/26 12:55	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/03/26 10:19	02/03/26 12:55	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/03/26 10:19	02/03/26 12:55	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/03/26 10:19	02/03/26 12:55	1
Chrysene	ND		0.050	0.020	ug/L		02/03/26 10:19	02/03/26 12:55	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/03/26 10:19	02/03/26 12:55	1
Fluoranthene	ND		0.10	0.027	ug/L		02/03/26 10:19	02/03/26 12:55	1
Fluorene	0.75		0.10	0.028	ug/L		02/03/26 10:19	02/03/26 12:55	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/03/26 10:19	02/03/26 12:55	1
Naphthalene	9.2		0.50	0.026	ug/L		02/03/26 10:19	02/03/26 12:55	1
Phenanthrene	0.24		0.050	0.027	ug/L		02/03/26 10:19	02/03/26 12:55	1
Pyrene	ND		0.050	0.035	ug/L		02/03/26 10:19	02/03/26 12:55	1
1-Methylnaphthalene	8.6		0.50	0.030	ug/L		02/03/26 10:19	02/03/26 12:55	1
2-Methylnaphthalene	12		0.50	0.038	ug/L		02/03/26 10:19	02/03/26 12:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	89		64 - 135				02/03/26 10:19	02/03/26 12:55	1
Nitrobenzene-d5 (Surr)	99		50 - 150				02/03/26 10:19	02/03/26 12:55	1
2-Fluorobiphenyl	112		50 - 150				02/03/26 10:19	02/03/26 12:55	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.50		0.20	0.079	mg/L		02/03/26 09:55	02/03/26 13:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	96		52 - 134				02/03/26 09:55	02/03/26 13:12	1

Client Sample ID: Outfall FR-1 #1

Lab Sample ID: 705-56321-3

Date Collected: 02/02/26 18:00

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 11:02	1
Toluene	0.53	J	1.0	0.30	ug/L			02/03/26 11:02	1
Ethylbenzene	1.4		1.0	0.38	ug/L			02/03/26 11:02	1
m,p-Xylene	8.1		2.0	0.84	ug/L			02/03/26 11:02	1
o-Xylene	7.0		1.0	0.50	ug/L			02/03/26 11:02	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Outfall FR-1 #1

Lab Sample ID: 705-56321-3

Date Collected: 02/02/26 18:00

Matrix: Water

Date Received: 02/03/26 07:55

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 126		02/03/26 11:02	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	430		12	0.57	ug/L		02/03/26 10:19	02/03/26 16:09	25
Acenaphthylene	39		4.9	0.10	ug/L		02/03/26 10:19	02/03/26 15:01	5
Anthracene	4.4		0.25	0.094	ug/L		02/03/26 10:19	02/03/26 15:01	5
Benzo[a]anthracene	ND		0.25	0.13	ug/L		02/03/26 10:19	02/03/26 15:01	5
Benzo[a]pyrene	ND		0.25	0.12	ug/L		02/03/26 10:19	02/03/26 15:01	5
Benzo[b]fluoranthene	0.13	J	0.49	0.11	ug/L		02/03/26 10:19	02/03/26 15:01	5
Benzo[g,h,i]perylene	ND		0.49	0.25	ug/L		02/03/26 10:19	02/03/26 15:01	5
Benzo[k]fluoranthene	0.079	J I	0.25	0.074	ug/L		02/03/26 10:19	02/03/26 15:01	5
Chrysene	0.10	J I	0.25	0.099	ug/L		02/03/26 10:19	02/03/26 15:01	5
Dibenz(a,h)anthracene	ND		0.49	0.15	ug/L		02/03/26 10:19	02/03/26 15:01	5
Fluoranthene	1.4		0.49	0.13	ug/L		02/03/26 10:19	02/03/26 15:01	5
Fluorene	230		2.5	0.69	ug/L		02/03/26 10:19	02/03/26 16:09	25
Indeno[1,2,3-cd]pyrene	ND		0.25	0.15	ug/L		02/03/26 10:19	02/03/26 15:01	5
Naphthalene	2200		250	13	ug/L		02/03/26 10:19	02/03/26 16:53	500
Phenanthrene	52		0.25	0.13	ug/L		02/03/26 10:19	02/03/26 15:01	5
Pyrene	1.3		0.25	0.17	ug/L		02/03/26 10:19	02/03/26 15:01	5
1-Methylnaphthalene	3700		250	15	ug/L		02/03/26 10:19	02/03/26 16:53	500
2-Methylnaphthalene	5300		250	19	ug/L		02/03/26 10:19	02/03/26 16:53	500

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	81		64 - 135	02/03/26 10:19	02/03/26 15:01	5
Nitrobenzene-d5 (Surr)	749	S1+	50 - 150	02/03/26 10:19	02/03/26 15:01	5
2-Fluorobiphenyl	93		50 - 150	02/03/26 10:19	02/03/26 15:01	5

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	830		40	16	mg/L		02/03/26 09:55	02/03/26 14:33	100

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	105		52 - 134	02/03/26 09:55	02/03/26 14:33	100

Client Sample ID: Forest Parkway #1

Lab Sample ID: 705-56321-4

Date Collected: 02/02/26 17:35

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 12:00	1
Toluene	0.63	J	1.0	0.30	ug/L			02/03/26 12:00	1
Ethylbenzene	1.9		1.0	0.38	ug/L			02/03/26 12:00	1
m,p-Xylene	9.0		2.0	0.84	ug/L			02/03/26 12:00	1
o-Xylene	7.3		1.0	0.50	ug/L			02/03/26 12:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126		02/03/26 12:00	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Forest Parkway #1

Lab Sample ID: 705-56321-4

Date Collected: 02/02/26 17:35

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	5.8		0.50	0.023	ug/L		02/03/26 10:19	02/03/26 14:04	1
Acenaphthylene	0.70	J	0.99	0.021	ug/L		02/03/26 10:19	02/03/26 14:04	1
Anthracene	ND		0.050	0.019	ug/L		02/03/26 10:19	02/03/26 14:04	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/03/26 10:19	02/03/26 14:04	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/03/26 10:19	02/03/26 14:04	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		02/03/26 10:19	02/03/26 14:04	1
Benzo[g,h,i]perylene	ND		0.099	0.050	ug/L		02/03/26 10:19	02/03/26 14:04	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		02/03/26 10:19	02/03/26 14:04	1
Chrysene	ND		0.050	0.020	ug/L		02/03/26 10:19	02/03/26 14:04	1
Dibenz(a,h)anthracene	ND		0.099	0.031	ug/L		02/03/26 10:19	02/03/26 14:04	1
Fluoranthene	ND		0.099	0.027	ug/L		02/03/26 10:19	02/03/26 14:04	1
Fluorene	4.0		0.099	0.028	ug/L		02/03/26 10:19	02/03/26 14:04	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/03/26 10:19	02/03/26 14:04	1
Naphthalene	100		5.0	0.26	ug/L		02/03/26 10:19	02/03/26 15:35	10
Phenanthrene	0.67		0.050	0.027	ug/L		02/03/26 10:19	02/03/26 14:04	1
Pyrene	ND		0.050	0.035	ug/L		02/03/26 10:19	02/03/26 14:04	1
1-Methylnaphthalene	110		5.0	0.30	ug/L		02/03/26 10:19	02/03/26 15:35	10
2-Methylnaphthalene	150		5.0	0.38	ug/L		02/03/26 10:19	02/03/26 15:35	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	97		64 - 135	02/03/26 10:19	02/03/26 14:04	1
Nitrobenzene-d5 (Surr)	108		50 - 150	02/03/26 10:19	02/03/26 14:04	1
2-Fluorobiphenyl	116		50 - 150	02/03/26 10:19	02/03/26 14:04	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	6.3		0.20	0.079	mg/L		02/03/26 09:55	02/03/26 12:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	95		52 - 134	02/03/26 09:55	02/03/26 12:13	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-56321-5

Date Collected: 02/02/26 17:10

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 11:38	1
Toluene	0.94	J	1.0	0.30	ug/L			02/03/26 11:38	1
Ethylbenzene	2.4		1.0	0.38	ug/L			02/03/26 11:38	1
m,p-Xylene	12		2.0	0.84	ug/L			02/03/26 11:38	1
o-Xylene	10		1.0	0.50	ug/L			02/03/26 11:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		02/03/26 11:38	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	11		0.51	0.023	ug/L		02/03/26 10:19	02/03/26 12:54	1
Acenaphthylene	1.1		1.0	0.021	ug/L		02/03/26 10:19	02/03/26 12:54	1
Anthracene	ND		0.051	0.019	ug/L		02/03/26 10:19	02/03/26 12:54	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-56321-5

Date Collected: 02/02/26 17:10

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/03/26 10:19	02/03/26 12:54	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		02/03/26 10:19	02/03/26 12:54	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/03/26 10:19	02/03/26 12:54	1
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/03/26 10:19	02/03/26 12:54	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/03/26 10:19	02/03/26 12:54	1
Chrysene	ND		0.051	0.020	ug/L		02/03/26 10:19	02/03/26 12:54	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		02/03/26 10:19	02/03/26 12:54	1
Fluoranthene	ND		0.10	0.027	ug/L		02/03/26 10:19	02/03/26 12:54	1
Fluorene	7.0		0.10	0.028	ug/L		02/03/26 10:19	02/03/26 12:54	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		02/03/26 10:19	02/03/26 12:54	1
Naphthalene	86		2.5	0.13	ug/L		02/03/26 10:19	02/03/26 15:10	5
Phenanthrene	1.4		0.051	0.027	ug/L		02/03/26 10:19	02/03/26 12:54	1
Pyrene	ND		0.051	0.036	ug/L		02/03/26 10:19	02/03/26 12:54	1
1-Methylnaphthalene	140		2.5	0.15	ug/L		02/03/26 10:19	02/03/26 15:10	5
2-Methylnaphthalene	170		2.5	0.19	ug/L		02/03/26 10:19	02/03/26 15:10	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	84		64 - 135	02/03/26 10:19	02/03/26 12:54	1
Nitrobenzene-d5 (Surr)	115		50 - 150	02/03/26 10:19	02/03/26 12:54	1
2-Fluorobiphenyl	116		50 - 150	02/03/26 10:19	02/03/26 12:54	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	31		2.0	0.79	mg/L		02/03/26 09:55	02/03/26 14:57	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	99		52 - 134	02/03/26 09:55	02/03/26 14:57	10

Client Sample ID: Duplicate of Lee's Bridge

Lab Sample ID: 705-56321-6

Date Collected: 02/02/26 17:10

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 11:17	1
Toluene	0.89	J	1.0	0.30	ug/L			02/03/26 11:17	1
Ethylbenzene	2.2		1.0	0.38	ug/L			02/03/26 11:17	1
m,p-Xylene	11		2.0	0.84	ug/L			02/03/26 11:17	1
o-Xylene	9.5		1.0	0.50	ug/L			02/03/26 11:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 126		02/03/26 11:17	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	8.6		0.51	0.023	ug/L		02/03/26 10:19	02/03/26 13:28	1
Acenaphthylene	0.84	J	1.0	0.021	ug/L		02/03/26 10:19	02/03/26 13:28	1
Anthracene	ND		0.051	0.019	ug/L		02/03/26 10:19	02/03/26 13:28	1
Benzo[a]anthracene	ND		0.051	0.026	ug/L		02/03/26 10:19	02/03/26 13:28	1
Benzo[a]pyrene	ND		0.051	0.024	ug/L		02/03/26 10:19	02/03/26 13:28	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		02/03/26 10:19	02/03/26 13:28	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Duplicate of Lee's Bridge

Lab Sample ID: 705-56321-6

Date Collected: 02/02/26 17:10

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND		0.10	0.051	ug/L		02/03/26 10:19	02/03/26 13:28	1
Benzo[k]fluoranthene	ND		0.051	0.015	ug/L		02/03/26 10:19	02/03/26 13:28	1
Chrysene	ND		0.051	0.020	ug/L		02/03/26 10:19	02/03/26 13:28	1
Dibenz(a,h)anthracene	ND		0.10	0.032	ug/L		02/03/26 10:19	02/03/26 13:28	1
Fluoranthene	ND		0.10	0.027	ug/L		02/03/26 10:19	02/03/26 13:28	1
Fluorene	5.6		0.10	0.028	ug/L		02/03/26 10:19	02/03/26 13:28	1
Indeno[1,2,3-cd]pyrene	ND		0.051	0.031	ug/L		02/03/26 10:19	02/03/26 13:28	1
Naphthalene	78		2.5	0.13	ug/L		02/03/26 10:19	02/03/26 15:43	5
Phenanthrene	1.1		0.051	0.027	ug/L		02/03/26 10:19	02/03/26 13:28	1
Pyrene	ND		0.051	0.036	ug/L		02/03/26 10:19	02/03/26 13:28	1
1-Methylnaphthalene	120		2.5	0.15	ug/L		02/03/26 10:19	02/03/26 15:43	5
2-Methylnaphthalene	150		2.5	0.19	ug/L		02/03/26 10:19	02/03/26 15:43	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	84		64 - 135	02/03/26 10:19	02/03/26 13:28	1
Nitrobenzene-d5 (Surr)	108		50 - 150	02/03/26 10:19	02/03/26 13:28	1
2-Fluorobiphenyl	113		50 - 150	02/03/26 10:19	02/03/26 13:28	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	15		2.0	0.79	mg/L		02/03/26 09:55	02/03/26 15:24	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	95		52 - 134				02/03/26 09:55	02/03/26 15:24	10

Client Sample ID: F6 Flint River Rd

Lab Sample ID: 705-56321-7

Date Collected: 02/02/26 16:30

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 10:38	1
Toluene	ND		1.0	0.30	ug/L			02/03/26 10:38	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/03/26 10:38	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/03/26 10:38	1
o-Xylene	ND		1.0	0.50	ug/L			02/03/26 10:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126					02/03/26 10:38	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.46	J	0.49	0.023	ug/L		02/03/26 10:19	02/03/26 14:02	1
Acenaphthylene	0.051	J	0.98	0.021	ug/L		02/03/26 10:19	02/03/26 14:02	1
Anthracene	ND		0.049	0.019	ug/L		02/03/26 10:19	02/03/26 14:02	1
Benzo[a]anthracene	ND		0.049	0.025	ug/L		02/03/26 10:19	02/03/26 14:02	1
Benzo[a]pyrene	ND		0.049	0.024	ug/L		02/03/26 10:19	02/03/26 14:02	1
Benzo[b]fluoranthene	ND		0.098	0.023	ug/L		02/03/26 10:19	02/03/26 14:02	1
Benzo[g,h,i]perylene	ND		0.098	0.049	ug/L		02/03/26 10:19	02/03/26 14:02	1
Benzo[k]fluoranthene	ND		0.049	0.015	ug/L		02/03/26 10:19	02/03/26 14:02	1
Chrysene	ND		0.049	0.020	ug/L		02/03/26 10:19	02/03/26 14:02	1

Eurofins Atlanta

Client Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: F6 Flint River Rd

Lab Sample ID: 705-56321-7

Date Collected: 02/02/26 16:30

Matrix: Water

Date Received: 02/03/26 07:55

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.098	0.030	ug/L		02/03/26 10:19	02/03/26 14:02	1
Fluoranthene	ND		0.098	0.026	ug/L		02/03/26 10:19	02/03/26 14:02	1
Fluorene	0.38		0.098	0.027	ug/L		02/03/26 10:19	02/03/26 14:02	1
Indeno[1,2,3-cd]pyrene	ND		0.049	0.029	ug/L		02/03/26 10:19	02/03/26 14:02	1
Naphthalene	4.4		0.49	0.025	ug/L		02/03/26 10:19	02/03/26 14:02	1
Phenanthrene	0.091		0.049	0.026	ug/L		02/03/26 10:19	02/03/26 14:02	1
Pyrene	ND		0.049	0.034	ug/L		02/03/26 10:19	02/03/26 14:02	1
1-Methylnaphthalene	7.0		0.49	0.029	ug/L		02/03/26 10:19	02/03/26 14:02	1
2-Methylnaphthalene	7.7		0.49	0.037	ug/L		02/03/26 10:19	02/03/26 14:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		64 - 135				02/03/26 10:19	02/03/26 14:02	1
Nitrobenzene-d5 (Surr)	108		50 - 150				02/03/26 10:19	02/03/26 14:02	1
2-Fluorobiphenyl	107		50 - 150				02/03/26 10:19	02/03/26 14:02	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.15	J	0.20	0.079	mg/L		02/03/26 09:55	02/03/26 13:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	83		52 - 134				02/03/26 09:55	02/03/26 13:08	1

Detection Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Upstream #1

Lab Sample ID: 705-56321-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[b]fluoranthene	0.035	J	0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.038	J	0.050	0.015	ug/L	1		8270E	Total/NA
Phenanthrene	0.027	J	0.050	0.027	ug/L	1		8270E	Total/NA

Client Sample ID: Quarry Outfall #1

Lab Sample ID: 705-56321-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Xylene	1.9		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	1.1		0.50	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	0.10	J	1.0	0.021	ug/L	1		8270E	Total/NA
Fluorene	0.75		0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	9.2		0.50	0.026	ug/L	1		8270E	Total/NA
Phenanthrene	0.24		0.050	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	8.6		0.50	0.030	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	12		0.50	0.038	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.50		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Outfall FR-1 #1

Lab Sample ID: 705-56321-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.53	J	1.0	0.30	ug/L	1		8260D	Total/NA
Ethylbenzene	1.4		1.0	0.38	ug/L	1		8260D	Total/NA
m,p-Xylene	8.1		2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	7.0		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	430		12	0.57	ug/L	25		8270E	Total/NA
Acenaphthylene	39		4.9	0.10	ug/L	5		8270E	Total/NA
Anthracene	4.4		0.25	0.094	ug/L	5		8270E	Total/NA
Benzo[b]fluoranthene	0.13	J	0.49	0.11	ug/L	5		8270E	Total/NA
Benzo[k]fluoranthene	0.079	J I	0.25	0.074	ug/L	5		8270E	Total/NA
Chrysene	0.10	J I	0.25	0.099	ug/L	5		8270E	Total/NA
Fluoranthene	1.4		0.49	0.13	ug/L	5		8270E	Total/NA
Fluorene	230		2.5	0.69	ug/L	25		8270E	Total/NA
Naphthalene	2200		250	13	ug/L	500		8270E	Total/NA
Phenanthrene	52		0.25	0.13	ug/L	5		8270E	Total/NA
Pyrene	1.3		0.25	0.17	ug/L	5		8270E	Total/NA
1-Methylnaphthalene	3700		250	15	ug/L	500		8270E	Total/NA
2-Methylnaphthalene	5300		250	19	ug/L	500		8270E	Total/NA
Diesel Range Organics [C10-C28]	830		40	16	mg/L	100		8015C	Total/NA

Client Sample ID: Forest Parkway #1

Lab Sample ID: 705-56321-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.63	J	1.0	0.30	ug/L	1		8260D	Total/NA
Ethylbenzene	1.9		1.0	0.38	ug/L	1		8260D	Total/NA
m,p-Xylene	9.0		2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	7.3		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	5.8		0.50	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	0.70	J	0.99	0.021	ug/L	1		8270E	Total/NA
Fluorene	4.0		0.099	0.028	ug/L	1		8270E	Total/NA
Naphthalene	100		5.0	0.26	ug/L	10		8270E	Total/NA
Phenanthrene	0.67		0.050	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	110		5.0	0.30	ug/L	10		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Forest Parkway #1 (Continued)

Lab Sample ID: 705-56321-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Methylnaphthalene	150		5.0	0.38	ug/L	10		8270E	Total/NA
Diesel Range Organics [C10-C28]	6.3		0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-56321-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.94	J	1.0	0.30	ug/L	1		8260D	Total/NA
Ethylbenzene	2.4		1.0	0.38	ug/L	1		8260D	Total/NA
m,p-Xylene	12		2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	10		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	11		0.51	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	1.1		1.0	0.021	ug/L	1		8270E	Total/NA
Fluorene	7.0		0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	86		2.5	0.13	ug/L	5		8270E	Total/NA
Phenanthrene	1.4		0.051	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	140		2.5	0.15	ug/L	5		8270E	Total/NA
2-Methylnaphthalene	170		2.5	0.19	ug/L	5		8270E	Total/NA
Diesel Range Organics [C10-C28]	31		2.0	0.79	mg/L	10		8015C	Total/NA

Client Sample ID: Duplicate of Lee's Bridge

Lab Sample ID: 705-56321-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Toluene	0.89	J	1.0	0.30	ug/L	1		8260D	Total/NA
Ethylbenzene	2.2		1.0	0.38	ug/L	1		8260D	Total/NA
m,p-Xylene	11		2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	9.5		1.0	0.50	ug/L	1		8260D	Total/NA
Acenaphthene	8.6		0.51	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	0.84	J	1.0	0.021	ug/L	1		8270E	Total/NA
Fluorene	5.6		0.10	0.028	ug/L	1		8270E	Total/NA
Naphthalene	78		2.5	0.13	ug/L	5		8270E	Total/NA
Phenanthrene	1.1		0.051	0.027	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	120		2.5	0.15	ug/L	5		8270E	Total/NA
2-Methylnaphthalene	150		2.5	0.19	ug/L	5		8270E	Total/NA
Diesel Range Organics [C10-C28]	15		2.0	0.79	mg/L	10		8015C	Total/NA

Client Sample ID: F6 Flint River Rd

Lab Sample ID: 705-56321-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.46	J	0.49	0.023	ug/L	1		8270E	Total/NA
Acenaphthylene	0.051	J	0.98	0.021	ug/L	1		8270E	Total/NA
Fluorene	0.38		0.098	0.027	ug/L	1		8270E	Total/NA
Naphthalene	4.4		0.49	0.025	ug/L	1		8270E	Total/NA
Phenanthrene	0.091		0.049	0.026	ug/L	1		8270E	Total/NA
1-Methylnaphthalene	7.0		0.49	0.029	ug/L	1		8270E	Total/NA
2-Methylnaphthalene	7.7		0.49	0.037	ug/L	1		8270E	Total/NA
Diesel Range Organics [C10-C28]	0.15	J	0.20	0.079	mg/L	1		8015C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Login Sample Receipt Checklist

Client: Versar, Inc.

Job Number: 705-56321-1

Login Number: 56321

List Number: 1

Creator: Torres, Dominique

List Source: Eurofins Atlanta

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	Refer to Job Narrative for details.
Is there sufficient air space in bottle for bacteriological analysis.	True	

Surrogate Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	BFB (70-126)
705-56321-1	Upstream #1	99
705-56321-1 MS	Upstream #1	100
705-56321-2	Quarry Outfall #1	100
705-56321-2 DU	Quarry Outfall #1	99
705-56321-3	Outfall FR-1 #1	101
705-56321-4	Forest Parkway #1	106
705-56321-5	Lee's Bridge	104
705-56321-6	Duplicate of Lee's Bridge	101
705-56321-7	F6 Flint River Rd	99
LCS 705-111303/1002	Lab Control Sample	99
LCS 705-111569/1002	Lab Control Sample	101
LCSD 705-111303/3	Lab Control Sample Dup	97
LCSD 705-111569/3	Lab Control Sample Dup	99
MB 705-111303/4	Method Blank	102
MB 705-111569/5	Method Blank	99

Surrogate Legend

BFB = 4-Bromofluorobenzene

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)				
Lab Sample ID	Client Sample ID	TPHd14 (64-135)	NBZ (50-150)	FBP (50-150)
705-56321-1	Upstream #1	83	94	113
705-56321-2	Quarry Outfall #1	89	99	112
705-56321-3	Outfall FR-1 #1	81	749 S1+	93
705-56321-4	Forest Parkway #1	97	108	116
705-56321-5	Lee's Bridge	84	115	116
705-56321-6	Duplicate of Lee's Bridge	84	108	113
705-56321-7	F6 Flint River Rd	65	108	107
LCS 705-111526/3-A - RE	Lab Control Sample	91	116	118
LCSD 705-111526/4-A	Lab Control Sample Dup	91	121	112
MB 705-111526/1-A	Method Blank	103	117	107

Surrogate Legend

TPHd14 = p-Terphenyl-d14 (Surr)

NBZ = Nitrobenzene-d5 (Surr)

FBP = 2-Fluorobiphenyl

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	phthalate (52-134)
705-56321-1	Upstream #1	93
705-56321-2	Quarry Outfall #1	96
705-56321-3	Outfall FR-1 #1	105
705-56321-4	Forest Parkway #1	95

Eurofins Atlanta

Surrogate Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)
(Continued)
Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)		
Lab Sample ID	Client Sample ID	phthalate (52-134)
705-56321-5	Lee's Bridge	99
705-56321-6	Duplicate of Lee's Bridge	95
705-56321-7	F6 Flint River Rd	83
LCS 705-111562/2-A	Lab Control Sample	93
LCSD 705-111562/3-A	Lab Control Sample Dup	90
MB 705-111562/1-A	Method Blank	97
Surrogate Legend		
Diethylphthalate (Surr) = Diethylphthalate (Surr)		

Lab Chronicle

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Upstream #1

Lab Sample ID: 705-56321-1

Date Collected: 02/02/26 18:30

Matrix: Water

Date Received: 02/03/26 07:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111569	KA	EET ATL	02/03/26 11:50
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111627	BH	EET ATL 2	02/03/26 11:32
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		1	111681	ID	EET ATL	02/03/26 12:44

Client Sample ID: Quarry Outfall #1

Lab Sample ID: 705-56321-2

Date Collected: 02/02/26 15:00

Matrix: Water

Date Received: 02/03/26 07:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111569	KA	EET ATL	02/03/26 11:26
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111627	BH	EET ATL 2	02/03/26 12:55
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		1	111681	ID	EET ATL	02/03/26 13:12

Client Sample ID: Outfall FR-1 #1

Lab Sample ID: 705-56321-3

Date Collected: 02/02/26 18:00

Matrix: Water

Date Received: 02/03/26 07:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111569	KA	EET ATL	02/03/26 11:02
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		5	111627	BH	EET ATL 2	02/03/26 15:01
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		25	111627	BH	EET ATL 2	02/03/26 16:09
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		500	111627	BH	EET ATL 2	02/03/26 16:53
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		100	111681	ID	EET ATL	02/03/26 14:33

Client Sample ID: Forest Parkway #1

Lab Sample ID: 705-56321-4

Date Collected: 02/02/26 17:35

Matrix: Water

Date Received: 02/03/26 07:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111303	CN	EET ATL	02/03/26 12:00
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111627	BH	EET ATL 2	02/03/26 14:04
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		10	111627	BH	EET ATL 2	02/03/26 15:35
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		1	111665	ID	EET ATL	02/03/26 12:13

Eurofins Atlanta

Lab Chronicle

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Client Sample ID: Lee's Bridge

Date Collected: 02/02/26 17:10

Date Received: 02/03/26 07:55

Lab Sample ID: 705-56321-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111303	CN	EET ATL	02/03/26 11:38
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111607	BH	EET ATL 2	02/03/26 12:54
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		5	111607	BH	EET ATL 2	02/03/26 15:10
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		10	111665	ID	EET ATL	02/03/26 14:57

Client Sample ID: Duplicate of Lee's Bridge

Date Collected: 02/02/26 17:10

Date Received: 02/03/26 07:55

Lab Sample ID: 705-56321-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111303	CN	EET ATL	02/03/26 11:17
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111607	BH	EET ATL 2	02/03/26 13:28
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		5	111607	BH	EET ATL 2	02/03/26 15:43
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		10	111665	ID	EET ATL	02/03/26 15:24

Client Sample ID: F6 Flint River Rd

Date Collected: 02/02/26 16:30

Date Received: 02/03/26 07:55

Lab Sample ID: 705-56321-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	111569	KA	EET ATL	02/03/26 10:38
Total/NA	Prep	3511			111526	BH	EET ATL	02/03/26 10:19
Total/NA	Analysis	8270E		1	111607	BH	EET ATL 2	02/03/26 14:02
Total/NA	Prep	3510C			111562	ZS	EET ATL	02/03/26 09:55
Total/NA	Analysis	8015C		1	111665	ID	EET ATL	02/03/26 13:08

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

QC Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-111303/4

Matrix: Water

Analysis Batch: 111303

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 10:55	1
Toluene	ND		1.0	0.30	ug/L			02/03/26 10:55	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/03/26 10:55	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/03/26 10:55	1
o-Xylene	ND		1.0	0.50	ug/L			02/03/26 10:55	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126		02/03/26 10:55	1

Lab Sample ID: LCS 705-111303/1002

Matrix: Water

Analysis Batch: 111303

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	50.4		ug/L		101	76 - 122
Toluene	50.0	56.8		ug/L		114	74 - 124
Ethylbenzene	50.0	55.2		ug/L		110	75 - 127
m,p-Xylene	100	107		ug/L		107	76 - 128
o-Xylene	50.0	50.9		ug/L		102	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	99		70 - 126

Lab Sample ID: LCSD 705-111303/3

Matrix: Water

Analysis Batch: 111303

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	50.0	49.7		ug/L		99	76 - 122	1	20
Toluene	50.0	55.6		ug/L		111	74 - 124	2	20
Ethylbenzene	50.0	54.3		ug/L		109	75 - 127	2	20
m,p-Xylene	100	106		ug/L		106	76 - 128	1	20
o-Xylene	50.0	50.8		ug/L		102	78 - 124	0	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	97		70 - 126

Lab Sample ID: MB 705-111569/5

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			02/03/26 10:15	1
Toluene	ND		1.0	0.30	ug/L			02/03/26 10:15	1
Ethylbenzene	ND		1.0	0.38	ug/L			02/03/26 10:15	1
m,p-Xylene	ND		2.0	0.84	ug/L			02/03/26 10:15	1
o-Xylene	ND		1.0	0.50	ug/L			02/03/26 10:15	1

Eurofins Atlanta

QC Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 705-111569/5

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	99		70 - 126		02/03/26 10:15	1

Lab Sample ID: LCS 705-111569/1002

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	50.0	53.4		ug/L		107	76 - 122
Toluene	50.0	52.0		ug/L		104	74 - 124
Ethylbenzene	50.0	52.4		ug/L		105	75 - 127
m,p-Xylene	50.0	52.0		ug/L		104	76 - 128
o-Xylene	50.0	52.6		ug/L		105	78 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene	101		70 - 126

Lab Sample ID: LCSD 705-111569/3

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	50.0	52.4		ug/L		105	76 - 122	2	20
Toluene	50.0	51.0		ug/L		102	74 - 124	2	20
Ethylbenzene	50.0	49.8		ug/L		100	75 - 127	5	20
m,p-Xylene	50.0	49.9		ug/L		100	76 - 128	4	20
o-Xylene	50.0	50.8		ug/L		102	78 - 124	4	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	99		70 - 126

Lab Sample ID: 705-56321-1 MS

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Upstream #1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		50.0	56.0		ug/L		112	71 - 133
Toluene	ND		50.0	56.4		ug/L		113	72 - 134
Ethylbenzene	ND		50.0	53.5		ug/L		107	75 - 131
m,p-Xylene	ND		50.0	53.4		ug/L		107	73 - 133
o-Xylene	ND		50.0	54.2		ug/L		108	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	100		70 - 126

Eurofins Atlanta

QC Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 705-56321-2 DU

Matrix: Water

Analysis Batch: 111569

Client Sample ID: Quarry Outfall #1

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Benzene	ND		ND		ug/L		NC	42
Toluene	ND		ND		ug/L		NC	42
Ethylbenzene	ND		ND		ug/L		NC	28
m,p-Xylene	ND		ND		ug/L		NC	28
o-Xylene	1.9		ND		ug/L		NC	28

Surrogate	%Recovery	DU Qualifier	Limits
4-Bromofluorobenzene	99		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-111526/1-A

Matrix: Water

Analysis Batch: 111429

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 111526

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		02/02/26 15:43	02/02/26 16:54	1
Acenaphthylene	0.0267	J	1.0	0.021	ug/L		02/02/26 15:43	02/02/26 16:54	1
Anthracene	ND		0.050	0.019	ug/L		02/02/26 15:43	02/02/26 16:54	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		02/02/26 15:43	02/02/26 16:54	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		02/02/26 15:43	02/02/26 16:54	1
Benzo[b]fluoranthene	0.0267	J	0.10	0.023	ug/L		02/02/26 15:43	02/02/26 16:54	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		02/02/26 15:43	02/02/26 16:54	1
Benzo[k]fluoranthene	0.0160	J	0.050	0.015	ug/L		02/02/26 15:43	02/02/26 16:54	1
Chrysene	ND		0.050	0.020	ug/L		02/02/26 15:43	02/02/26 16:54	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		02/02/26 15:43	02/02/26 16:54	1
Fluoranthene	ND		0.10	0.027	ug/L		02/02/26 15:43	02/02/26 16:54	1
Fluorene	ND		0.10	0.028	ug/L		02/02/26 15:43	02/02/26 16:54	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		02/02/26 15:43	02/02/26 16:54	1
Naphthalene	ND		0.50	0.026	ug/L		02/02/26 15:43	02/02/26 16:54	1
Phenanthrene	0.0278	J I	0.050	0.027	ug/L		02/02/26 15:43	02/02/26 16:54	1
Pyrene	ND		0.050	0.035	ug/L		02/02/26 15:43	02/02/26 16:54	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		02/02/26 15:43	02/02/26 16:54	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		02/02/26 15:43	02/02/26 16:54	1

Surrogate	%Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	103		64 - 135	02/02/26 15:43	02/02/26 16:54	1
Nitrobenzene-d5 (Surr)	117		50 - 150	02/02/26 15:43	02/02/26 16:54	1
2-Fluorobiphenyl	107		50 - 150	02/02/26 15:43	02/02/26 16:54	1

Lab Sample ID: LCSD 705-111526/4-A

Matrix: Water

Analysis Batch: 111607

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 111526

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Acenaphthene	11.4	13.2		ug/L		115	71 - 124	2	12
Acenaphthylene	11.4	13.7		ug/L		120	70 - 128	3	12
Anthracene	11.4	13.4		ug/L		117	74 - 121	1	15

Eurofins Atlanta

QC Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCSD 705-111526/4-A

Matrix: Water

Analysis Batch: 111607

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 111526

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzo[a]anthracene	11.4	13.9		ug/L		122	72 - 133	2	19
Benzo[a]pyrene	11.4	14.0		ug/L		123	70 - 131	2	13
Benzo[b]fluoranthene	11.4	13.1		ug/L		115	70 - 129	3	35
Benzo[g,h,i]perylene	11.4	13.5		ug/L		118	70 - 130	3	12
Benzo[k]fluoranthene	11.4	13.1		ug/L		114	70 - 130	3	15
Chrysene	11.4	13.2		ug/L		116	74 - 132	3	10
Dibenz(a,h)anthracene	11.4	13.5		ug/L		118	70 - 130	2	17
Fluoranthene	11.4	13.5		ug/L		119	78 - 130	0	16
Fluorene	11.4	12.8		ug/L		112	71 - 130	2	14
Indeno[1,2,3-cd]pyrene	11.4	14.0		ug/L		122	69 - 126	2	12
Naphthalene	11.4	13.1		ug/L		114	67 - 127	4	13
Phenanthrene	11.4	14.0		ug/L		122	70 - 130	0	12
Pyrene	11.4	13.8		ug/L		121	73 - 131	0	10
1-Methylnaphthalene	11.4	12.7		ug/L		111	73 - 127	4	16
2-Methylnaphthalene	11.4	12.4		ug/L		108	70 - 127	4	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	91		64 - 135
Nitrobenzene-d5 (Surr)	121		50 - 150
2-Fluorobiphenyl	112		50 - 150

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) - RE

Lab Sample ID: LCS 705-111526/3-A

Matrix: Water

Analysis Batch: 111607

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 111526

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene - RE	11.4	12.9		ug/L		112	71 - 124
Acenaphthylene - RE	11.4	13.2		ug/L		116	70 - 128
Anthracene - RE	11.4	13.2		ug/L		116	74 - 121
Benzo[a]anthracene - RE	11.4	13.7		ug/L		120	72 - 133
Benzo[a]pyrene - RE	11.4	13.8		ug/L		121	70 - 131
Benzo[b]fluoranthene - RE	11.4	12.7		ug/L		111	70 - 129
Benzo[g,h,i]perylene - RE	11.4	13.1		ug/L		115	70 - 130
Benzo[k]fluoranthene - RE	11.4	12.7		ug/L		112	70 - 130
Chrysene - RE	11.4	12.9		ug/L		113	74 - 132
Dibenz(a,h)anthracene - RE	11.4	13.2		ug/L		115	70 - 130
Fluoranthene - RE	11.4	13.6		ug/L		119	78 - 130
Fluorene - RE	11.4	12.5		ug/L		110	71 - 130
Indeno[1,2,3-cd]pyrene - RE	11.4	13.7		ug/L		120	69 - 126
Naphthalene - RE	11.4	12.6		ug/L		110	67 - 127
Phenanthrene - RE	11.4	14.1		ug/L		123	70 - 130
Pyrene - RE	11.4	13.8		ug/L		120	73 - 131
1-Methylnaphthalene - RE	11.4	12.1		ug/L		106	73 - 127
2-Methylnaphthalene - RE	11.4	11.9		ug/L		104	70 - 127

Eurofins Atlanta

QC Sample Results

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) - RE (Continued)

Lab Sample ID: LCS 705-111526/3-A

Matrix: Water

Analysis Batch: 111607

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 111526

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
p-Terphenyl-d14 (Surr) - RE	91		64 - 135
Nitrobenzene-d5 (Surr) - RE	116		50 - 150
2-Fluorobiphenyl - RE	118		50 - 150

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-111562/1-A

Matrix: Water

Analysis Batch: 111681

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 111562

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	Result	Qualifier					02/03/26 06:55	02/03/26 11:23	1
	ND		0.20	0.079	mg/L				
Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac			
Diethylphthalate (Surr)	%Recovery	Qualifier		02/03/26 06:55	02/03/26 11:23	1			
	97		52 - 134						

Lab Sample ID: LCS 705-111562/2-A

Matrix: Water

Analysis Batch: 111681

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 111562

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec		
Diesel Range Organics [C10-C28]	Added	Result	Qualifier	mg/L		81	Limits		
	1.00	0.806					50 - 123		
Surrogate	LCS	LCS	Limits						
Diethylphthalate (Surr)	%Recovery	Qualifier							
	93		52 - 134						

Lab Sample ID: LCSD 705-111562/3-A

Matrix: Water

Analysis Batch: 111681

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 111562

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD	RPD
Diesel Range Organics [C10-C28]	Added	Result	Qualifier	mg/L		79	Limits	2	Limit
	1.00	0.789					50 - 123		21
Surrogate	LCSD	LCSD	Limits						
Diethylphthalate (Surr)	%Recovery	Qualifier							
	90		52 - 134						

Accreditation/Certification Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Sample Summary

Client: Versar, Inc.
Project/Site: Feb2 VGS2MATL

Job ID: 705-56321-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-56321-1	Upstream #1	Water	02/02/26 18:30	02/03/26 07:55	Georgia
705-56321-2	Quarry Outfall #1	Water	02/02/26 15:00	02/03/26 07:55	Georgia
705-56321-3	Outfall FR-1 #1	Water	02/02/26 18:00	02/03/26 07:55	Georgia
705-56321-4	Forest Parkway #1	Water	02/02/26 17:35	02/03/26 07:55	Georgia
705-56321-5	Lee's Bridge	Water	02/02/26 17:10	02/03/26 07:55	Georgia
705-56321-6	Duplicate of Lee's Bridge	Water	02/02/26 17:10	02/03/26 07:55	Georgia
705-56321-7	F6 Flint River Rd	Water	02/02/26 16:30	02/03/26 07:55	Georgia

END OF REPORT