

ANALYTICAL REPORT

PREPARED FOR

Attn: Jerald Mitchell
Versar Inc
1005 Virginia Avenue
Atlanta, Georgia (St) 30354

Generated 5/5/2026 9:32:42 AM

JOB DESCRIPTION

Flint River

JOB NUMBER


705-65437-1

Eurofins Atlanta

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Southeast, LLC Project Manager.

Authorization



Generated
5/5/2026 9:32:42 AM

Authorized for release by
Ioana Pacurar, Project Manager
ioana.pacurar@et.eurofinsus.com
(770)457-8177

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Definitions/Glossary	8
Client Sample Results	9
QC Sample Results	18
QC Association Summary	25
Lab Chronicle	27
Method Summary	30
Certification Summary	31
Chain of Custody	32
Receipt Checklists	33
End Of Report	34



Case Narrative

Client: Versar Inc
Project: Flint River

Job ID: 705-65437-1

Job ID: 705-65437-1

Eurofins Atlanta

Job Narrative 705-65437-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 5/1/2026 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.3°C and 0.4°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E: Three surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: (LCSD 705-132433/3-A) and (MB 705-132835/1-A). These results have been reported and qualified.

Method 8270E: The laboratory control sample (LCS/LCSD) for preparation batch 705-132433 and analytical batch 705-132763 recovered outside the upper control limit for the following analytes: Acenaphthene and Acenaphthylene. The data has been qualified and reported.

Method 8270E: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 705-132835 and analytical batch 705-132763 recovered outside control limits for the following analytes: Benzo[a]pyrene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Chrysene, Dibenzo(a,h)anthracene and Indeno[1,2,3-cd]pyrene.

Method 8270E: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 705-132835 and analytical batch 705-132763 recovered outside control limits for the following analytes: Acenaphthene. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015C: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 705-132498 and analytical batch 705-132587 recovered outside control limits for the following analytes: Diesel Range Organics [C10-C28].

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Atlanta

Sample Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
705-65437-1	Quarry Outfall	Water	04/30/26 11:11	05/01/26 10:20	Georgia (St)
705-65437-2	Outfall FR-1/AATC	Water	04/30/26 11:40	05/01/26 10:20	Georgia (St)
705-65437-3	Forest Parkway	Water	04/30/26 12:30	05/01/26 10:20	Georgia (St)
705-65437-4	Lee's Bridge	Water	04/30/26 12:50	05/01/26 10:20	Georgia (St)
705-65437-5	Upper Riverdale Road	Water	04/30/26 13:55	05/01/26 10:20	Georgia (St)
705-65437-6	Valley Hill Road	Water	04/30/26 13:25	05/01/26 10:20	Georgia (St)
705-65437-7	Flint River Road	Water	04/30/26 15:05	05/01/26 10:20	Georgia (St)
705-65437-8	Duplicate Sample	Water	04/30/26 11:50	05/01/26 10:20	Georgia (St)
705-65437-9	Upstream/Headwaters	Water	04/30/26 09:25	05/01/26 10:20	Georgia (St)

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-65437-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[b]fluoranthene	0.036	J	0.10	0.024	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.017	J	0.052	0.016	ug/L	1		8270E	Total/NA
Chrysene	0.022	J *1	0.052	0.021	ug/L	1		8270E	Total/NA
Fluoranthene	0.034	J *1	0.10	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.055	*1	0.052	0.036	ug/L	1		8270E	Total/NA

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-65437-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.14	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Forest Parkway

Lab Sample ID: 705-65437-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.097	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-65437-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.12	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-65437-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.29	*1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-65437-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m,p-Xylene	1.7	J	2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	1.2		1.0	0.50	ug/L	1		8260D	Total/NA
Diesel Range Organics [C10-C28]	0.11	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Flint River Road

Lab Sample ID: 705-65437-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
m,p-Xylene	1.4	J	2.0	0.84	ug/L	1		8260D	Total/NA
o-Xylene	0.90	J	1.0	0.50	ug/L	1		8260D	Total/NA
Diesel Range Organics [C10-C28]	0.098	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-65437-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Diesel Range Organics [C10-C28]	0.14	J *1	0.20	0.079	mg/L	1		8015C	Total/NA

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-65437-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acenaphthene	0.055	J *+	0.51	0.023	ug/L	1		8270E	Total/NA
Anthracene	0.042	J *+	0.051	0.019	ug/L	1		8270E	Total/NA
Benzo[a]pyrene	0.024	J	0.051	0.024	ug/L	1		8270E	Total/NA
Benzo[b]fluoranthene	0.055	J	0.10	0.023	ug/L	1		8270E	Total/NA
Benzo[k]fluoranthene	0.022	J	0.051	0.015	ug/L	1		8270E	Total/NA
Chrysene	0.050	J *1	0.051	0.020	ug/L	1		8270E	Total/NA
Fluoranthene	0.16	*1	0.10	0.028	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Detection Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Upstream/Headwaters (Continued)

Lab Sample ID: 705-65437-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Fluorene	0.061	J *+	0.10	0.029	ug/L	1		8270E	Total/NA
Naphthalene	0.047	J *+	0.51	0.027	ug/L	1		8270E	Total/NA
Phenanthrene	0.18		0.051	0.028	ug/L	1		8270E	Total/NA
Pyrene	0.094	*1	0.051	0.036	ug/L	1		8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Atlanta

Definitions/Glossary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Quarry Outfall

Lab Sample ID: 705-65437-1

Date Collected: 04/30/26 11:11

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 20:47	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 20:47	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 20:47	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 20:47	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 20:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126		05/01/26 20:47	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.52	0.024	ug/L		05/01/26 17:14	05/03/26 06:19	1
Acenaphthylene	ND	*+	1.0	0.022	ug/L		05/01/26 17:14	05/03/26 06:19	1
Anthracene	ND	*+	0.052	0.020	ug/L		05/01/26 17:14	05/03/26 06:19	1
Benzo[a]anthracene	ND		0.052	0.027	ug/L		05/01/26 17:14	05/03/26 06:19	1
Benzo[a]pyrene	ND		0.052	0.025	ug/L		05/01/26 17:14	05/03/26 06:19	1
Benzo[b]fluoranthene	0.036	J	0.10	0.024	ug/L		05/01/26 17:14	05/03/26 06:19	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.052	ug/L		05/01/26 17:14	05/03/26 06:19	1
Benzo[k]fluoranthene	0.017	J	0.052	0.016	ug/L		05/01/26 17:14	05/03/26 06:19	1
Chrysene	0.022	J *1	0.052	0.021	ug/L		05/01/26 17:14	05/03/26 06:19	1
Dibenz(a,h)anthracene	ND	*1	0.10	0.032	ug/L		05/01/26 17:14	05/03/26 06:19	1
Fluoranthene	0.034	J *1	0.10	0.028	ug/L		05/01/26 17:14	05/03/26 06:19	1
Fluorene	ND	*+	0.10	0.029	ug/L		05/01/26 17:14	05/03/26 06:19	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.052	0.031	ug/L		05/01/26 17:14	05/03/26 06:19	1
Naphthalene	ND	*+	0.52	0.027	ug/L		05/01/26 17:14	05/03/26 06:19	1
Phenanthrene	ND		0.052	0.028	ug/L		05/01/26 17:14	05/03/26 06:19	1
Pyrene	0.055	*1	0.052	0.036	ug/L		05/01/26 17:14	05/03/26 06:19	1
1-Methylnaphthalene	ND	*+	0.52	0.031	ug/L		05/01/26 17:14	05/03/26 06:19	1
2-Methylnaphthalene	ND		0.52	0.040	ug/L		05/01/26 17:14	05/03/26 06:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	65		64 - 135	05/01/26 17:14	05/03/26 06:19	1
Nitrobenzene-d5 (Surr)	130		50 - 150	05/01/26 17:14	05/03/26 06:19	1
2-Fluorobiphenyl	100		50 - 150	05/01/26 17:14	05/03/26 06:19	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND	*1	0.20	0.079	mg/L		05/02/26 07:22	05/02/26 23:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	86		52 - 134	05/02/26 07:22	05/02/26 23:34	1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-65437-2

Date Collected: 04/30/26 11:40

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 21:09	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 21:09	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 21:09	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Outfall FR-1/AATC

Lab Sample ID: 705-65437-2

Date Collected: 04/30/26 11:40

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 21:09	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 21:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126					05/01/26 21:09	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.49	0.023	ug/L		05/04/26 15:26	05/04/26 18:41	1
Acenaphthylene	ND	*+	0.98	0.021	ug/L		05/04/26 15:26	05/04/26 18:41	1
Anthracene	ND		0.049	0.019	ug/L		05/04/26 15:26	05/04/26 18:41	1
Benzo[a]anthracene	ND		0.049	0.025	ug/L		05/04/26 15:26	05/04/26 18:41	1
Benzo[a]pyrene	ND	*1	0.049	0.024	ug/L		05/04/26 15:26	05/04/26 18:41	1
Benzo[b]fluoranthene	ND		0.098	0.023	ug/L		05/04/26 15:26	05/04/26 18:41	1
Benzo[g,h,i]perylene	ND	*1	0.098	0.049	ug/L		05/04/26 15:26	05/04/26 18:41	1
Benzo[k]fluoranthene	ND	*1	0.049	0.015	ug/L		05/04/26 15:26	05/04/26 18:41	1
Chrysene	ND	*1	0.049	0.020	ug/L		05/04/26 15:26	05/04/26 18:41	1
Dibenz[a,h]anthracene	ND	*1	0.098	0.030	ug/L		05/04/26 15:26	05/04/26 18:41	1
Fluoranthene	ND		0.098	0.026	ug/L		05/04/26 15:26	05/04/26 18:41	1
Fluorene	ND		0.098	0.027	ug/L		05/04/26 15:26	05/04/26 18:41	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.049	0.029	ug/L		05/04/26 15:26	05/04/26 18:41	1
Naphthalene	ND		0.49	0.025	ug/L		05/04/26 15:26	05/04/26 18:41	1
Phenanthrene	ND		0.049	0.026	ug/L		05/04/26 15:26	05/04/26 18:41	1
Pyrene	ND		0.049	0.034	ug/L		05/04/26 15:26	05/04/26 18:41	1
1-Methylnaphthalene	ND		0.49	0.029	ug/L		05/04/26 15:26	05/04/26 18:41	1
2-Methylnaphthalene	ND		0.49	0.037	ug/L		05/04/26 15:26	05/04/26 18:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		64 - 135				05/04/26 15:26	05/04/26 18:41	1
Nitrobenzene-d5 (Surr)	109		50 - 150				05/04/26 15:26	05/04/26 18:41	1
2-Fluorobiphenyl	95		50 - 150				05/04/26 15:26	05/04/26 18:41	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.14	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/03/26 00:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	86		52 - 134				05/02/26 07:22	05/03/26 00:01	1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-65437-3

Date Collected: 04/30/26 12:30

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 21:31	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 21:31	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 21:31	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 21:31	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 21:31	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Forest Parkway

Lab Sample ID: 705-65437-3

Date Collected: 04/30/26 12:30

Matrix: Water

Date Received: 05/01/26 10:20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126		05/01/26 21:31	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.50	0.023	ug/L		05/04/26 15:26	05/04/26 19:14	1
Acenaphthylene	ND	*+	1.0	0.021	ug/L		05/04/26 15:26	05/04/26 19:14	1
Anthracene	ND		0.050	0.019	ug/L		05/04/26 15:26	05/04/26 19:14	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/04/26 15:26	05/04/26 19:14	1
Benzo[a]pyrene	ND	*1	0.050	0.024	ug/L		05/04/26 15:26	05/04/26 19:14	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/04/26 15:26	05/04/26 19:14	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.050	ug/L		05/04/26 15:26	05/04/26 19:14	1
Benzo[k]fluoranthene	ND	*1	0.050	0.015	ug/L		05/04/26 15:26	05/04/26 19:14	1
Chrysene	ND	*1	0.050	0.020	ug/L		05/04/26 15:26	05/04/26 19:14	1
Dibenz(a,h)anthracene	ND	*1	0.10	0.031	ug/L		05/04/26 15:26	05/04/26 19:14	1
Fluoranthene	ND		0.10	0.027	ug/L		05/04/26 15:26	05/04/26 19:14	1
Fluorene	ND		0.10	0.028	ug/L		05/04/26 15:26	05/04/26 19:14	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.050	0.030	ug/L		05/04/26 15:26	05/04/26 19:14	1
Naphthalene	ND		0.50	0.026	ug/L		05/04/26 15:26	05/04/26 19:14	1
Phenanthrene	ND		0.050	0.027	ug/L		05/04/26 15:26	05/04/26 19:14	1
Pyrene	ND		0.050	0.035	ug/L		05/04/26 15:26	05/04/26 19:14	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/04/26 15:26	05/04/26 19:14	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/04/26 15:26	05/04/26 19:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	73		64 - 135	05/04/26 15:26	05/04/26 19:14	1
Nitrobenzene-d5 (Surr)	109		50 - 150	05/04/26 15:26	05/04/26 19:14	1
2-Fluorobiphenyl	103		50 - 150	05/04/26 15:26	05/04/26 19:14	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.097	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/03/26 00:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	87		52 - 134	05/02/26 07:22	05/03/26 00:28	1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-65437-4

Date Collected: 04/30/26 12:50

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 21:53	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 21:53	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 21:53	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 21:53	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 21:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	101		70 - 126		05/01/26 21:53	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Lee's Bridge

Lab Sample ID: 705-65437-4

Date Collected: 04/30/26 12:50

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.51	0.023	ug/L		05/04/26 15:26	05/04/26 19:46	1
Acenaphthylene	ND	*+	1.0	0.021	ug/L		05/04/26 15:26	05/04/26 19:46	1
Anthracene	ND		0.051	0.019	ug/L		05/04/26 15:26	05/04/26 19:46	1
Benzo[a]anthracene	ND		0.051	0.026	ug/L		05/04/26 15:26	05/04/26 19:46	1
Benzo[a]pyrene	ND	*1	0.051	0.024	ug/L		05/04/26 15:26	05/04/26 19:46	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/04/26 15:26	05/04/26 19:46	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.051	ug/L		05/04/26 15:26	05/04/26 19:46	1
Benzo[k]fluoranthene	ND	*1	0.051	0.015	ug/L		05/04/26 15:26	05/04/26 19:46	1
Chrysene	ND	*1	0.051	0.020	ug/L		05/04/26 15:26	05/04/26 19:46	1
Dibenz[a,h]anthracene	ND	*1	0.10	0.031	ug/L		05/04/26 15:26	05/04/26 19:46	1
Fluoranthene	ND		0.10	0.027	ug/L		05/04/26 15:26	05/04/26 19:46	1
Fluorene	ND		0.10	0.028	ug/L		05/04/26 15:26	05/04/26 19:46	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.051	0.030	ug/L		05/04/26 15:26	05/04/26 19:46	1
Naphthalene	ND		0.51	0.026	ug/L		05/04/26 15:26	05/04/26 19:46	1
Phenanthrene	ND		0.051	0.027	ug/L		05/04/26 15:26	05/04/26 19:46	1
Pyrene	ND		0.051	0.036	ug/L		05/04/26 15:26	05/04/26 19:46	1
1-Methylnaphthalene	ND		0.51	0.030	ug/L		05/04/26 15:26	05/04/26 19:46	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/04/26 15:26	05/04/26 19:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	68		64 - 135				05/04/26 15:26	05/04/26 19:46	1
Nitrobenzene-d5 (Surr)	107		50 - 150				05/04/26 15:26	05/04/26 19:46	1
2-Fluorobiphenyl	100		50 - 150				05/04/26 15:26	05/04/26 19:46	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.12	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/02/26 22:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	73		52 - 134				05/02/26 07:22	05/02/26 22:18	1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-65437-5

Date Collected: 04/30/26 13:55

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 22:16	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 22:16	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 22:16	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 22:16	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 22:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126					05/01/26 22:16	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.50	0.023	ug/L		05/04/26 15:26	05/04/26 20:19	1
Acenaphthylene	ND	*+	1.0	0.021	ug/L		05/04/26 15:26	05/04/26 20:19	1
Anthracene	ND		0.050	0.019	ug/L		05/04/26 15:26	05/04/26 20:19	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-65437-5

Date Collected: 04/30/26 13:55

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/04/26 15:26	05/04/26 20:19	1
Benzo[a]pyrene	ND	*1	0.050	0.024	ug/L		05/04/26 15:26	05/04/26 20:19	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/04/26 15:26	05/04/26 20:19	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.050	ug/L		05/04/26 15:26	05/04/26 20:19	1
Benzo[k]fluoranthene	ND	*1	0.050	0.015	ug/L		05/04/26 15:26	05/04/26 20:19	1
Chrysene	ND	*1	0.050	0.020	ug/L		05/04/26 15:26	05/04/26 20:19	1
Dibenz[a,h]anthracene	ND	*1	0.10	0.031	ug/L		05/04/26 15:26	05/04/26 20:19	1
Fluoranthene	ND		0.10	0.027	ug/L		05/04/26 15:26	05/04/26 20:19	1
Fluorene	ND		0.10	0.028	ug/L		05/04/26 15:26	05/04/26 20:19	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.050	0.030	ug/L		05/04/26 15:26	05/04/26 20:19	1
Naphthalene	ND		0.50	0.026	ug/L		05/04/26 15:26	05/04/26 20:19	1
Phenanthrene	ND		0.050	0.027	ug/L		05/04/26 15:26	05/04/26 20:19	1
Pyrene	ND		0.050	0.035	ug/L		05/04/26 15:26	05/04/26 20:19	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/04/26 15:26	05/04/26 20:19	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/04/26 15:26	05/04/26 20:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	70		64 - 135	05/04/26 15:26	05/04/26 20:19	1
Nitrobenzene-d5 (Surr)	106		50 - 150	05/04/26 15:26	05/04/26 20:19	1
2-Fluorobiphenyl	105		50 - 150	05/04/26 15:26	05/04/26 20:19	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.29	*1	0.20	0.079	mg/L		05/02/26 07:22	05/02/26 22:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	120		52 - 134	05/02/26 07:22	05/02/26 22:46	1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-65437-6

Date Collected: 04/30/26 13:25

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 22:38	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 22:38	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 22:38	1
m,p-Xylene	1.7	J	2.0	0.84	ug/L			05/01/26 22:38	1
o-Xylene	1.2		1.0	0.50	ug/L			05/01/26 22:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	103		70 - 126		05/01/26 22:38	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.49	0.023	ug/L		05/04/26 15:26	05/04/26 20:52	1
Acenaphthylene	ND	*+	0.99	0.021	ug/L		05/04/26 15:26	05/04/26 20:52	1
Anthracene	ND		0.049	0.019	ug/L		05/04/26 15:26	05/04/26 20:52	1
Benzo[a]anthracene	ND		0.049	0.026	ug/L		05/04/26 15:26	05/04/26 20:52	1
Benzo[a]pyrene	ND	*1	0.049	0.024	ug/L		05/04/26 15:26	05/04/26 20:52	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		05/04/26 15:26	05/04/26 20:52	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-65437-6

Date Collected: 04/30/26 13:25

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[g,h,i]perylene	ND	*1	0.099	0.049	ug/L		05/04/26 15:26	05/04/26 20:52	1
Benzo[k]fluoranthene	ND	*1	0.049	0.015	ug/L		05/04/26 15:26	05/04/26 20:52	1
Chrysene	ND	*1	0.049	0.020	ug/L		05/04/26 15:26	05/04/26 20:52	1
Dibenz[a,h]anthracene	ND	*1	0.099	0.031	ug/L		05/04/26 15:26	05/04/26 20:52	1
Fluoranthene	ND		0.099	0.027	ug/L		05/04/26 15:26	05/04/26 20:52	1
Fluorene	ND		0.099	0.028	ug/L		05/04/26 15:26	05/04/26 20:52	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.049	0.030	ug/L		05/04/26 15:26	05/04/26 20:52	1
Naphthalene	ND		0.49	0.026	ug/L		05/04/26 15:26	05/04/26 20:52	1
Phenanthrene	ND		0.049	0.027	ug/L		05/04/26 15:26	05/04/26 20:52	1
Pyrene	ND		0.049	0.035	ug/L		05/04/26 15:26	05/04/26 20:52	1
1-Methylnaphthalene	ND		0.49	0.030	ug/L		05/04/26 15:26	05/04/26 20:52	1
2-Methylnaphthalene	ND		0.49	0.037	ug/L		05/04/26 15:26	05/04/26 20:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	66		64 - 135	05/04/26 15:26	05/04/26 20:52	1
Nitrobenzene-d5 (Surr)	105		50 - 150	05/04/26 15:26	05/04/26 20:52	1
2-Fluorobiphenyl	100		50 - 150	05/04/26 15:26	05/04/26 20:52	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.11	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/02/26 23:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	63		52 - 134				05/02/26 07:22	05/02/26 23:14	1

Client Sample ID: Flint River Road

Lab Sample ID: 705-65437-7

Date Collected: 04/30/26 15:05

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 23:00	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 23:00	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 23:00	1
m,p-Xylene	1.4	J	2.0	0.84	ug/L			05/01/26 23:00	1
o-Xylene	0.90	J	1.0	0.50	ug/L			05/01/26 23:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126					05/01/26 23:00	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	+	0.50	0.023	ug/L		05/04/26 15:26	05/04/26 21:25	1
Acenaphthylene	ND	+	1.0	0.021	ug/L		05/04/26 15:26	05/04/26 21:25	1
Anthracene	ND		0.050	0.019	ug/L		05/04/26 15:26	05/04/26 21:25	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/04/26 15:26	05/04/26 21:25	1
Benzo[a]pyrene	ND	*1	0.050	0.024	ug/L		05/04/26 15:26	05/04/26 21:25	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/04/26 15:26	05/04/26 21:25	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.050	ug/L		05/04/26 15:26	05/04/26 21:25	1
Benzo[k]fluoranthene	ND	*1	0.050	0.015	ug/L		05/04/26 15:26	05/04/26 21:25	1
Chrysene	ND	*1	0.050	0.020	ug/L		05/04/26 15:26	05/04/26 21:25	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Flint River Road

Lab Sample ID: 705-65437-7

Date Collected: 04/30/26 15:05

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND	*1	0.10	0.031	ug/L		05/04/26 15:26	05/04/26 21:25	1
Fluoranthene	ND		0.10	0.027	ug/L		05/04/26 15:26	05/04/26 21:25	1
Fluorene	ND		0.10	0.028	ug/L		05/04/26 15:26	05/04/26 21:25	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.050	0.030	ug/L		05/04/26 15:26	05/04/26 21:25	1
Naphthalene	ND		0.50	0.026	ug/L		05/04/26 15:26	05/04/26 21:25	1
Phenanthrene	ND		0.050	0.027	ug/L		05/04/26 15:26	05/04/26 21:25	1
Pyrene	ND		0.050	0.035	ug/L		05/04/26 15:26	05/04/26 21:25	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/04/26 15:26	05/04/26 21:25	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/04/26 15:26	05/04/26 21:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	77		64 - 135				05/04/26 15:26	05/04/26 21:25	1
Nitrobenzene-d5 (Surr)	110		50 - 150				05/04/26 15:26	05/04/26 21:25	1
2-Fluorobiphenyl	101		50 - 150				05/04/26 15:26	05/04/26 21:25	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.098	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/02/26 23:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	71		52 - 134				05/02/26 07:22	05/02/26 23:42	1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-65437-8

Date Collected: 04/30/26 11:50

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/02/26 17:29	1
Toluene	ND		1.0	0.30	ug/L			05/02/26 17:29	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/02/26 17:29	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/02/26 17:29	1
o-Xylene	ND		1.0	0.50	ug/L			05/02/26 17:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126					05/02/26 17:29	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND	*+	0.50	0.023	ug/L		05/04/26 15:27	05/04/26 21:57	1
Acenaphthylene	ND	*+	0.99	0.021	ug/L		05/04/26 15:27	05/04/26 21:57	1
Anthracene	ND		0.050	0.019	ug/L		05/04/26 15:27	05/04/26 21:57	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/04/26 15:27	05/04/26 21:57	1
Benzo[a]pyrene	ND	*1	0.050	0.024	ug/L		05/04/26 15:27	05/04/26 21:57	1
Benzo[b]fluoranthene	ND		0.099	0.023	ug/L		05/04/26 15:27	05/04/26 21:57	1
Benzo[g,h,i]perylene	ND	*1	0.099	0.050	ug/L		05/04/26 15:27	05/04/26 21:57	1
Benzo[k]fluoranthene	ND	*1	0.050	0.015	ug/L		05/04/26 15:27	05/04/26 21:57	1
Chrysene	ND	*1	0.050	0.020	ug/L		05/04/26 15:27	05/04/26 21:57	1
Dibenz(a,h)anthracene	ND	*1	0.099	0.031	ug/L		05/04/26 15:27	05/04/26 21:57	1
Fluoranthene	ND		0.099	0.027	ug/L		05/04/26 15:27	05/04/26 21:57	1
Fluorene	ND		0.099	0.028	ug/L		05/04/26 15:27	05/04/26 21:57	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-65437-8

Date Collected: 04/30/26 11:50

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Indeno[1,2,3-cd]pyrene	ND	*1	0.050	0.030	ug/L		05/04/26 15:27	05/04/26 21:57	1
Naphthalene	ND		0.50	0.026	ug/L		05/04/26 15:27	05/04/26 21:57	1
Phenanthrene	ND		0.050	0.027	ug/L		05/04/26 15:27	05/04/26 21:57	1
Pyrene	ND		0.050	0.035	ug/L		05/04/26 15:27	05/04/26 21:57	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/04/26 15:27	05/04/26 21:57	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/04/26 15:27	05/04/26 21:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	64		64 - 135	05/04/26 15:27	05/04/26 21:57	1
Nitrobenzene-d5 (Surr)	107		50 - 150	05/04/26 15:27	05/04/26 21:57	1
2-Fluorobiphenyl	96		50 - 150	05/04/26 15:27	05/04/26 21:57	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.14	J *1	0.20	0.079	mg/L		05/02/26 07:22	05/03/26 00:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diocetylphthalate (Surr)	82		52 - 134				05/02/26 07:22	05/03/26 00:10	1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-65437-9

Date Collected: 04/30/26 09:25

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/02/26 17:51	1
Toluene	ND		1.0	0.30	ug/L			05/02/26 17:51	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/02/26 17:51	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/02/26 17:51	1
o-Xylene	ND		1.0	0.50	ug/L			05/02/26 17:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	102		70 - 126					05/02/26 17:51	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.055	J *+	0.51	0.023	ug/L		05/01/26 17:14	05/03/26 10:36	1
Acenaphthylene	ND	*+	1.0	0.021	ug/L		05/01/26 17:14	05/03/26 10:36	1
Anthracene	0.042	J *+	0.051	0.019	ug/L		05/01/26 17:14	05/03/26 10:36	1
Benzo[a]anthracene	ND		0.051	0.027	ug/L		05/01/26 17:14	05/03/26 10:36	1
Benzo[a]pyrene	0.024	J	0.051	0.024	ug/L		05/01/26 17:14	05/03/26 10:36	1
Benzo[b]fluoranthene	0.055	J	0.10	0.023	ug/L		05/01/26 17:14	05/03/26 10:36	1
Benzo[g,h,i]perylene	ND	*1	0.10	0.051	ug/L		05/01/26 17:14	05/03/26 10:36	1
Benzo[k]fluoranthene	0.022	J	0.051	0.015	ug/L		05/01/26 17:14	05/03/26 10:36	1
Chrysene	0.050	J *1	0.051	0.020	ug/L		05/01/26 17:14	05/03/26 10:36	1
Dibenz[a,h]anthracene	ND	*1	0.10	0.032	ug/L		05/01/26 17:14	05/03/26 10:36	1
Fluoranthene	0.16	*1	0.10	0.028	ug/L		05/01/26 17:14	05/03/26 10:36	1
Fluorene	0.061	J *+	0.10	0.029	ug/L		05/01/26 17:14	05/03/26 10:36	1
Indeno[1,2,3-cd]pyrene	ND	*1	0.051	0.031	ug/L		05/01/26 17:14	05/03/26 10:36	1
Naphthalene	0.047	J *+	0.51	0.027	ug/L		05/01/26 17:14	05/03/26 10:36	1
Phenanthrene	0.18		0.051	0.028	ug/L		05/01/26 17:14	05/03/26 10:36	1

Eurofins Atlanta

Client Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-65437-9

Date Collected: 04/30/26 09:25

Matrix: Water

Date Received: 05/01/26 10:20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Pyrene	0.094	*1	0.051	0.036	ug/L		05/01/26 17:14	05/03/26 10:36	1
1-Methylnaphthalene	ND	*+	0.51	0.031	ug/L		05/01/26 17:14	05/03/26 10:36	1
2-Methylnaphthalene	ND		0.51	0.039	ug/L		05/01/26 17:14	05/03/26 10:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	69		64 - 135				05/01/26 17:14	05/03/26 10:36	1
Nitrobenzene-d5 (Surr)	134		50 - 150				05/01/26 17:14	05/03/26 10:36	1
2-Fluorobiphenyl	105		50 - 150				05/01/26 17:14	05/03/26 10:36	1

Method: SW846 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND	*1	0.20	0.079	mg/L		05/02/26 07:22	05/03/26 00:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	78		52 - 134				05/02/26 07:22	05/03/26 00:38	1

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 705-132307/6

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/01/26 14:09	1
Toluene	ND		1.0	0.30	ug/L			05/01/26 14:09	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/01/26 14:09	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/01/26 14:09	1
o-Xylene	ND		1.0	0.50	ug/L			05/01/26 14:09	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	106		70 - 126					05/01/26 14:09	1

Lab Sample ID: LCS 705-132307/1001

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	19.7		ug/L		98	76 - 122
Toluene	20.0	19.8		ug/L		99	74 - 124
Ethylbenzene	20.0	20.9		ug/L		105	75 - 127
m,p-Xylene	40.0	42.5		ug/L		106	76 - 128
o-Xylene	20.0	21.1		ug/L		105	78 - 124
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene	103		70 - 126				

Lab Sample ID: LCSD 705-132307/2

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	20.0	20.9		ug/L		104	76 - 122	6	20
Toluene	20.0	21.0		ug/L		105	74 - 124	6	20
Ethylbenzene	20.0	21.7		ug/L		109	75 - 127	4	20
m,p-Xylene	40.0	44.8		ug/L		112	76 - 128	5	20
o-Xylene	20.0	22.2		ug/L		111	78 - 124	5	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene	102		70 - 126						

Lab Sample ID: 785-8480-B-45 MS

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	14000		10000	25300		ug/L		117	71 - 133
Toluene	35000		10000	47300		ug/L		120	72 - 134
Ethylbenzene	3200		10000	15200		ug/L		119	75 - 131
m,p-Xylene	15000		20000	39400		ug/L		123	73 - 133
o-Xylene	7200		10000	19300		ug/L		121	73 - 132

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 785-8480-B-45 MS

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Matrix Spike

Prep Type: Total/NA

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Lab Sample ID: 785-8480-B-45 DU

Matrix: Water

Analysis Batch: 132307

Client Sample ID: Duplicate

Prep Type: Total/NA

	Sample	Sample	DU	DU					RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D		RPD	Limit
Benzene	14000		14000		ug/L			3	42
Toluene	35000		36500		ug/L			3	42
Ethylbenzene	3200		3400		ug/L			5	28
m,p-Xylene	15000		15500		ug/L			5	28
o-Xylene	7200		7540		ug/L			4	28

	DU	DU	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	102		70 - 126

Lab Sample ID: MB 705-132514/7

Matrix: Water

Analysis Batch: 132514

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.0	0.27	ug/L			05/02/26 16:37	1
Toluene	ND		1.0	0.30	ug/L			05/02/26 16:37	1
Ethylbenzene	ND		1.0	0.38	ug/L			05/02/26 16:37	1
m,p-Xylene	ND		2.0	0.84	ug/L			05/02/26 16:37	1
o-Xylene	ND		1.0	0.50	ug/L			05/02/26 16:37	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	104		70 - 126		05/02/26 16:37	1

Lab Sample ID: LCS 705-132514/1001

Matrix: Water

Analysis Batch: 132514

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	20.7		ug/L		103	76 - 122
Toluene	20.0	21.2		ug/L		106	74 - 124
Ethylbenzene	20.0	20.8		ug/L		104	75 - 127
m,p-Xylene	40.0	42.9		ug/L		107	76 - 128
o-Xylene	20.0	21.5		ug/L		107	78 - 124

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene	102		70 - 126

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 705-132514/2

Matrix: Water

Analysis Batch: 132514

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	20.0	20.4		ug/L		102	76 - 122	1	20
Toluene	20.0	21.0		ug/L		105	74 - 124	1	20
Ethylbenzene	20.0	21.1		ug/L		106	75 - 127	2	20
m,p-Xylene	40.0	43.4		ug/L		109	76 - 128	1	20
o-Xylene	20.0	21.8		ug/L		109	78 - 124	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Lab Sample ID: 705-65078-A-2 MS

Matrix: Water

Analysis Batch: 132514

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	2100		10000	12200		ug/L		102	71 - 133
Toluene	12000		10000	22600		ug/L		101	72 - 134
Ethylbenzene	3000		10000	13700		ug/L		106	75 - 131
m,p-Xylene	9500		20000	30300		ug/L		104	73 - 133
o-Xylene	3900		10000	14400		ug/L		105	73 - 132

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene	102		70 - 126

Lab Sample ID: 705-65078-A-2 DU

Matrix: Water

Analysis Batch: 132514

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Benzene	2100		2040		ug/L		2	42
Toluene	12000		12000		ug/L		4	42
Ethylbenzene	3000		2810		ug/L		7	28
m,p-Xylene	9500		8950		ug/L		6	28
o-Xylene	3900		3760		ug/L		3	28

Surrogate	DU %Recovery	DU Qualifier	Limits
4-Bromofluorobenzene	103		70 - 126

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-132433/1-A

Matrix: Water

Analysis Batch: 132600

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 132433

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		05/01/26 17:14	05/03/26 04:44	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/01/26 17:14	05/03/26 04:44	1
Anthracene	ND		0.050	0.019	ug/L		05/01/26 17:14	05/03/26 04:44	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/01/26 17:14	05/03/26 04:44	1

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: MB 705-132433/1-A

Matrix: Water

Analysis Batch: 132600

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 132433

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]pyrene	ND		0.050	0.024	ug/L		05/01/26 17:14	05/03/26 04:44	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/01/26 17:14	05/03/26 04:44	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		05/01/26 17:14	05/03/26 04:44	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		05/01/26 17:14	05/03/26 04:44	1
Chrysene	ND		0.050	0.020	ug/L		05/01/26 17:14	05/03/26 04:44	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		05/01/26 17:14	05/03/26 04:44	1
Fluoranthene	ND		0.10	0.027	ug/L		05/01/26 17:14	05/03/26 04:44	1
Fluorene	ND		0.10	0.028	ug/L		05/01/26 17:14	05/03/26 04:44	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		05/01/26 17:14	05/03/26 04:44	1
Naphthalene	ND		0.50	0.026	ug/L		05/01/26 17:14	05/03/26 04:44	1
Phenanthrene	ND		0.050	0.027	ug/L		05/01/26 17:14	05/03/26 04:44	1
Pyrene	ND		0.050	0.035	ug/L		05/01/26 17:14	05/03/26 04:44	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/01/26 17:14	05/03/26 04:44	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/01/26 17:14	05/03/26 04:44	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	68		64 - 135	05/01/26 17:14	05/03/26 04:44	1
Nitrobenzene-d5 (Surr)	132		50 - 150	05/01/26 17:14	05/03/26 04:44	1
2-Fluorobiphenyl	104		50 - 150	05/01/26 17:14	05/03/26 04:44	1

Lab Sample ID: LCSD 705-132433/3-A

Matrix: Water

Analysis Batch: 132763

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 132433

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	14.4	*+	ug/L		126	71 - 124	0	12
Acenaphthylene	11.4	14.6		ug/L		127	70 - 128	3	12
Anthracene	11.4	12.7		ug/L		111	74 - 121	5	15
Benzo[a]anthracene	11.4	9.34		ug/L		82	72 - 133	12	19
Benzo[a]pyrene	11.4	8.29		ug/L		73	70 - 131	1	13
Benzo[b]fluoranthene	11.4	8.99		ug/L		79	70 - 129	10	35
Benzo[g,h,i]perylene	11.4	8.54	*1	ug/L		75	70 - 130	14	12
Benzo[k]fluoranthene	11.4	8.74		ug/L		76	70 - 130	11	15
Chrysene	11.4	9.52	*1	ug/L		83	74 - 132	17	10
Dibenz(a,h)anthracene	11.4	8.85	*1	ug/L		77	70 - 130	18	17
Fluoranthene	11.4	11.8	*1	ug/L		103	78 - 130	23	16
Fluorene	11.4	13.4		ug/L		118	71 - 130	2	14
Indeno[1,2,3-cd]pyrene	11.4	8.75	*1	ug/L		77	69 - 126	20	12
Naphthalene	11.4	13.1		ug/L		114	67 - 127	6	13
Phenanthrene	11.4	13.0		ug/L		114	70 - 130	5	12
Pyrene	11.4	11.2	*1	ug/L		98	73 - 131	18	10
1-Methylnaphthalene	11.4	12.5		ug/L		109	73 - 127	6	16
2-Methylnaphthalene	11.4	12.1		ug/L		106	70 - 127	5	15

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
p-Terphenyl-d14 (Surr)	63	S1-	64 - 135
Nitrobenzene-d5 (Surr)	120		50 - 150
2-Fluorobiphenyl	109		50 - 150

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS)

Lab Sample ID: MB 705-132835/1-A

Matrix: Water

Analysis Batch: 132763

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 132835

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.50	0.023	ug/L		05/04/26 15:26	05/04/26 16:39	1
Acenaphthylene	ND		1.0	0.021	ug/L		05/04/26 15:26	05/04/26 16:39	1
Anthracene	ND		0.050	0.019	ug/L		05/04/26 15:26	05/04/26 16:39	1
Benzo[a]anthracene	ND		0.050	0.026	ug/L		05/04/26 15:26	05/04/26 16:39	1
Benzo[a]pyrene	ND		0.050	0.024	ug/L		05/04/26 15:26	05/04/26 16:39	1
Benzo[b]fluoranthene	ND		0.10	0.023	ug/L		05/04/26 15:26	05/04/26 16:39	1
Benzo[g,h,i]perylene	ND		0.10	0.050	ug/L		05/04/26 15:26	05/04/26 16:39	1
Benzo[k]fluoranthene	ND		0.050	0.015	ug/L		05/04/26 15:26	05/04/26 16:39	1
Chrysene	ND		0.050	0.020	ug/L		05/04/26 15:26	05/04/26 16:39	1
Dibenz(a,h)anthracene	ND		0.10	0.031	ug/L		05/04/26 15:26	05/04/26 16:39	1
Fluoranthene	ND		0.10	0.027	ug/L		05/04/26 15:26	05/04/26 16:39	1
Fluorene	ND		0.10	0.028	ug/L		05/04/26 15:26	05/04/26 16:39	1
Indeno[1,2,3-cd]pyrene	ND		0.050	0.030	ug/L		05/04/26 15:26	05/04/26 16:39	1
Naphthalene	ND		0.50	0.026	ug/L		05/04/26 15:26	05/04/26 16:39	1
Phenanthrene	ND		0.050	0.027	ug/L		05/04/26 15:26	05/04/26 16:39	1
Pyrene	ND		0.050	0.035	ug/L		05/04/26 15:26	05/04/26 16:39	1
1-Methylnaphthalene	ND		0.50	0.030	ug/L		05/04/26 15:26	05/04/26 16:39	1
2-Methylnaphthalene	ND		0.50	0.038	ug/L		05/04/26 15:26	05/04/26 16:39	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
p-Terphenyl-d14 (Surr)	55	S1-	64 - 135	05/04/26 15:26	05/04/26 16:39	1
Nitrobenzene-d5 (Surr)	118		50 - 150	05/04/26 15:26	05/04/26 16:39	1
2-Fluorobiphenyl	118		50 - 150	05/04/26 15:26	05/04/26 16:39	1

Lab Sample ID: LCS 705-132835/2-A

Matrix: Water

Analysis Batch: 132763

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 132835

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acenaphthene	11.4	13.5		ug/L		118	71 - 124
Acenaphthylene	11.4	14.1		ug/L		123	70 - 128
Anthracene	11.4	12.6		ug/L		111	74 - 121
Benzo[a]anthracene	11.4	11.4		ug/L		100	72 - 133
Benzo[a]pyrene	11.4	11.9		ug/L		104	70 - 131
Benzo[b]fluoranthene	11.4	13.3		ug/L		116	70 - 129
Benzo[g,h,i]perylene	11.4	12.2		ug/L		107	70 - 130
Benzo[k]fluoranthene	11.4	11.5		ug/L		101	70 - 130
Chrysene	11.4	12.3		ug/L		108	74 - 132
Dibenz(a,h)anthracene	11.4	12.3		ug/L		108	70 - 130
Fluoranthene	11.4	12.6		ug/L		110	78 - 130
Fluorene	11.4	12.9		ug/L		113	71 - 130
Indeno[1,2,3-cd]pyrene	11.4	12.3		ug/L		108	69 - 126
Naphthalene	11.4	13.5		ug/L		118	67 - 127
Phenanthrene	11.4	12.9		ug/L		113	70 - 130
Pyrene	11.4	12.1		ug/L		106	73 - 131
1-Methylnaphthalene	11.4	12.6		ug/L		110	73 - 127
2-Methylnaphthalene	11.4	12.3		ug/L		108	70 - 127

Eurofins Atlanta

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8270E - Semivolatile Organic Compounds (GC-MS/MS) (Continued)

Lab Sample ID: LCS 705-132835/2-A

Matrix: Water

Analysis Batch: 132763

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 132835

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
p-Terphenyl-d14 (Surr)	81		64 - 135
Nitrobenzene-d5 (Surr)	115		50 - 150
2-Fluorobiphenyl	108		50 - 150

Lab Sample ID: LCSD 705-132835/3-A

Matrix: Water

Analysis Batch: 132763

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 132835

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthene	11.4	14.4	*+	ug/L		126	71 - 124	7	12
Acenaphthylene	11.4	14.9	*+	ug/L		130	70 - 128	5	12
Anthracene	11.4	12.8		ug/L		112	74 - 121	1	15
Benzo[a]anthracene	11.4	10.5		ug/L		92	72 - 133	8	19
Benzo[a]pyrene	11.4	9.49	*1	ug/L		83	70 - 131	23	13
Benzo[b]fluoranthene	11.4	10.4		ug/L		91	70 - 129	24	35
Benzo[g,h,i]perylene	11.4	9.41	*1	ug/L		82	70 - 130	26	12
Benzo[k]fluoranthene	11.4	9.43	*1	ug/L		83	70 - 130	20	15
Chrysene	11.4	9.60	*1	ug/L		84	74 - 132	25	10
Dibenz(a,h)anthracene	11.4	9.54	*1	ug/L		83	70 - 130	25	17
Fluoranthene	11.4	11.8		ug/L		104	78 - 130	6	16
Fluorene	11.4	13.5		ug/L		118	71 - 130	5	14
Indeno[1,2,3-cd]pyrene	11.4	9.57	*1	ug/L		84	69 - 126	25	12
Naphthalene	11.4	13.9		ug/L		121	67 - 127	3	13
Phenanthrene	11.4	13.0		ug/L		113	70 - 130	1	12
Pyrene	11.4	11.5		ug/L		101	73 - 131	5	10
1-Methylnaphthalene	11.4	13.3		ug/L		116	73 - 127	6	16
2-Methylnaphthalene	11.4	12.9		ug/L		113	70 - 127	5	15

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
p-Terphenyl-d14 (Surr)	91		64 - 135
Nitrobenzene-d5 (Surr)	125		50 - 150
2-Fluorobiphenyl	109		50 - 150

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)

Lab Sample ID: MB 705-132498/1-A

Matrix: Water

Analysis Batch: 132587

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 132498

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		0.20	0.079	mg/L		05/02/26 07:22	05/02/26 22:12	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Diethylphthalate (Surr)	93		52 - 134	05/02/26 07:22	05/02/26 22:12	1

QC Sample Results

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method: 8015C - Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics) (Continued)

Lab Sample ID: LCS 705-132498/2-A

Matrix: Water

Analysis Batch: 132587

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 132498

Analyte				Spike	LCS	LCS				%Rec
				Added	Result	Qualifier	Unit	D	%Rec	Limits
Diesel Range Organics [C10-C28]				1.00	0.565		mg/L		57	50 - 123
Surrogate	LCS		LCS							
	%Recovery	Qualifier	Limits							
Diethylphthalate (Surr)	73		52 - 134							

Lab Sample ID: LCSD 705-132498/3-A

Matrix: Water

Analysis Batch: 132587

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 132498

			Spike	LCSD	LCSD				%Rec	RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Diesel Range Organics [C10-C28]			1.00	0.746	*1	mg/L		75	50 - 123	28	21
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits								
Diethylphthalate (Surr)	98		52 - 134								

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

GC/MS VOA

Analysis Batch: 132307

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-1	Quarry Outfall	Total/NA	Water	8260D	
705-65437-2	Outfall FR-1/AATC	Total/NA	Water	8260D	
705-65437-3	Forest Parkway	Total/NA	Water	8260D	
705-65437-4	Lee's Bridge	Total/NA	Water	8260D	
705-65437-5	Upper Riverdale Road	Total/NA	Water	8260D	
705-65437-6	Valley Hill Road	Total/NA	Water	8260D	
705-65437-7	Flint River Road	Total/NA	Water	8260D	
MB 705-132307/6	Method Blank	Total/NA	Water	8260D	
LCS 705-132307/1001	Lab Control Sample	Total/NA	Water	8260D	
LCSD 705-132307/2	Lab Control Sample Dup	Total/NA	Water	8260D	
785-8480-B-45 MS	Matrix Spike	Total/NA	Water	8260D	
785-8480-B-45 DU	Duplicate	Total/NA	Water	8260D	

Analysis Batch: 132514

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-8	Duplicate Sample	Total/NA	Water	8260D	
705-65437-9	Upstream/Headwaters	Total/NA	Water	8260D	
MB 705-132514/7	Method Blank	Total/NA	Water	8260D	
LCS 705-132514/1001	Lab Control Sample	Total/NA	Water	8260D	
LCSD 705-132514/2	Lab Control Sample Dup	Total/NA	Water	8260D	
705-65078-A-2 MS	Matrix Spike	Total/NA	Water	8260D	
705-65078-A-2 DU	Duplicate	Total/NA	Water	8260D	

GC/MS Semi VOA

Prep Batch: 132433

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-1	Quarry Outfall	Total/NA	Water	3511	
705-65437-9	Upstream/Headwaters	Total/NA	Water	3511	
MB 705-132433/1-A	Method Blank	Total/NA	Water	3511	
LCSD 705-132433/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

Analysis Batch: 132600

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-1	Quarry Outfall	Total/NA	Water	8270E	132433
705-65437-9	Upstream/Headwaters	Total/NA	Water	8270E	132433
MB 705-132433/1-A	Method Blank	Total/NA	Water	8270E	132433

Analysis Batch: 132763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-2	Outfall FR-1/AATC	Total/NA	Water	8270E	132835
705-65437-3	Forest Parkway	Total/NA	Water	8270E	132835
705-65437-4	Lee's Bridge	Total/NA	Water	8270E	132835
705-65437-5	Upper Riverdale Road	Total/NA	Water	8270E	132835
705-65437-6	Valley Hill Road	Total/NA	Water	8270E	132835
705-65437-7	Flint River Road	Total/NA	Water	8270E	132835
705-65437-8	Duplicate Sample	Total/NA	Water	8270E	132835
MB 705-132835/1-A	Method Blank	Total/NA	Water	8270E	132835
LCS 705-132835/2-A	Lab Control Sample	Total/NA	Water	8270E	132835
LCSD 705-132433/3-A	Lab Control Sample Dup	Total/NA	Water	8270E	132433
LCSD 705-132835/3-A	Lab Control Sample Dup	Total/NA	Water	8270E	132835

Eurofins Atlanta

QC Association Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

GC/MS Semi VOA

Prep Batch: 132835

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-2	Outfall FR-1/AATC	Total/NA	Water	3511	
705-65437-3	Forest Parkway	Total/NA	Water	3511	
705-65437-4	Lee's Bridge	Total/NA	Water	3511	
705-65437-5	Upper Riverdale Road	Total/NA	Water	3511	
705-65437-6	Valley Hill Road	Total/NA	Water	3511	
705-65437-7	Flint River Road	Total/NA	Water	3511	
705-65437-8	Duplicate Sample	Total/NA	Water	3511	
MB 705-132835/1-A	Method Blank	Total/NA	Water	3511	
LCS 705-132835/2-A	Lab Control Sample	Total/NA	Water	3511	
LCSD 705-132835/3-A	Lab Control Sample Dup	Total/NA	Water	3511	

GC Semi VOA

Prep Batch: 132498

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-1	Quarry Outfall	Total/NA	Water	3510C	
705-65437-2	Outfall FR-1/AATC	Total/NA	Water	3510C	
705-65437-3	Forest Parkway	Total/NA	Water	3510C	
705-65437-4	Lee's Bridge	Total/NA	Water	3510C	
705-65437-5	Upper Riverdale Road	Total/NA	Water	3510C	
705-65437-6	Valley Hill Road	Total/NA	Water	3510C	
705-65437-7	Flint River Road	Total/NA	Water	3510C	
705-65437-8	Duplicate Sample	Total/NA	Water	3510C	
705-65437-9	Upstream/Headwaters	Total/NA	Water	3510C	
MB 705-132498/1-A	Method Blank	Total/NA	Water	3510C	
LCS 705-132498/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 705-132498/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 132587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-1	Quarry Outfall	Total/NA	Water	8015C	132498
705-65437-2	Outfall FR-1/AATC	Total/NA	Water	8015C	132498
705-65437-3	Forest Parkway	Total/NA	Water	8015C	132498
MB 705-132498/1-A	Method Blank	Total/NA	Water	8015C	132498
LCS 705-132498/2-A	Lab Control Sample	Total/NA	Water	8015C	132498
LCSD 705-132498/3-A	Lab Control Sample Dup	Total/NA	Water	8015C	132498

Analysis Batch: 132589

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
705-65437-4	Lee's Bridge	Total/NA	Water	8015C	132498
705-65437-5	Upper Riverdale Road	Total/NA	Water	8015C	132498
705-65437-6	Valley Hill Road	Total/NA	Water	8015C	132498
705-65437-7	Flint River Road	Total/NA	Water	8015C	132498
705-65437-8	Duplicate Sample	Total/NA	Water	8015C	132498
705-65437-9	Upstream/Headwaters	Total/NA	Water	8015C	132498

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Quarry Outfall

Date Collected: 04/30/26 11:11

Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 20:47
Total/NA	Prep	3511			132433	DM	EET ATL	05/01/26 17:14
Total/NA	Analysis	8270E		1	132600	BH	EET ATL 2	05/03/26 06:19
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132587	ID	EET ATL	05/02/26 23:34

Client Sample ID: Outfall FR-1/AATC

Date Collected: 04/30/26 11:40

Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 21:09
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 18:41
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132587	ID	EET ATL	05/03/26 00:01

Client Sample ID: Forest Parkway

Date Collected: 04/30/26 12:30

Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 21:31
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 19:14
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132587	ID	EET ATL	05/03/26 00:28

Client Sample ID: Lee's Bridge

Date Collected: 04/30/26 12:50

Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 21:53
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 19:46
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/02/26 22:18

Client Sample ID: Upper Riverdale Road

Date Collected: 04/30/26 13:55

Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 22:16

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Upper Riverdale Road

Lab Sample ID: 705-65437-5

Date Collected: 04/30/26 13:55

Matrix: Water

Date Received: 05/01/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 20:19
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/02/26 22:46

Client Sample ID: Valley Hill Road

Lab Sample ID: 705-65437-6

Date Collected: 04/30/26 13:25

Matrix: Water

Date Received: 05/01/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 22:38
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 20:52
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/02/26 23:14

Client Sample ID: Flint River Road

Lab Sample ID: 705-65437-7

Date Collected: 04/30/26 15:05

Matrix: Water

Date Received: 05/01/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132307	Y1S	EET ATL	05/01/26 23:00
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:26
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 21:25
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/02/26 23:42

Client Sample ID: Duplicate Sample

Lab Sample ID: 705-65437-8

Date Collected: 04/30/26 11:50

Matrix: Water

Date Received: 05/01/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132514	UI	EET ATL	05/02/26 17:29
Total/NA	Prep	3511			132835	TNT	EET ATL	05/04/26 15:27
Total/NA	Analysis	8270E		1	132763	DBM	EET ATL 2	05/04/26 21:57
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/03/26 00:10

Client Sample ID: Upstream/Headwaters

Lab Sample ID: 705-65437-9

Date Collected: 04/30/26 09:25

Matrix: Water

Date Received: 05/01/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	132514	UI	EET ATL	05/02/26 17:51

Eurofins Atlanta

Lab Chronicle

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Client Sample ID: Upstream/Headwaters
Date Collected: 04/30/26 09:25
Date Received: 05/01/26 10:20

Lab Sample ID: 705-65437-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3511			132433	DM	EET ATL	05/01/26 17:14
Total/NA	Analysis	8270E		1	132600	BH	EET ATL 2	05/03/26 10:36
Total/NA	Prep	3510C			132498	SE	EET ATL	05/02/26 07:22
Total/NA	Analysis	8015C		1	132589	ID	EET ATL	05/03/26 00:38

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Method Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET ATL
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET ATL 2
8015C	Nonhalogenated Organics using GC/FID -Modified (Diesel Range Organics)	SW846	EET ATL
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET ATL
3511	Microextraction of Organic Compounds	SW846	EET ATL
5030B	Purge and Trap	SW846	EET ATL

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET ATL = Eurofins Atlanta, 3080 Presidential Dr, Atlanta, GA 30340, TEL (770)457-8177

EET ATL 2 = Eurofins Atlanta Building A, 3080 Presidential Pkwy, Atlanta, GA 30340, TEL (770)457-8177

Accreditation/Certification Summary

Client: Versar Inc
Project/Site: Flint River

Job ID: 705-65437-1

Laboratory: Eurofins Atlanta

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Florida	NELAP	E87582	06-30-26

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Environment Testing

Client Information		Sampler: <u>Steve Santago</u>		Lab PM: Pacurar, Ioana		Carrier Tracking No(s):		COC No: 705-23719-11066.1						
Client Contact: Jerald Mitchell		Phone:		E-Mail: ioana.pacurar@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1						
Company: VGS2MATL		PWSID:		Analysis Requested										
Address: 1005 Virginia Ave Suite 310		Due Date Requested:		 705-65437 Chain of Custody										
City: Atlanta		TAT Requested (days):												
State, Zip: GA, 30354		Compliance Project: ☐ Yes ☐ No												
Phone:		PO #: Purchase Order not required												
Email: Jerald.Mitchell@versar.com		WO #:												
Project Name: Flint River		Project #: 70506101		 705-65437 Chain of Custody										
Site:		SSOV#:												
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8270E_LL_QQQ - SIM PAHs	8260D_BTExM - BTEX	8015C_DRO - DRO/TPH-Jet Fuel	Special Instructions/Note:			
Quarry Outfall		4-30-26	11:10	G	Water			N	A	N				
Outfall FR-1/AATC		4-30-26	11:40	G	Water			N	A	N				
Forest Parkway		4-30-26	1230	G	Water			N	A	N				
Lee's Bridge		4-30-26	1250	G	Water			N	A	N				
Upper Riverdale Road		4-30-26	1355	G	Water			N	A	N				
Valley Hill Road		4-30-26	1325	G	Water			N	A	N				
Flint River Road		4-30-26	1505	G	Water			N	A	N				
Duplicate Sample AATC		4-30-26	1150	G	Water			N	A	N				
Upstream/Headwaters		4-30-26	0925	G	Water			N	A	N				
					Water									
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)								
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological						☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months								
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements:								
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:								
Relinquished by: <u>G/H</u>		Date/Time: 5-1-26/1020		Company:		Received by: <u>C. Ch2</u>		Date/Time: 5-1-26		Company: 1020				
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:				
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:				
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 91 26.5 0.4, 0.3										

Login Sample Receipt Checklist

Client: Versar Inc

Job Number: 705-65437-1

Login Number: 65437

List Source: Eurofins Atlanta

List Number: 1

Creator: Ceclu, Rodica

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
The cooler does not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Sample custody seals, if present, are intact.	True	
Sample collection date/times are provided.	True	
The samples do not appear to have been compromised or tampered with.	True	
Containers are not broken or leaking.	True	
There are no discrepancies between the containers received and the COC.	True	
Sample containers have legible labels.	True	
Appropriate sample containers were rec'd and sufficient volume for all analyses.	True	
Samples are received within Holding Time (excluding tests with immediate HTs).	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Is there sufficient air space in bottle for bacteriological analysis.	True	

END OF REPORT